

**THIS PAGE IS INSERTED BY OIPE SCANNING
AND IS NOT PART OF THE OFFICIAL RECORD**

Best Available Images

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

BLACK BORDERS



TEXT CUT OFF AT TOP, BOTTOM OR SIDES

FADED TEXT

BLURRY OR ILLEGIBLE TEXT

SKEWED/SLANTED IMAGES

COLORED PHOTOS HAVE BEEN RENDERED INTO BLACK AND WHITE

VERY DARK BLACK AND WHITE PHOTOS

UNDECIPHERABLE GRAY SCALE DOCUMENTS

IMAGES ARE THE BEST AVAILABLE COPY. AS RESCANNING *WILL NOT* CORRECT IMAGES, PLEASE DO NOT REPORT THE IMAGES TO THE PROBLEM IMAGE BOX.

(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property Organization
International Bureau



(43) International Publication Date
1 August 2002 (01.08.2002)

PCT

(10) International Publication Number
WO 02/059381 A2

(51) International Patent Classification⁷: **C12Q 1/68**, C07K 14/47, C12N 15/63, 15/10, A01K 67/027

(21) International Application Number: PCT/US02/00473

(22) International Filing Date: 7 January 2002 (07.01.2002)

(25) Filing Language: English

(26) Publication Language: English

(30) Priority Data:
60/260,080 6 January 2001 (06.01.2001) US

1) Applicant (*for all designated States except US*): **THE GENERAL HOSPITAL CORPORATION [US/US]; 55 Fruit Street, Boston, MA 02114 (US)**.

(72) Inventors; and

(75) Inventors/Applicants (*for US only*): **SLAUGENHAUPT, Susan [US/US]; 23 Thomas Street, Quincy, MA 02169 (US). GUSELLA, James, F. [US/US]; 7 Woodstock Drive, Framingham, MA 01701 (US).**

(74) Agent: **SONNENFELD, Kenneth, H.; Morgan & Finnegan, LLP, 345 Park Avenue, New York, NY 10154 (US).**

(81) Designated States (*national*): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, OM, PH, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZM, ZW.

(84) Designated States (*regional*): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

Published:

— without international search report and to be republished upon receipt of that report

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

(54) Title: GENE FOR IDENTIFYING INDIVIDUALS WITH FAMILIAL DYSAUTONOMIA

WO 02/059381 A2

(57) **Abstract:** This invention relates to methods and compositions useful for detecting mutations which cause Familial Dysautonomia. Familial dysautonomia (FD; Riley-Day syndrome), an Ashkenazi Jewish disorder, is the best known and most frequent of a group of congenital sensory neuropathies and is characterized by widespread sensory and variable autonomic dysfunction. Previously, we mapped the FD gene, *DYS*, to a 0.5 cM region of chromosome 9q31 and showed that the ethnic bias is due to a founder effect, with >99.5% of disease alleles sharing a common ancestral haplotype. To investigate the molecular basis of FD, we sequenced the minimal candidate region and cloned and characterized its 5 genes. One of these, *IKBKAP*, harbors two mutations that can cause FD. The major haplotype mutation is located in the donor splice site of intron 20. This mutation can result in skipping of exon 20 in the mRNA from FD patients, although they continue to express varying levels of wild-type message in a tissue-specific manner. RNA isolated from patient lymphoblasts is primarily wild-type, whereas only the deleted message is seen in RNA isolated from brain. The mutation associated with the minor haplotype in four patients is a missense (R696P) mutation in exon 19 that is predicted to disrupt a potential phosphorylation site. Our findings indicate that almost all cases of FD are caused by an unusual splice defect that displays tissue-specific expression; and they also provide the basis for rapid carrier screening in the Ashkenazi Jewish population.

GENE FOR IDENTIFYING INDIVIDUALS WITH FAMILIAL DYSAUTONOMIA

This application claims priority to provisional application Serial No. 60/260,080, the entirety of which is incorporated herein by reference.

This invention was made with government support under Grant Number NS36326 awarded by The National Institutes of Health. The U.S. government has certain rights in the invention.

FIELD OF THE INVENTION

This invention relates generally to the gene, and mutations thereto, that are responsible for the disease familial dysautonomia (FD). More particularly, the invention relates to the identification, isolation and cloning of the DNA sequence corresponding to the normal and mutant FD genes, as well as characterization of their transcripts and gene products. This invention also relates to genetic screening methods and kits for identifying FD mutant and wild-type alleles, and further relates to FD diagnosis, prenatal screening and diagnosis, and therapies of FD, including gene therapeutics and protein/antibody based therapeutics.

BACKGROUND OF THE INVENTION

Familial Dysautonomia (FD, Riley-Day Syndrome, Hereditary Sensory and Autonomic Neuropathy Type III) [OMIM 223900] is an autosomal recessive disorder present in 1 in 3,600 live births in the Ashkenazi Jewish population. This debilitating disorder is due to the poor development, survival, and progressive degeneration of the sensory and autonomic nervous system (Axelrod et al., 1974). FD was first described in 1949 based on five children who presented with defective lacrimation, excessive sweating, skin blotching, and hypertension (Riley et al., 1949). The following cardinal criteria have evolved for diagnosis of FD: absence of fungiform papillae on the tongue, absence of flare after injection of intradermal

- 2 -

histamine, decreased or absent deep tendon reflexes, absence of overflow emotional tears, and Ashkenazi Jewish descent (Axelrod and Pearson, 1984, Axelrod 1984).

The loss of neuronal function in FD has many repercussions, with patients displaying gastrointestinal dysfunction, abnormal respiratory responses to hypoxic and hypercarbic states, scoliosis, gastroesophageal reflux, vomiting crises, lack of overflow tears, inappropriate sweating, and postural hypotension (Riley et al. 1949; Axelrod et al. 1974, Axelrod 1996). Despite recent advances in the management of FD, the disorder is inevitably fatal with only 50% of patients reaching 30 years of age. The clinical features of FD are due to a genetic defect that causes a striking, progressive depletion of unmyelinated sensory and autonomic neurons (Pearson and Pytel 1978a; Pearson and Pytel 1978b; Pearson et al. 1978; Axelrod 1995). This neuronal deficiency begins during development, as extensive pathology is evident even in the youngest subjects. Fetal development and postnatal maintenance of dorsal root ganglion (DRG) neurons is abnormal, significantly decreasing their numbers and resulting in DRG of grossly reduced size. Slow progressive degeneration is evidenced by continued neuronal depletion with increasing age. In the autonomic nervous system, superior cervical sympathetic ganglia are also reduced in size due to a severe decrease in the neuronal population.

Previously, the FD gene, *DYS*, was mapped to an 11-cM region of chromosome 9q31 (Blumenfeld et al. 1993) which was then narrowed by haplotype analysis to <0.5cM or 471 kb (Blumenfeld et al. 1999). There is a single major haplotype that accounts for >99.5% of all FD chromosomes in the Ashkenazi Jewish (AJ) population. The recent identification of several single nucleotide polymorphisms (SNPs) in the candidate interval has allowed for further reduction of the candidate region to 177 kb by revealing a common core haplotype shared by the major and one previously described minor haplotype (Blumenfeld et al. 1999).

SUMMARY OF THE INVENTION

This invention relates to mutations in the *IKBKAP* gene which the inventors of this invention discovered and found to be associated with Familial Dysautonomia. The mutation associated with the major haplotype of FD is a base

pair mutation, wherein the thymine nucleotide located at bp 6 of intron 20 in the *IKBKAP* gene is replaced with a cytosine nucleotide (T → C) (hereinafter “FD1 mutation”). The mutation associated with the minor haplotype is a base pair mutation wherein the guanine nucleotide at bp 2397 (bp 73 of exon 19) is replaced with a cysteine nucleotide (G → C) (hereinafter “FD2 mutation”). This base pair mutation causes an arginine to proline missense mutation (R696P) in the amino acid sequence of the *IKBKAP* gene that is predicted to disrupt a potential phosphorylation site.

In accordance with one aspect of the present invention, there is provided an isolated nucleic acid comprising a nucleic acid sequence selected from the group consisting of:

nucleic acid sequences corresponding to the genomic sequence of the FD gene including introns and exons as shown in Figure 6;

nucleic acid sequences corresponding to the nucleic acid sequence of the FD gene as shown in Figure 6, wherein the thymine nucleotide at position 34,201 is replaced by a cytosine nucleotide;

nucleic acid sequences corresponding to the nucleic acid sequence of the FD gene as shown in Figure 6, wherein the guanine nucleotide at position 33,714 is replaced by a cytosine nucleotide;

nucleic acid sequences corresponding to the nucleic acid sequence of the FD gene as shown in Figure 6, wherein the thymine nucleotide at position 34,201 is replaced by a cytosine nucleotide and the guanine nucleotide at position 33,714 is replaced by a cytosine nucleotide;

nucleic acid sequences corresponding to the cDNA sequence including the coding sequence of the FD gene as shown in Figure 7;

nucleic acid sequences corresponding to the cDNA sequence shown in Figure 7, wherein the arginine at position 696 is replaced by a proline;

In accordance with another aspect of the present invention, there is provided a nucleic acid probe, comprising a nucleotide sequence corresponding to a portion of a nucleic acid as set forth in any one of the foregoing nucleic acid sequences.

In accordance with another aspect of the present invention, there is provided a cloning vector comprising a coding sequence of a nucleic acid as set forth above and a replicon operative in a host cell for the vector.

In accordance with another aspect of the present invention, there is provided an expression vector comprising a coding sequence of a nucleic acid set forth above operably linked with a promoter sequence capable of directing expression of the coding sequence in host cells for the vector.

In accordance with another aspect of the present invention, there is provided host cells transformed with a vector as set forth above.

In accordance with another aspect of the present invention, there is provided a method of producing a mutant FD polypeptide comprising: transforming host cells with a vector capable of expressing a polypeptide from a nucleic acid sequence as set forth above; culturing the cells under conditions suitable for production of the polypeptide; and recovering the polypeptide.

In accordance with another aspect of the present invention, there is provided a peptide product selected from the group consisting of: a polypeptide having an amino acid sequence corresponding to the amino acid sequence shown in Figure 8; a polypeptide containing a mutation in the amino acid sequence shown in Figure 8, wherein the arginine at position 696 is replaced with a proline; a peptide comprising at least 6 amino acid residues corresponding to the amino acid sequence shown in Figure 8, and a peptide comprising at least 6 amino acid residues corresponding to a mutated form of the amino acid sequence shown in Figure 8. In one embodiment, the peptide is labeled. In another embodiment, the peptide is a fusion protein.

In accordance with another aspect of the present invention, there is provided a use of a peptide as set forth above as an immunogen for the production of antibodies. In one embodiment, there is provided an antibody produced in such application. In one embodiment, the antibody is labeled. In another embodiment, the antibody is bound to a solid support. In accordance with another aspect of the present invention, there is provided a method to determine the presence or absence of the familial dysautonomia (FD) gene mutation in an individual, comprising: isolating genomic DNA, cDNA, or RNA from a potential FD disease

- 5 -

carrier or patient; and assessing the DNA for the presence or absence of an FD-associated allele, wherein said FD-associated allele is the FD1 and/or FD2 mutation wherein, the absence of either FD-associated allele indicates the absence of the FD gene mutation in the genome of the individual and the presence of the allele indicates that the individual is either affected with FD or a heterozygote carrier.

In one embodiment, the assessing step is performed by a process which comprises subjecting the DNA to amplification using oligonucleotide primers flanking the FD1 mutation and the FD2 mutation. In another embodiment, the assessing step further comprises an allele-specific oligonucleotide hybridization assay.

In another embodiment, DNA is amplified using the following oligonucleotide primers: 5'- GCCAGTGTTCGCCTGAG - 3'; 5'- CGGATTGTCACTGTTGTGC- 3'; 5'- GACTGCTCTCATAGCATCGC- 3'. In another embodiment, the assessing step further comprises an allele-specific oligonucleotide hybridization assay. In another embodiment, the allele-specific oligonucleotide hybridization assay is accomplished using the following oligonucleotides: 5'- AAGTAAG(T/C)GCCATTG- 3' and 5'- GGTCAC(G/C)GATTGTC. In yet another embodiment, neuronal tissue from an individual is screened for the presence of truncated IKBKAP mRNA or peptides, wherein the presence of said truncated mRNA or peptides indicates that said individual possesses the FD1 and/or FD2 mutation in the IKBKAP gene.

In accordance with another aspect of the present invention, there is provided an animal model for familial dysautonomia (FD), comprising a mammal possessing a mutant or knock-out or knock-in FD gene. In another embodiment, there is provided a method of producing a transgenic animal expressing a mutant IKAP mRNA comprising:

- (a) introducing into an embryonal cell of an animal a promoter operably linked to the nucleotide sequence containing a mutation associated with FD;
- (b) transplanting the transgenic embryonal target cell formed thereby into a recipient female parent; and

(c) identifying at least one offspring containing said nucleotide sequence in said offspring's genome.

In accordance with another aspect of the present invention, there is provided a method for screening potential therapeutic agents for activity, in connection with FD, comprising: providing a screening tool selected from the group consisting of a cell line, and a mammal containing or expressing a defective FD gene or gene product; contacting the screening tool with the potential therapeutic agent; and assaying the screening tool for an activity.

In accordance with another aspect of the present invention, there is provided a method for treating familial dysautonomia (FD) by gene therapy using recombinant DNA technology to deliver the normal form of the FD gene into patient cells or vectors which will supply the patient with gene product in vivo.

In another embodiment, there is provided a method for treating familial dysautonomia (FD), comprising: providing an antibody directed against an FD protein sequence or peptide product; and delivering the antibody to affected tissues or cells in a patient having FD.

In accordance with another aspect of the present invention, there is provided kits for carrying out the methods of the invention. These kits include nucleic acids, polypeptides and antibodies of the present invention. In another embodiment the kit for detecting FD mutations will also contain genetic tests for diagnosing additional genetic diseases, such as Canavan's disease, Tay-Sachs disease, Goucher disease, Cystic Fibrosis, Fanconi anemia, and Bloom syndrome.

It will be appreciated by a skilled worker in the art that the identification of the genetic defect in a genetic disease, coupled with the provision of the DNA sequences of both normal and disease-causing alleles, provides the full scope of diagnostic and therapeutic aspects of such an invention as can be envisaged using current technology.

BRIEF DESCRIPTION OF THE DRAWINGS

Figure 1. Genomic structure of *IKBKAP*. The figure illustrates the orientation and placement of the 37 exons within a 68 kb genomic region of

- 7 -

chromosome 9q31. The primers used for analysis of the splice defect are indicated as 18F (exon 18), 19F (exon 19) and 23R (exon 23). Asterick indicates the locations of the two mutations identified; the mutation associated with the major AJ haplotype is located at bp 6 of intron 20, whereas the mutation associated with the minor AJ haplotype is located at bp 73 of exon 19. The 4.8 and 5.9 designations at exon 37 indicate the lengths of the two *IKBKAP* messages that differ only in the length of their 3' UTRs.

Figures 2A-2C. Demonstration of mutations in *IKBKAP*. Figure 2A shows the antisense sequence of the T – C mutation (shown by arrows adjacent to the G and A lanes) at bp 6 of intron 20 that is associated with the major FD haplotype. Lanes 1 and 2 are FD patients homozygous for the major haplotype (homozygous GG), lane 3 is an FD patient heterozygous for the major haplotype and minor haplotype 2 (heterozygous GA), lane 4 is an FD patient heterozygous for the major haplotype and minor haplotype 3 (heterozygous GA), and lanes 5 and 6 are non-FD controls (homozygous AA). Figure 2b shows heterozygosity for the G – C mutation (shown by arrows adjacent to the G and C lanes) at bp 73 of exon 19. Lane 1 is an FD homozygous for the major haplotype (homozygous GG), lanes 2-4 are three patients heterozygous for the major haplotype and minor haplotype 2 (heterozygous GC), lane 5 is a patient heterozygous for the major haplotype and minor haplotype 3 (homozygous GG), and lane 6 is a non-FD control (homozygous GG). Figure 2c shows the sequence of the cDNA generated from the RT-PCR of a patient heterozygous for the major and minor 2 haplotypes. The arrow points to the heterozygous G-C mutation in exon 19. The boundary of exons 19 and 20 is also indicated, illustrating that this patient expresses wild-type message that includes exon 20, despite the presence of the major mutation on one allele.

Figures 3A-3B. Northern blot analysis of *IKBKAP*. Figure 3A is a human multiple tissue northern blot that was hybridized with *IKBKAP* exon 2 and shows the presence of two messages of 4.8 and 5.9 kb (northern blots hybridized with other *IKBKAP* probes yielded similar patterns). Figure 3b is a northern blot generated using mRNA isolated from lymphoblast cell lines: lanes 1, 2, and 5 FD patients homozygous for the major haplotype; lane 3 individual carrying two definitively

- 8 -

non-FD chromososomes, lane 4 FD patient heterozygous for the major haplotype and minor haplotype 2; lane 6 control brain RNA (Clontech). The level of expression of *IKBKAP* mRNA relative to β -actin mRNA is quite variable in lymphoblasts. We observed no consistent increase or decrease in mRNA levels between FD patients homozygous for the major haplotype, those heterozygous for the major haplotype and minor haplotype 2, and non-FD individuals.

Figures 4A-4B: RT-PCR analysis of the exon 20 region of *IKBKAP* showing expression of the wild-type message and protein in patients. Figure 4A was generated using primers 18F (exon 18) and 23R (exon 23). Lanes 1 and 2 are FD patients homozygous for the major haplotype, lane 3 is an FD patient heterozygous for the major haplotype and minor haplotype 2, lanes 4 and 5 are non-FD controls, lane 6 is a water control. Figure 4b is a western blot generated using cytoplasmic protein isolated from patient lymphoblast cell lines and detected with a carboxyl-terminal antibody. Lanes 2, 4, 6, and 8 are patients homozygous for the major haplotype, lanes 3, 5, 7, and 9 are non-FD controls, lane 1 is a patient heterozygous for the major and minor haplotype 3, and lane 10 is a patient heterozygous for the major and minor haplotype 2 and lane 11 is a Hela cell line sample.

Figure 5. RT-PCR analysis of the exon 20 region of *IKBKAP* showing variable expression of the mutant message in FD patients. The analysis was done using primers 19F (exon 19) and 23F (exon 23). Lanes 1 and 2, control fibroblasts; lanes 3, 4, and 5, FD fibroblasts homozygous for the major mutation; lanes 6 and 7 FD lymphoblasts homozygous for the major mutation, lanes 8 and 9 non-FD lymphoblasts, lane 10 FD patient brain stem, lane 11 FD patient temporal lobe (showing a faint 319 bp band and no 393 bp band), lane 12 water control. RT-PCR of control brain RNA (Clontech) showed only the 393 bp band (data not shown).

Figure 6. The genomic sequence for *IKBKAP*.

Figure 7- The cDNA sequence for *IKBKAP*

Figure 8- the amino acid sequence of the *IKBKAP* gene

Figure 9- Comparison of the amino acid sequence of Ikap across several species. Alignment of the amino acid sequence of Ikap (*M_musculus*) with that of

- 9 -

Homo sapiens (H_sapiens), *Drosophila melanogaster* (D_melanogaster),
Saccharomyces cerevisiae (S_cervisiae), *Arabidopsis thaliana* (A_thaliana), and
Caenorhabditis elegans (C_elegans).

Figure 10- Comparison of the Novel Mouse *Ikbkap* Gene with Multiple Species Homologs

Figure 11- Mouse *Ikbkap* Exon and Intron Boundaries

Figure 12- Comparison of the synthetic regions of mouse chromosome 4 (MMU4) and human chromosome 9 (HSA9q31). This diagram on the left shows the location of *Ikbkap* in relation to mapped and genetic markers (boldface). Distances are given in centimorgans. The positions of the homologous genes that map to human chromosome 9q31 are shown on the right.

DETAILED DESCRIPTION OF THE INVENTION

This invention relates to mutations in the *IKBKAP* gene, which the inventors of the instant application discovered are associated with Familial Dysautonomia. More specifically, the mutation associated with the major haplotype of FD is a T-C change located at bp 6 of intron 20 in the *IKBKAP* gene as shown in Figure 1. This mutation can result in skipping of exon 20 in the mRNA from FD patients, although they continue to express varying levels of wild-type message in a tissue specific manner. The mutation associated with the minor haplotype is a single G-C change at bp 2397 (bp 73 of exon 19) that causes an arginine to proline missense mutation (R696P) that is predicted to disrupt a potential phosphorylation site.

These findings have direct implications for understanding the clinical manifestations of FD, for preventing it and potentially for treating it. The IKAP protein produced from *IKBKAP* gene was originally isolated as part of a large interleukin-1-inducible IKK complex and described as a regulator of kinases involved in pro-inflammatory cytokine signaling (Cohen et al. 1998). However, a recent report questioned this conclusion, by reporting that cellular IKK complexes do not contain IKAP based on various protein-protein interaction and functional

assays. Rather, IKAP appears to be a member of a novel complex containing additional unidentified proteins of 100, 70, 45, and 39 kDa (Krappmann et al. 2000).

IKAP is homologous to the Elp1 protein of *S. cerevisiae*, which is encoded by the *IKI3* locus and is required for sensitivity to pGKL killer toxin. The human and yeast proteins exhibit 29% identity and 46% similarity over their entire lengths. Yeast Elp1 protein is part of the RNA polymerase II-associated elongator complex, which also contains Elp2, a WD-40 repeat protein, and Elp3, a histone acetyltransferase (Otero et al. 1999). The human *ELP3* gene encodes a 60 kDa histone acetyltransferase that shows more than 75% identity with yeast Elp3 protein, but no 60 kDa protein has been found in the human IKAP-containing protein complex. Consequently, it is considered unlikely that IKAP is a member of a functionally conserved mammalian elongator complex (Krappmann et al. 2000). Instead, it has been reported that the protein may play a role in general gene activation mechanisms, as overexpression of IKAP interferes with the activity of both NF-κB-dependent and independent reporter genes (Krappmann et al. 2000). Therefore, the FD phenotype may be caused by aberrant expression of genes crucial to the development of the sensory and autonomic nervous systems, secondary to the loss of a functional IKAP protein in specific tissues.

FD is unique among Ashkenazi Jewish disorders in that one mutation accounts for > 99.5% of the disease chromosomes. As in other autosomal recessive diseases with no phenotype in heterozygous carriers, one might have expected to find several different types of mutations producing complete inactivation of the *DYS* gene in the AJ population. The fact that the major FD mutation does not produce complete inactivation, but rather allows variable tissue-specific expression of IKAP, may explain this lack of mutational diversity. Mutations causing complete inactivation of IKAP in all tissues might cause a more severe or even lethal phenotype. Indeed, *CG10535*, the apparent *Drosophila melanogaster* homologue of *IKBKAP*, maps coincident with a larval recessive lethal mutation (*l(3)04629*) supporting the essential nature of the protein (FlyBase). Thus, the array of mutations that can produce the FD phenotype may be limited if they must also allow expression of functional or partially functional IKAP in some tissues to permit

- 11 -

survival. With the identification of *IKBKAP* as *DYS*, it will now be possible to test this inactivation hypothesis in a mammalian model system.

Despite the overwhelming predominance of a single mutation in FD patients, the disease phenotype is remarkably variable both within and between families. The nature of the major FD mutation makes it tempting to consider that this phenotypic variability might relate to the frequency of exon 20 skipping in specific tissues and at specific developmental stages, which may be governed by variations in many factors involved in RNA splicing. Even a small amount of normal IKAP protein expressed in critical tissues might permit sufficient neuronal survival to alleviate the most severe phenotypes. This possibility is supported by the relatively mild phenotype associated with the presence of the R696P mutation, which is predicted to permit expression of an altered full-length IKAP protein that may retain some functional capacity. To date, this minor FD mutation has only been seen in four patients heterozygous for the major mutation. Consequently, it is uncertain whether homozygotes for the R696P mutation would display any phenotypic abnormality characteristic of FD. The single patient with minor haplotype 3 and mixed ancestry, whose mutation has yet to be found, is also a compound heterozygote with the major haplotype. The existence of minor haplotype 3 indicates that *IKBKAP* mutations will be found outside the AJ population, but like the R696P mutation, it is difficult to predict the severity of phenotype that would result from homozygosity.

Since FD affects the development and maintenance of the sensory and autonomic nervous systems, the identification of *IKBKAP* as the *DYS* gene allows for further investigation of the role of IKAP and associated proteins in the sensory and autonomic nervous systems. Of more immediate practical importance, however, the discovery of the single base mutation that characterizes >99.5% of FD chromosomes will permit efficient, inexpensive carrier testing in the AJ population, to guide reproductive choices and reduce the incidence of FD. The nature of the major mutation also offers some hope for new approaches to treatment of FD. Despite the presence of this mutation, lymphoblastoid cells from patients are capable of producing full-length wild-type mRNA and normal IKAP protein; while in neuronal tissue exon 20 is skipped, presumably leading to a truncated product.

Investigation of the mechanism that permits lymphoblasts to be relatively insensitive to the potential effect of the mutation on splicing may suggest strategies to prevent skipping of exon 20 in other cell types. An effective treatment to prevent the progressive neuronal loss of FD may be one aimed at facilitating the production of wild-type mRNA from the mutant gene rather than exogenous administration of the missing IKAP protein via gene therapy.

FD Screening

With knowledge of the primary mutation and secondary mutation of the FD gene as disclosed herein, screening for presymptomatic homozygotes, including prenatal diagnosis, and screening for heterozygous carriers can be readily carried out.

1. Nucleic Acid Based Screening

Individuals carrying mutations in the FD gene may be detected at either the DNA or RNA level using a variety of techniques that are well known in the art. The genomic DNA used for the diagnosis may be obtained from an individual's cells, such as those present in peripheral blood, urine, saliva, bucca, surgical specimen, and autopsy specimens. The DNA may be used directly or may be amplified enzymatically in vitro through use of PCR (Saiki et al. Science 239:487-491 (1988)) or other in vitro amplification methods such as the ligase chain reaction (LCR) (Wu and Wallace Genomics 4:560-569 (1989)), strand displacement amplification (SDA) (Walker et al. PNAS USA 89:392-396 (1992)), self-sustained sequence replication (3SR) (Fahy et al. PCR Methods Appl. 1:25-33 (1992)), prior to mutation analysis. In situ hybridization may also be used to detect the FD gene.

The methodology for preparing nucleic acids in a form that is suitable for mutation detection is well known in the art. For example, suitable probes for detecting a given mutation include the nucleotide sequence at the mutation site and encompass a sufficient number of nucleotides to provide a means of differentiating a normal from a mutant allele. Any probe or combination of probes capable of detecting any one of the FD mutations herein described are suitable for use in this

invention. Examples of suitable probes include those complementary to either the coding or noncoding strand of the DNA. Similarly, suitable PCR primers are complementary to sequences flanking the mutation site. Production of these primers and probes can be carried out in accordance with any one of the many routine methods, e.g., as disclosed in Sambrook et al..sup.45, and those disclosed in WO 93/06244 for assays for Goucher disease.

Probes for use with this invention should be long enough to specifically identify or amplify the relevant FD mutations with sufficient accuracy to be useful in evaluating the risk of an individual to be a carrier or having the FD disorder. In general, suitable probes and primers will comprise, preferably at a minimum, an oligomer of at least 16 nucleotides in length. Since calculations for mammalian genomes indicate that for an oligonucleotide 16 nucleotides in length, there is only one chance in ten that a typical cDNA library will fortuitously contain a sequence that exactly matches the sequence of the nucleotide. Therefore, suitable probes and primers are preferably 18 nucleotides long, which is the next larger oligonucleotide fully encoding an amino acid sequence (i.e., 6 amino acids in length).

By use of nucleotide and polypeptide sequences provided by this invention, safe, effective and accurate testing procedures are also made available to identify carriers of mutant alleles of *IKBKAP*, as well as pre- and postnatal diagnosis of fetuses and live born patients carrying either one or two mutant alleles. This affords potential parents the opportunity to make reproductive decisions prior to pregnancy, as well as afterwards, e.g., if chorionic villi sampling or amniocentesis is performed early in pregnancy. Thus, prospective parents who know that they are both carriers may wish to determine if their fetus will have the disease, and may wish to terminate such a pregnancy, or to provide the physician with the opportunity to begin treatment as soon as possible, including prenatally. In the case where such screening has not been performed, and therefore the carrier status of the patient is not known, and where FD disease is part of the differential diagnosis, the present invention also provides a method for making the diagnosis genetically.

Many versions of conventional genetic screening tests are known in the art. Several are disclosed in detail in WO 91/02796 for cystic fibrosis, in U.S. Pat. No.

5,217,865 for Tay-Sachs disease, in U.S. Pat. No. 5,227,292 for neurofibromatosis and in WO 93/06244 for Goucher disease. Thus, in accordance with the state of the art regarding assays for such genetic disorders, several types of assays are conventionally prepared using the nucleotides, polypeptides and antibodies of the present invention. For example: the detection of mutations in specific DNA sequences, such as the FD gene, can be accomplished by a variety of methods including, but not limited to, restriction-fragment-length-polymorphism detection based on allele-specific restriction-endonuclease cleavage (Kan and Dozy Lancet ii:910-912 (1978)), hybridization with allele-specific oligonucleotide probes (Wallace et al. Nucl Acids Res 6:3543-3557 (1978)), including immobilized oligonucleotides (Saiki et al. PNAS USA 86:6230-6234 (1989)) or oligonucleotide arrays (Maskos and Southern Nucl Acids Res 21:2269-2270 (1993)), allele-specific PCR (Newton et al. Nucl Acids Res 17:2503-25 16 (1989)), mismatch-repair detection (MRD) (Faham and Cox Genome Res 5:474-482 (1995)), binding of MutS protein (Wagner et al. Nucl Acids Res 23:3944-3948 (1995)), denaturing-gradient gel electrophoresis (DGGE) (Fisher and Lerman et al. PNAS USA 80:1579-1583 (1983)), single-strand-conformation-polymorphism detection (Orita et al. Genomics 5:874-879 (1983)), RNAase cleavage at mismatched base-pairs (Myers et al. Science 230:1242 (1985)), chemical (Cotton et al. PNAS USA 85:4397-4401 (1988)) or enzymatic (Youil et al. PNAS USA 92:87-91 (1995)) cleavage of heteroduplex DNA, methods based on allele specific primer extension (Syvanen et al. Genomics 8:684-692 (1990)), genetic bit analysis (GBA) (Nikiforov et al. Nucl Acids Res 22:4167-4175 (1994)), the oligonucleotide-ligation assay (OLA) (Landegren et al. Science 241:1077 (1988)), the allele-specific ligation chain reaction (LCR) (Barrany PNAS USA 88:189-193 (1991)), gap-LCR (Abravaya et al. Nucl Acids Res 23:675-682 (1995)), and radioactive and/or fluorescent DNA sequencing using standard procedures well known in the art.

As will be appreciated, the mutation analysis may also be performed on samples of RNA by reverse transcription into cDNA therefrom. Furthermore, mutations may also be detected at the protein level using, for example, antibodies specific for the mutant and normal FD protein, respectively. It may also be possible

to base an FD mutation assay on altered cellular or subcellular localization of the mutant form of the FD protein.

2. Antibodies

Antibodies can also be used for the screening of the presence of the FD gene, the mutant FD gene, and the protein products therefrom. In addition, antibodies are useful in a variety of other contexts in accordance with this invention. As will be appreciated, antibodies can be raised against various epitopes of the FD protein. Such antibodies can be utilized for the diagnosis of FD and, in certain applications, targeting of affected tissues.

For example, antibodies can be used to detect truncated FD protein in neuronal cells, the detection of which indicates that an individual possesses a mutation in the IKBKAP gene.

Thus, in accordance with another aspect of the present invention a kit is provided that is suitable for use in screening and assaying for the presence of the FD gene by an immunoassay through use of an antibody which specifically binds to a gene product of the FD gene in combination with a reagent for detecting the binding of the antibody to the gene product.

Antibodies raised in accordance with the invention can also be utilized to provide extensive information on the characteristics of the protein and of the disease process and other valuable information which includes but is not limited to:

1. Antibodies can be used for the immunostaining of cells and tissues to determine the precise localization of the FD protein. Immunofluorescence and immuno-electron microscopy techniques which are well known in the art can be used for this purpose. Defects in the FD gene or in other genes which cause an altered localization of the FD protein are expected to be localizable by this method.

2. Antibodies to distinct isoforms of the FD protein (i.e., wild-type or mutant-specific antibodies) can be raised and used to detect the presence or absence of the wild-type or mutant gene products by immunoblotting (Western blotting) or other immunostaining methods. Such antibodies can also be utilized for therapeutic applications where, for example, binding to a mutant form of the FD protein reduces

the consequences of the mutation.

3. Antibodies can also be used as tools for affinity purification of FD protein. Methods such as immunoprecipitation or column chromatography using immobilized antibodies are well known in the art and are further described in Section (II)(B)(3), entitled "Protein Purification" herein.

4. Immunoprecipitation with specific antibodies is useful in characterizing the biochemical properties of the FD protein. Modifications of the FD protein (i.e., phosphorylation, glycosylation, ubiquitization, and the like) can be detected through use of this method. Immunoprecipitation and Western blotting are also useful for the identification of associating molecules that may be involved in the mammalian elongation complex.

5. Antibodies can also be utilized in connection with the isolation and characterization of tissues and cells which express FD protein. For example, FD protein expressing cells can be isolated from peripheral blood, bone marrow, liver, and other tissues, or from cultured cells by fluorescence activated cell sorting (FACS) Harlow et al., eds., *Antibodies: A Laboratory Manual*, pp. 394-395, Cold Spring Harbor Press, N.Y. (1988). Cells can be mixed with antibodies (primary antibodies) with or without conjugated dyes. If nonconjugated antibodies are used, a second dye-conjugated antibody (secondary antibody) which binds to the primary antibody can be added. This process allows the specific staining of cells or tissues which express the FD protein.

Antibodies against the FD protein are prepared by several methods which include, but are not limited to:

1. The potentially immunogenic domains of the protein are predicted from hydropathy and surface probability profiles. Then oligopeptides which span the predicted immunogenic sites are chemically synthesized. These oligopeptides can also be designed to contain the specific mutant amino acids to allow the detection of and discrimination between the mutant versus wild-type gene products. Rabbits or other animals are immunized with the synthesized oligopeptides coupled to a carrier such as KLH to produce anti-FD protein polyclonal antibodies. Alternatively, monoclonal antibodies can be produced against the synthesized oligopeptides using

conventional techniques that are well known in the art Harlow et al., eds., *Antibodies: A Laboratory Manual*, pp. 151-154, Cold Spring Harbor Press, N.Y. (1988). Both *in vivo* and *in vitro* immunization techniques can be used. For therapeutic applications, "humanized" monoclonal antibodies having human constant and variable regions are often preferred so as to minimize the immune response of a patient against the antibody. Such antibodies can be generated by immunizing transgenic animals which contain human immunoglobulin genes. See Jakobovits et al. *Ann NY Acad Sci* 764:525-535 (1995).

2. Antibodies can also be raised against expressed FD protein products from cells. Such expression products can include the full length expression product or parts or fragments thereof. Expression can be accomplished using conventional expression systems, such as bacterial, baculovirus, yeast, mammalian, and other overexpression systems using conventional recombinant DNA techniques. The proteins can be expressed as fusion proteins with a histidine tag, glutathione-S-transferase, or other moieties, or as nonfused proteins. Expressed proteins can be purified using conventional protein purification methods or affinity purification methods that are well known in the art. Purified proteins are used as immunogens to generate polyclonal or monoclonal antibodies using methods similar to those described above for the generation of antipeptide antibodies.

In each of the techniques described above, once hybridoma cell lines are prepared, monoclonal antibodies can be made through conventional techniques of, for example, priming mice with pristane and interperitoneally injecting such mice with the hybrid cells to enable harvesting of the monoclonal antibodies from ascites fluid.

In connection with synthetic and semi-synthetic antibodies, such terms are intended to cover antibody fragments, isotype switched antibodies, humanized antibodies (mouse-human, human-mouse, and the like), hybrids, antibodies having plural specificities, fully synthetic antibody-like molecules, and the like.

3. Expression Systems

Expression systems for the FD gene product allow for the study of the

function of the FD gene product, in either normal or wild-type form and/or mutated form. Such analyses are useful in providing insight into the disease causing process that is derived from mutations in the gene.

"Expression systems" refer to DNA sequences containing a desired coding sequence and control sequences in operable linkage, so that hosts transformed with these sequences are capable of producing the encoded proteins. In order to effect transformation, the expression system may be included on a vector; however, the relevant DNA may then also be integrated into the host chromosome.

In general terms, the production of a recombinant form of FD gene product typically involves the following:

First a DNA encoding the mature (used here to include all normal and mutant forms of the proteins) protein, the preprotein, or a fusion of the FD protein to an additional sequence cleavable under controlled conditions such as treatment with peptidase to give an active protein, is obtained. If the sequence is uninterrupted by introns it is suitable for expression in any host. If there are introns, expression is obtainable in mammalian or other eukaryotic systems capable of processing them. This sequence should be in excisable and recoverable form. The excised or recovered coding sequence is then placed in operable linkage with suitable control sequences in an expression vector. The construct is used to transform a suitable host, and the transformed host is cultured under selective conditions to effect the production of the recombinant FD protein. Optionally the FD protein is isolated from the medium or from the cells and purified as described in Section entitled "Protein Purification".

Each of the foregoing steps can be done in a variety of ways. For example, the desired coding sequences can be obtained by preparing suitable cDNA from cellular mRNA and manipulating the cDNA to obtain the complete sequence. Alternatively, genomic fragments may be obtained and used directly in appropriate hosts. The construction of expression vectors operable in a variety of hosts are made using appropriate replicons and control sequences, as set forth below. Suitable restriction sites can, if not normally available, be added to the ends of the coding sequence so as to provide an excisable gene to insert into these vectors.

The control sequences, expression vectors, and transformation methods are dependent on the type of host cell used to express the gene. Generally, prokaryotic, yeast, insect, or mammalian cells are presently useful as hosts. Prokaryotic hosts are in general the most efficient and convenient for the production of recombinant proteins. However, eukaryotic cells, and, in particular, yeast and mammalian cells, are often preferable because of their processing capacity and post-translational processing of human proteins.

Prokaryotes most frequently are represented by various strains of *E. coli*. However, other microbial strains may also be used, such as *Bacillus subtilis* and various species of *Pseudomonas* or other bacterial strains. In such prokaryotic systems, plasmid or bacteriophage vectors which contain origins of replication and control sequences compatible with the host are used. A wide variety of vectors for many prokaryotes are known (Maniatis et al. Molecular Cloning: A Laboratory Manual pp. 1.3-1.11, 2.3-2.125, 3.2-3.48, 2-4.64 (Cold Spring Harbor Laboratory, Cold Spring Harbor, N.Y. (1982)); Sambrook et al. Molecular Cloning: A Laboratory Manual pp. 1-54 (Cold Spring Harbor Laboratory, Cold Spring Harbor, N.Y. (1989)); Meth. Enzymology 68: 357-375 (1979); 101: 307-325 (1983); 152: 673-864 (1987) (Academic Press, Orlando, Fla. Pouwells et al. Cloning Vectors: A Laboratory Manual (Elsevier, Amsterdam (1987))). Commonly used prokaryotic control sequences which are defined herein to include promoters for transcription initiation, optionally with an operator, along with ribosome binding site sequences, include such commonly used promoters as the beta-lactamase (penicillinase) and lactose (lac) promoter systems, the tryptophan (trp) promoter system and the lambda derived PL promoter and N-gene ribosome binding site, which has become useful as a portable control cassette (U.S. Pat. No. 4,711,845). However, any available promoter system compatible with prokaryotes can be used (Sambrook et al. supra. (1989); Meth. Enzymology supra. (1979, 1983, 1987); John et al . Gene 61: 207-215 (1987)).

In addition to bacteria, eukaryotic microbes, such as yeast, may also be used as hosts. Laboratory strain *Saccharomyces cerevisiae* or Baker's yeast, is most often used although other strains are commonly available.

Vectors employing the 2 micron origin of replication and other plasmid vectors suitable for yeast expression are known (Sambrook et al. supra. (1989); Meth. Enzymology supra. (1979, 1983, 1987); John et al. supra. (1987). Control sequences for yeast vectors include promoters for the synthesis of glycolytic enzymes. Additional promoters known in the art include the promoters for 3-phosphoglycerate kinase, and those for other glycolytic enzymes, such as glyceraldehyde-3-phosphate dehydrogenase, hexokinase, pyruvate decarboxylase, phosphofructokinase, glucose-6-phosphate isomerase, 3-phosphoglycerate mutase, pyruvate kinase, triosephosphate isomerase, phosphoglucose isomerase, and glucokinase. Other promoters, which have the additional advantage of transcription controlled by growth conditions, are the promoter regions for alcohol dehydrogenase 2, isocytochrome C, acid phosphatase, degradative enzymes associated with nitrogen metabolism, and enzymes responsible for maltose and galactose utilization. See Sambrook et al. supra. (1989); Meth. Enzymology supra. John et al. supra. (1987). It is also believed that terminator sequences at the 3' end of the coding sequences are desirable. Such terminators are found in the 3' untranslated region following the coding sequences in yeast-derived genes. Many of the useful vectors contain control sequences derived from the enolase gene containing plasmid peno46 or the LEU2 gene obtained from Yepl3, however, any vector containing a yeast compatible promoter, origin of replication, and other control sequences is suitable (Sambrook et al. supra. (1989); Meth. Enzymology supra. (1979, 1983, 1987); John et al. supra.

It is also, of course, possible to express genes encoding polypeptides in eukaryotic host cell cultures derived from multicellular organisms (Kruse and Patterson Tissue Culture pp. 475-500 (Academic Press, Orlando (1973)); Meth. Enzymology 68: 357-375 (1979); Freshney Culture of Animal Cells; A Manual of Basic Techniques pp. 329-334 (2d ed., Alan R. Liss, N.Y. (1987))). Useful host cell lines include murine myelomas N51, VERO and HeT cells, SF9 or other insect cell lines, and Chinese hamster ovary (CHO) cells. Expression vectors for such cells ordinarily include promoters and control sequences compatible with mammalian cells such as, for example, the commonly used early and later promoters from

- 21 -

Simian Virus 40 (SV 40), or other viral promoters such as those from polyoma, adenovirus 2, bovine papilloma virus, or avian sarcoma viruses, herpes virus family (such as cytomegalovirus, herpes simplex virus, or Epstein-Barr virus), or immunoglobulin promoters and heat shock promoters (Sambrook et al. supra. pp. 16.3-16.74 (1989); Meth. Enzymology 152: 684-704 (1987); John et al. supra. In addition, regulated promoters, such as metallothioneine (i.e., MT-1 and MT-2), glucocorticoid, or antibiotic gene "switches" can be used.

General aspects of mammalian cell host system transformations have been described by Axel (U.S. Pat. No. 4,399,216). Plant cells are also now available as hosts, and control sequences compatible with plant cells such as the nopaline synthase promoter and polyadenylation signal sequences are available (Pouwells et al. supra. (1987); Meth Enzymology 118: 627-639 (Academic Press, Orlando 1986); Gelvin et al. J. Bact. 172: 1600-1608.

Depending on the host cell used, transformation is done using standard techniques appropriate to such cells (Sambrook et al. supra. pp. 16.30-16.5 (1989); Meth. Enzymology supra 68:357-375 (1979); 101: 307-325 (1983); 152: 673-864 (1987). U.S. Pat. No. 4,399,216; Meth Enzymology supra 118: 627-639 (1986); Gelvin et al. J. Bact. 172: 1600-1608 (1990). Such techniques include, without limitation, calcium treatment employing calcium chloride for prokaryotes or other cells which contain substantial cell wall barriers; infection with Agrobacterium tumefaciens for certain plant cells; calcium phosphate precipitation, DEAE, lipid transfection systems (such as LIPOFECTIN.TM. and LIPOFFECTAMINE.TM.), and electroporation methods for mammalian cells without cell walls, and, microprojectile bombardment for many cells including, plant cells. In addition, DNA may be delivered by viral delivery systems such as retroviruses or the herpes family, adenoviruses, baculoviruses, or semliki forest virus, as appropriate for the species of cell line chosen.

C. THERAPEUTICS

Identification of the FD gene and its gene product also has therapeutic implications. Indeed, one of the major aims of this invention is the development of

therapies to circumvent or overcome the defect leading to FD disease. Envisioned are pharmacological, protein replacement, antibody therapy, and gene therapy approaches. In addition the development of animal models useful for developing therapies and for understanding the molecular mechanisms of FD disease are envisioned.

1. Pharmacological

In the pharmacological approach, drugs which circumvent or overcome the defective FD gene function are sought. In this approach, modulation of FD gene function can be accomplished by agents or drugs which are designed to interact with different aspects of the FD protein structure or function.

Efficacy of a drug or agent, can be identified in a screening program in which modulation is monitored in vitro cell systems. Indeed, the present invention provides for host cell systems which express various mutant FD proteins (especially the T-C and G-C mutations noted in this application) and are suited for use as primary screening systems.

In vivo testing of FD disease-modifying compounds is also required as a confirmation of activity observed in the in vitro assays. Animal models of FD disease are envisioned and discussed in the section entitled "Animal Models", below, in the present application.

Drugs can be designed to modulate FD gene and FD protein activity from knowledge of the structure and function correlations of FD protein and from knowledge of the specific defect in various FD mutant proteins. For this, rational drug design by use of X-ray crystallography, computer-aided molecular modeling (CAMM), quantitative or qualitative structure-activity relationship (QSAR), and similar technologies can further focus drug discovery efforts. Rational design allows prediction of protein or synthetic structures which can interact with and modify the FD protein activity. Such structures may be synthesized chemically or expressed in biological systems. This approach has been reviewed in Capsey et al., *Genetically Engineered Human Therapeutic Drugs*, Stockton Press, New York (1988). Further, combinatorial libraries can be designed, synthesized and used in

screening programs.

The present invention also envisions that the treatment of FD disease can take the form of modulation of another protein or step in the pathway in which the FD gene or its protein product participates in order to correct the physiological abnormality.

In order to administer therapeutic agents based on, or derived from, the present invention, it will be appreciated that suitable carriers, excipients, and other agents may be incorporated into the formulations to provide improved transfer, delivery, tolerance, and the like.

A multitude of appropriate formulations can be found in the formulary known to all pharmaceutical chemists: Remington's Pharmaceutical Sciences, (15th Edition, Mack Publishing Company, Easton, Pa. (1975)), particularly Chapter 87, by Blaug, Seymour, therein. These formulations include for example, powders, pastes, ointments, jelly, waxes, oils, lipids, anhydrous absorption bases, oil-in-water or water-in-oil emulsions, emulsions carbowax (polyethylene glycols of a variety of molecular weights), semi-solid gels, and semi-solid mixtures containing carbowax.

Any of the foregoing formulations may be appropriate in treatments and therapies in accordance with the present invention, provided that the active agent in the formulation is not inactivated by the formulation and the formulation is physiologically compatible.

2. Protein Replacement Therapy

The present invention also relates to the use of polypeptide or protein replacement therapy for those individuals determined to have a defective FD gene. Treatment of FD disease could be performed by replacing the defective FD protein with normal protein or its functional equivalent in therapeutic amounts.

FD polypeptide can be prepared for therapy by any of several conventional procedures. First, FD protein can be produced by cloning the FD cDNA into an appropriate expression vector, expressing the FD gene product from this vector in an *in vitro* expression system (cell-free or cell-based) and isolating the FD protein

from the medium or cells of the expression system. General expression vectors and systems are well known in the art. In addition, the invention envisions the potential need to express a stable form of the FD protein in order to obtain high yields and obtain a form readily amenable to intravenous administration. Stable high yield expression of proteins have been achieved through systems utilizing lipid-linked forms of proteins as described in Wettstein et al. J Exp Med 174:219-228 (1991) and Lin et al. Science 249:677-679 (1990).

FD protein can be prepared synthetically. Alternatively, the FD protein can be prepared from total protein samples by affinity chromatography. Sources would include tissues expressing normal FD protein, in vitro systems (outlined above), or synthetic materials. The affinity matrix would consist of antibodies (polyclonal or monoclonal) coupled to an inert matrix. In addition, various ligands which specifically interact with the FD protein could be immobilized on an inert matrix. General methods for preparation and use of affinity matrices are well known in the art.

Protein replacement therapy requires that FD protein be administered in an appropriate formulation. The FD protein can be formulated in conventional ways standard to the art for the administration of protein substances. Delivery may require packaging in lipid-containing vesicles (such as LIPOFECTIN.TM. or other cationic or anionic lipid or certain surfactant proteins) that facilitate incorporation into the cell membrane. The FD protein formulations can be delivered to affected tissues by different methods depending on the affected tissue.

3. Gene Therapy

Gene therapy utilizing recombinant DNA technology to deliver the normal form, of the FD gene into patient cells or vectors which will supply the patient with gene product *in vivo* is also contemplated within the scope of the present invention. In gene therapy of FD disease, a normal version of the FD gene is delivered to affected tissue(s) in a form and amount such that the correct gene is expressed and will prepare sufficient quantities of FD protein to reverse the effects of the mutated FD gene. Current approaches to gene therapy include viral vectors, cell-based

delivery systems and delivery agents. Further, ex vivo gene therapy could also be useful. In ex vivo gene therapy, cells (either autologous or otherwise) are transfected with the normal FD gene or a portion thereof and implanted or otherwise delivered into the patient. Such cells thereafter express the normal FD gene product in vivo and would be expected to assist a patient with FD disease in avoiding iron overload normally associated with FD disease. Ex vivo gene therapy is described in U.S. Pat. No. 5,399,346 to Anderson et al., the disclosure of which is hereby incorporated by reference in its entirety. Approaches to gene therapy are discussed below:

a. **Viral Vectors**

Retroviruses are often considered the preferred vector for somatic gene therapy. They provide high efficiency infection, stable integration and stable expression (Friedman, T. Progress Toward Human Gene Therapy. *Science* 244:1275 (1989)). The full length FD gene cDNA can be cloned into a retroviral vector driven by its endogenous promoter or from the retroviral LTR. Delivery of the virus could be accomplished by direct implantation of virus directly into the affected tissue.

Other delivery systems which can be utilized include adenovirus, adeno-associated virus (AAV), vaccinia virus, bovine papilloma virus or members of the herpes virus group such as Epstein-Barr virus. Viruses can be, and preferably are, replication deficient.

b. **Non-viral gene transfer**

Other methods of inserting the FD gene into the appropriate tissues may also be productive. Many of these agents, however, are of lower efficiency than viral vectors and would potentially require infection in vitro, selection of transfectants, and reimplantation. This would include calcium phosphate, DEAE dextran, electroporation, and protoplast fusion. A particularly attractive idea is the use of liposomes (i.e., LIPOFECTIN.TM.), which might be possible to carry out in vivo.

- 26 -

Synthetic cationic lipids and DNA conjugates also appear to show some promise and may increase the efficiency and ease of carrying out this approach.

4. Animal Models

The generation of a mouse or other animal model of FD disease is important for both an understanding the biology of the disease but also for testing of potential therapies.

The present invention envisions the creation of an animal model of FD disease by introduction of the FD disease causing mutations in a number of species including mice, rats, pigs, and primates.

Techniques for specifically inactivating or mutating genes by homologous recombination in embryonic stem cells (ES cells) have been described (Capecci Science 244:1288 (1989)). Animals with the inactivated homologous FD gene can then be used to introduce the mutant or normal human FD gene or for introduction of the homologous gene to that species and containing the T-C, G-C or other FD disease-causing mutations. Methods for these transgenic procedures are well known to those versed in the art and have been described by Murphy and Carter, Curr. Opin. Cell Biol. 4:273-279 (1992)

ILLUSTRATIVE EXAMPLES

The following examples are provided to illustrate certain aspects of the present invention and not intended as limiting the subject matter thereof.

Example 1

Identification of the *IKBKAP* gene and the mutations associated with FD were obtained as follows:

Patient Samples

Blood samples were collected from two major sources, the Dysautonomia Diagnostic and Treatment Center at New York University Medical Center and the Israeli Center for Familial Dysautonomia at Hadassah University Hospital, with

- 27 -

approval from the institutional review boards at these institutions, Massachusetts General Hospital and Harvard Medical School. Either F.A. or C.M. diagnosed all patients using established criteria. Epstein Barr virus transformed lymphoblast lines using standard conditions. Fibroblast cell lines were obtained from the Coriell Cell Repositories, Camden, NJ. RNA isolated from post-mortem FD brain was obtained from the Dysautonomia Diagnostic and Treatment Center at NYU. Genomic DNA, total RNA, and mRNA were prepared using commercial kits (Invitrogen and Molecular Research Center, Inc.). Cytoplasmic protein was extracted from lymphoblasts as previously described (Krappmann et al. 2000).

Identification of *IKBKAP* and mutation analysis

Exon trapping experiments of cosmids from a physical map of the candidate region yielded 5 exons that were used to screen a human frontal cortex cDNA library. Several cDNA clones were isolated and assembled into a novel transcript encoding a 1332 AA protein that was later identified as *IKBKAP* (Cohen et al. 1998). The complete 5.9 kb cDNA sequence of *IKBKAP* has been submitted to GenBank under accession number AF153419. In order to screen for mutations in FD patients, total lymphoblast RNA was reverse transcribed and overlapping sections of *IKBKAP* were amplified by PCR and sequenced. Evaluation of the splicing defect was performed using the following primers: 18F: GCCAGTGTTCGCCTGAG; 19F: CGGATTGTCACTGTTGTGC; 23R: GACTGCTCTCATAGCATCGC (Fig. 1).

DNA Sequencing

Sequencing was performed using the AmpliCycle sequencing kit (Applied Biosystems) or on an ABI 377 automated DNA sequencer using the BigDye terminator cycle sequencing kit (Applied Biosystems). The control sequence of the candidate region was obtained by constructing subclone libraries from BACs and sequencing using vector specific primers. The FD sequence was generated by sequencing cosmids from a patient homozygous for the major FD haplotype using sequence specific primers.

Expression Studies

Several human multiple tissue northern blots (Clontech) were hybridized using the following radioactively labeled probes: *IKBKAP* exon 2, *IKBKAP* exons 18/19/20, *IKBKAP* exon 23, and a 400 bp fragment of the *IKBKAP* 3'UTR immediately following the stop codon. Poly (A)⁺ RNA was isolated from patient and control lymphoblast lines, northern blotted, and hybridized using a probe representing the full coding sequence of *IKBKAP*. Cytoplasmic protein extracted from lymphoblast cell lines was western blotted and detected using ECL (Amersham) with an antibody raised against a peptide comprising the extreme carboxyl terminus (AA 1313-1332) of human IKAP, the protein encoded by *IKBKAP* (Krappmann et al. 2000).

To identify *DYS*, exon trapping and cDNA selection were used to clone and characterize all of the genes in the 471 kb candidate region: *EPB41L8* (unpublished data) or *EHM2* (Shimizu et al. 2000), *C9ORF4* (Chadwick et al. 1999a), *C9ORF5* (Chadwick et al. 2000), *CTNNAL1* (Zhang et al. 1998), a novel gene with homology to the glycine cleavage system H proteins (CG-8) (unpublished data), *IKBKAP* (Cohen et al. 1998), and *ACTL7A* and *ACTL7B* (Chadwick et al. 1999b). As FD is a recessive disorder, the *a priori* expectation for the mutation was inactivation of one of these genes. Consequently, each of these were screened for mutations by RT-PCR of patient lymphoblast RNA and direct sequencing of all coding regions. Although many SNPs were identified, there was no evidence for a homozygous inactivating mutation. Thus, it was concluded that the mutation would be found in non-coding sequence and the control genomic sequence of the entire 471 kb candidate region was generated using BACs from a physical map. Direct sequence prediction using GENSCAN and comprehensive searches of the public databases did not reveal any additional genes in the candidate region beyond those found by cloning methods. However, SNPs identified during sequence analysis enabled us to refine the haplotype analysis and narrow the candidate interval to 177 kb shared by the major haplotype and the previously described minor haplotype 1 (Blumenfeld et al. 1999). This reduced interval contains 5 genes, *CTNNAL1*, CG-8, *IKBKAP*, *ACTL7A* and *ACTL7B*, all previously screened by RT-PCR without yielding a

- 29 -

coding sequence mutation. A cosmid library was constructed from a patient homozygous for the major haplotype, assembled the minimal coverage contig for the now reduced candidate interval, and generated the sequence of the mutant chromosome.

Comparison of the FD and control sequences revealed 152 differences (excluding simple sequence repeat markers), which include 26 variations in the length of dT_n tracts, 1 VNTR, and 125 base pair changes. Each of the 125 base pair changes was tested in a panel of 50 individuals known to carry two non-FD chromosomes by segregation in FD families. Of the 125 changes tested, only 1 was unique to patients carrying the major FD haplotype. This T - C change is located at bp 6 of intron 20 in the *IKBKAP* gene depicted in Figure 1, and is demonstrated in Figure 2A. IKAP was originally identified as an IκB kinase (IKK) complex-associated protein that can bind both NF-κB inducing kinase (NIK) and IKKs through separate domains and assemble them into an active kinase complex (Cohen et al. 1998). Recent work, however, has shown that IKAP is not associated with IKKs and plays no specific role in cytokine-induced NF-κB signaling (Krappmann et al. 2000). Rather, IKAP was shown to be part of a novel multi-protein complex hypothesized to play a role in general transcriptional regulation.

The *IKBKAP* gene contains 37 exons and encodes a 1332 amino acid protein. The full-length 5.9 kb cDNA (GenBank accession number AF153419) covers 68 kb of genomic sequence, with the start methionine encoded in exon 2. *IKBKAP* was previously assigned to chromosome 9q34 (GenBank accession number AF044195), but it clearly maps within the FD candidate region of 9q31. Northern analysis of *IKBKAP* revealed two mRNAs of 4.8 and 5.9 kb (fig. 3a and b). The wild-type 4.8 kb mRNA has been reported previously (Cohen et al. 1998), while the second 5.9 kb message differs only in the length of the 3' UTR and is predicted to encode an identical 150 kDa protein. As seen in figure 3b, the putative FD mutation does not eliminate expression of the *IKBKAP* mRNA in patient lymphoblasts.

A base pair change at position 6 of the splice donor site might be expected to result in skipping of exon 20 (74 bp), causing a frameshift and therefore producing a

truncated protein. However, initial inspection of our RT-PCR experiments in patient lymphoblast RNA using primers located in exons 18 and 23 (Fig.1) showed a normal length 500 bp fragment that contained exon 20 (Fig. 4A), indicating that patient lymphoblasts express normal *IKBKAP* message. The Western blot shown in Figure 4B demonstrates that full-length IKAP protein is expressed in these patient lymphoblasts. However, as the antibody used was directed against the carboxyl-terminus of IKAP it would not be expected to detect any truncated protein should it be present. The presence of apparently normal IKAP in patient cells is at odds with the expectation of an inactivating mutation in this recessive disease.

In the absence of any evidence for a functional consequence of the intron 20 sequence change, the only alteration unique to FD chromosomes, additional genetic evidence was sought to support the view that it represents the FD mutation. The 658 FD chromosomes that carry the major haplotype all show the T – C change. *In toto*, 887 chromosomes have been tested that are definitively non-FD due to their failure to cause the disorder when present in individuals heterozygous for the major FD haplotype. None of these non-FD chromosomes exhibits the T – C mutation, strongly indicating that it is not a rare polymorphism. The frequency of the mutation in random AJ chromosomes was 14/1012 (gene frequency 1/72; carrier frequency 1/36), close to the expected carrier frequency of 1/32 (Maayan et al. 1987).

In view of the strong genetic evidence that this mutation must be pathogenic, it was postulated that its effect might be tissue-specific. RNA extracted from the brain stem and temporal lobe of a post-mortem FD brain sample was therefore examined. In contrast to FD lymphoblasts, RT-PCR of the FD brain tissue RNA using primers in exons 19 and 23 (expected to produce a normal product of 393 bp) revealed a 319 bp mutant product, indicating virtually complete absence of exon 20 from the *IKBKAP* mRNA (Fig. 5, lanes 10-11). As additional FD autopsy material could not be obtained, intensive analyses of additional lymphoblast and fibroblast cell lines were performed to determine whether exon-skipping could be detected. Fibroblast lines from homozygous FD patients yielded variable results. Some primary fibroblast lines displayed approximately equal expression of the mutant and

wild-type mRNAs while others displayed primarily wild-type mRNA. In addition, extensive examination of additional patient lymphoblast lines indicated that the mutant message could sometimes be detected at low levels. An example of the variability seen in FD fibroblasts and the presence of the mutant message in some FD lymphoblasts is shown in Figure 5. In fact, close re-examination of figure 4a shows a trace of the mutant band in 2 (lanes 1 and 2) of the 3 FD samples. The absence of exon 20 in the FD brain RNA and the preponderance of wild-type mRNA in fibroblasts and lymphoblasts indicate that the major FD mutation acts by altering splicing of *IKBKAP* in a tissue-specific manner.

To identify the mutations associated with minor haplotypes 2 and 3, (Blumenfeld et al. 1999) we amplified each *IKBKAP* exon, including adjacent intron sequence, from genomic DNA. A single G – C change at bp 2397 (bp 73 of exon 19) that causes an arginine to proline missense mutation (R696P) was identified in all 4 patients with minor haplotype 2 (fig. 2b). This was subsequently confirmed by RT-PCR in lymphoblast RNA as shown in figure 2c for a region that crosses the exon 19-20 border. The PCR product, generated from an FD patient who is a compound heterozygote with minor haplotype 2 and the major haplotype, clearly shows that RNA is being expressed equally from both alleles based on heterozygosity of the G – C point mutation in exon 19. However, the RNA from the major haplotype allele shows no evidence for skipping of exon 20 which would be expected to produce a mixture of exon 20 and 21 sequence beginning at the end of exon 19. This confirms our previous observation that lymphoblasts with the major FD mutation produce a predominance of normal *IKBKAP* transcript.

The R696P mutation is absent from 500 non-FD chromosomes, and it has been seen only once in 706 random AJ chromosomes in an individual who also carries the minor haplotype. This mutation is predicted to disrupt a potential threonine phosphorylation site at residue 699 identified by Netphos 2.0 (Blom et al. 1999), suggesting that it may affect regulation of IKAP. Interestingly, the presence of this minor mutation is associated with a relatively mild disease phenotype, suggesting that a partially functional IKAP protein may be expressed from this

allele. No mutation has been identified for minor haplotype 3, which represents the only non-AJ putative FD chromosome.

Example 2- FD Diagnostic Assays

As discussed above, the allele-specific oligonucleotide (ASO) hybridization assay is highly effective for detecting single nucleotide changes in DNA and RNA, such as the T-C or G-C mutations or sequence variations, especially when used in conjunction with allele-specific PCR amplification. Thus, in accordance with the present invention, there is provided an assay kit to detect mutations in the FD gene through use of a PCR/ASO hybridization assay.

PCR Amplification

Genomic DNA samples are placed into a reaction vessel(s) with appropriate primers, nucleotides, buffers, and salts and subjected to PCR amplification.

Suitable genomic DNA-containing samples from patients can be readily obtained and the DNA extracted therefrom using conventional techniques. For example, DNA can be isolated and prepared in accordance with the method described in Dracopoli, N. et al. eds. Current Protocols in Human Genetics pp. 7.1.1-7.1.7 (J. Wiley & Sons, New York (1994)), the disclosure of which is hereby incorporated by reference in its entirety. Most typically, a blood sample, a buccal swab, a hair follicle preparation, or a nasal aspirate is used as a source of cells to provide the DNA.

Alternatively, RNA from an individual (i.e., freshly transcribed or messenger RNA) can be easily utilized in accordance with the present invention for the detection of the FD2 mutation. Total RNA from an individual can be isolated according to the procedure outlined in Sambrook, J. et al. Molecular Cloning--A Laboratory Manual pp. 7.3-7.76 (2nd Ed., Cold Spring Harbor Laboratory Press, New York (1989)) the disclosure of which is hereby incorporated by reference.

In a preferred embodiment, the DNA-containing sample is a blood sample from a patient being screened for FD.

In amplification, a solution containing the DNA sample (obtained either directly or through reverse transcription of RNA) is mixed with an aliquot of each of dATP, dCTP, dGTP and dTTP (i.e., Pharmacia LKB Biotechnology, N.J.), an aliquot of each of the DNA specific PCR primers, an aliquot of Taq polymerase (i.e., Promega, Wis.), and an aliquot of PCR buffer, including MgCl₂.sub.2 (i.e., Promega) to a final volume. Followed by pre-denaturation (i.e., at 95.degree. C. for 7 minutes), PCR is carried out in a DNA thermal cycler (i.e., Perkin-Elmer Cetus, Conn.) with repetitive cycles of annealing, extension, and denaturation. As will be appreciated, such steps can be modified to optimize the PCR amplification for any particular reaction, however, exemplary conditions utilized include denaturation at 95.degree. C. for 1 minute, annealing at 55.degree. C. for 1 minute, and extension at 72.degree. C. for 4 minutes, respectively, for 30 cycles. Further details of the PCR technique can be found in Erlich, "PCR Technology," Stockton Press (1989) and U.S. Pat. No. 4,683,202, the disclosure of which is incorporated herein by reference.

In a preferred embodiment, the amplification primers used for detecting the T-C mutation and the G-C mutation in the FD gene are 5'-GCCAGTGTTCGCCTGAG - 3' / 5'-GACTGCTCTCATAGCATCGC- 3' and 5'- CGGATTGTCACTGTTGTGC- 3' / 5'-GACTGCTCTCATAGCATCGC- 3, respectively.

Hybridization

Following PCR amplification, the PCR products are subjected to a hybridization assay using allele-specific oligonucleotides. In a preferred embodiment, the allele-specific oligonucleotides used to detect the mutations in the FD gene are as follows:

5'- AAGTAAG(T/C)GCCATTG- 3' and 5'- GGTCAC(G/C)GATTGTC.

In the ASO assay, when carried out in microtiter plates, for example, one well is used for the determination of the presence of the normal allele and a second well is used for the determination of the presence of the mutated allele. Thus, the results for an individual who is heterozygous for the T-C mutation (i.e. a carrier of FD) will show a signal in each of the wells, an individual who is homozygous for

the T-C allele (i.e., affected with FD) will show a signal in only the C well, and an individual who does not have the FD mutation will show only one signal in the T well.

In another embodiment, a kit for detecting the FD mutation by ASO assay is provided. In the kit, amplification primers for DNA or RNA (or generally primers for amplifying a sequence of genomic DNA, reverse transcription products, complementary products) including the T-C mutated and normal alleles are provided. Allele-specific oligonucleotides are also preferably provided. The kit further includes separate reaction wells and reagents for detecting the presence of homozygosity or heterozygosity for the T-C mutation.

Within the same kit, or in separate kits, oligonucleotides for amplification and detection of other differences (such as the G-C mutation) can also be provided. If in the same kit as that used for detection of the T-C mutation, separate wells and reagents are provided, and homozygosity and heterozygosity can similarly be determined.

In another embodiment a kit combining other diseases (i.e., Canavan's)

Example 3- FD Diagnostic: Other Nucleotide Based Assays

As will be appreciated, a variety of other nucleotide based detection techniques are available for the detection of mutations in samples of RNA or DNA from patients. See, for example, the section, above, entitled "Nucleic Acid Based Screening." Any one or any combination of such techniques can be used in accordance with the invention for the design of a diagnostic device and method for the screening of samples of DNA or RNA for FD gene mutations in accordance with the invention, such as the mutations and sequence variants identified herein. Further, other techniques, currently available, or developed in the future, which allow for the specific detection of mutations and sequence variants in the FD gene are contemplated in accordance with the invention.

Through use of any such techniques, it will be appreciated that devices and methods can be readily developed by those of ordinary skill in art to rapidly and accurately screen for mutations and sequence variants in the FD gene in accordance

with the invention.

Thus, in accordance with the invention, there is provided a nucleic acid based test for FD gene mutations and sequence variants which comprises providing a sample of a patient's DNA or RNA and assessing the DNA or RNA for the presence of one or more FD gene mutations or sequence variants. Samples of patient DNA or RNA (or genomic, transcribed, reverse transcribed, and/or complementary sequences to the FD gene) can be readily obtained as described in Example 2. Through the identification and characterization of the FD gene as taught and disclosed in the present invention, one of ordinary skill in the art can readily identify the genomic, transcribed, reverse transcribed, and/or complementary sequences to the FD gene sequence in a sample and readily detect differences therein. Such differences in accordance with the present invention can be the T-C or G-C mutations or sequence variations identified and characterized in accordance herewith. Alternatively, other differences might similarly be detectable.

Kits for conducting and/or substantially automating the process of identification and detection of selected changes, as well as reagents utilized in connection therewith, are therefore envisioned in accordance with the invention of the present invention.

As discussed above, through knowledge of the gene-associated mutations responsible for FD disease, it is now possible to prepare transgenic animals as models of the FD disease. Such animals are useful in both understanding the mechanisms of FD disease as well as use in drug discovery efforts. The animals can be used in combination with cell-based or cell-free assays for drug screening programs.

EXAMPLE 4- Creating Animal Models of FD

The first step in creating an animal model of FD is the identification and cloning of homologs of the IKBKAP gene in other species.

Isolation of Mouse cDNA Clones

The human IKBKAP sequence (GenBank Accession No. AF153419) was used to search the mouse expressed sequence tag database (dbEST) using the BLAST

program (www.ncbi.nlm.nih.gov/BLAST). A single 5' EST from a mouse brain library (GenBank Association No. AU079160) was identified that showed marked similarity to the 5' end of IKBKAP. The corresponding cDNA clone, MNCB-3931, was obtained from the Japanese Collection of the Research Bioresource/National Institute of Infectious Disease. In addition, eight EST's that were similar to the 3' end of the ORF were found to belong to UniGene cluster Mn.46573 (www.ncbi.nlm.nih.gov/Unigene). Examination of this cluster yielded several poly (A+)- containing clones, and we obtained the clone UI-M-CG0p-bhb-g-07-0-U1 (GenBank Accession No. BE994893) from Research Genetics.

RT-PCR Analysis

RNA (1 ug/ml from BALB/c mouse brain was obtained commercially (Clontech). Oligo-dT 15 and random hexamer primers were annealed to the template at 65° C for 10 min in the presence of 1X first-strand buffer, 2mM dNTP mix, and 4 mM DTT. The reaction mixture was incubated at 42° C for 90 min after addition of SuperScript TM II RT (200 U/ul) and RNase inhibitor (80 U/ul) (GIBCO).

DNA Sequencing and Analysis

DNA sequencing was performed using the AmpliCycle sequencing kit (Applied Biosystems) for the 33 [P]-labeled dideoxynucleotide chain termination reaction, using the following conditions: 30 sec at 94° C, 30 sec at 60° C, and 30 sec at 72° C for 30 cycles. The radioactively labeled sequence reaction product was denatured at 95 C for 10 min and run on a denaturing 6% polyacrylamide gel for autoradiography. Basic sequencing manipulations and alignments were carried out using a program from Genetics Computer Group (GCC; Madison, WI). The cDNA sequence generated throughout the experiments were aligned and assembled into a 4799-bp cDNA named Ikbkap.

Isolation of Full-Length cDNA

To obtain the full-length cDNA sequence, PCR was performed on the mouse cDNA template using primers designed from the sequence of the 5' – and 3' –cDNA

clones. The PCR conditions were as follows: 15 sec at 95° C, 30 sec at 54° C to 60° C, and 3 min at 68° C for 9 cycles; then 15 sec at 95° C, 30 sec at 54 to 60° C, and 3 min with increment of 5 sec for each succeeding cycle at 68 C for 19 cycles, followed by 7 min at 72° C. The PCR products were electrophoresed on a 1% agarose gel stained with ethidium bromide and were cleaner using a Qiaquick PCR cleaning kit (Qiagen) in the preparation for cycle sequencing. Successive primers were designed in order to obtain the full-length Ikbkap sequence, which was deposited in GenBank under Accession No. AF367244.

Northern Blot Analysis

Expression of Ikbkap was examined using both mouse embryo and adult mouse multiple tissue Northern blots (Clontech). The blots were probed with a 1045-bp PCR fragment that contains exons 2 through 11, which was generated using primer 1 (5' –GGCGTCGTAGAAATTGC-3') and primer 2 (5' – GTGGTGCTGAAGGGCAGGC-3'). The probe was radiolabeled (Sambrook et al., 1989) and was hybridized according to the manufacturer's instructions.

Chromosome Mapping of the Mouse Ikbkap Gene

Several of the mouse Ikbkap ESTs belonged to the Unigene cluster Mn.46573, which has been mapped to chromosome 4 (UniSTS entry: 253051) between D4Mit287 and D4Mit197. To assess synteny between mouse chromosome 4 and human chromosome 9, we used several resources available at NCBI (www.ncbi.nlm.nih.gov/Homology).

Determination of Genomic Structure of the Mouse Ikbkap

The 37 human IKBKAP exons were searched against the Celera database to obtain homologous mouse sequences. Approximately 130 mouse genomic fragments (500-700 bp) were obtained using the Celera Discovery System and Celera's associated database, and these fragments were assembled into seven contigs. In order to assemble the complete genomic sequence, we obtained six mouse bacterial artificial chromosomes (BACs) from Research Genetics after they

screened an RPCI-23 mouse library using 4300bp human probe that contained exon 2. To verify that these BAC clones contained the entire Ikbkap gene, we amplified fragments from the 5' and 3' ends of the gene, as well as a fragment from the 3' flanking gene Actl7b (Slaugenhouette et al., 2001) We designed primers at the ends of each of the seven contigs constructed from the Celera data and generated PCR products from the BACs. Subsequently, we sequenced and closed five of the gaps, with the resulting two contigs assembled and deposited to Celera (Accession No. CSN009).

Creating a Targeting Vector

After cloning and sequencing the mouse homolog of the human IKBKAP gene, a targeting vector can then be constructed from the mouse genomic DNA. The targeting vector would consist of two approximately 3 kb genomic fragments from the mouse FD gene as 5' and 3' homologous arms. These arms would be chosen to flank a region critical to the function of the FD gene product (for example, exon 20).

In place of exon 20, negative and positive selectable markers can be placed, for example, to abolish the activity of the FD gene. As a positive selectable marker a neo gene under control of phosphoglycerate kinase (pgk-1) promoter may be used and as a negative selectable marker the 5' arm of the vector can be flanked by a pgk-1 promoted herpes simplex thymidine kinase (HSV-TK) gene can be used.

The vector is then transfected into R1 ES cells and the transfectants are subjected to positive and negative selection (i.e., G418 and gancyclovir, respectively, where neo and HSV-TK are used). PCR is then used to screen for surviving colonies for the desired homologous recombination events. These are confirmed by Southern blot analysis.

Subsequently, several mutant clones are picked and injected into C57BL/6 blastocytes to produce high-percentage chimeric animals. The animals are then mated to C57BL/6 females. Heterozygous offspring are then mated to produce homozygous mutants. Such mutant offspring can then be tested for the FD gene mutation by Southern blot analysis. In addition, these animals are tested by RT-PCR

to assess whether the targeted homologous recombination results in the ablation of the FD gene mRNA. These results are confirmed by Northern blot analysis and RNase protection assays.

Once established, the FD gene-/-mice can be studied for the development of FD-like disease and can also be utilized to examine which cells and tissue-types are involved in the FD disease process. The animals can also be used to introduce the mutant or normal FD gene or for the introduction of the homologous gene to that species (i.e., mouse) and containing the T-C or G-C mutations, or other disease causing mutations. Methods for the above-described transgenic procedures are well known to those versed in the art and are described in detail by Murphy and Carter *supra* (1993).

The techniques described above, can also be used to introduce the T-C or G-C mutations, or other homologous mutations in the animal, into the homologous animal gene. As will be appreciated, similar techniques to those described above, can be utilized for the creation of many transgenic animal lines

To the extent that any reference (including books, articles, papers, patents, and patent applications) cited herein is not already incorporated by reference, they are hereby expressly incorporated by reference in their entirety.

While the invention has been described in connection with specific embodiments thereof, it will be understood that it is capable of further modification, and this application is intended to cover any variations, uses, or adaptations of the invention following, in general, the principles of the invention and including such departures from the present disclosure as come within known or customary practice in the art to which the invention pertains and as may be applied to the essential features hereinbefore set forth, and as fall within the scope of the invention and the limits of the appended claims.

WE CLAIM:

1. An isolated and purified nucleic acid molecule comprising a nucleic acid sequence selected from the group consisting of:
 - (a) the nucleic acid sequence in Figure 6;
 - (b) the nucleic acid sequence in Figure 6, wherein the thymine nucleotide at position 34,201 is replaced by a cytosine nucleotide;
 - (c) the nucleic acid sequence in Figure 6, wherein the guanine nucleotide at position 33,714 is replaced by a cytosine nucleotide;
 - (d) the nucleic acid sequence in Figure 6, wherein the thymine nucleotide at position 34,201 is replaced by a cytosine nucleotide and the guanine nucleotide at position 33,714 is replaced by a cytosine nucleotide;
 - (e) the nucleic acid sequence in Figure 7;
 - (f) the nucleic acid sequence in Figure 7, wherein the guanine nucleotide at position 2397 is replaced by a cytosine nucleotide.
2. An isolated and purified nucleic acid molecule according to claim 1, wherein the nucleic acid molecule has the nucleic acid sequence shown in Figure 6.
3. An isolated and purified nucleic acid molecule according to claim 1, said nucleic acid molecule having the nucleic acid sequence shown in Figure 6, wherein the thymine nucleotide at position 34,201 is replaced by a cytosine nucleotide.
4. An isolated and purified nucleic acid molecule according to claim 1, said nucleic acid molecule having the nucleic acid sequence shown in Figure 6, wherein the guanine nucleotide at position 33,714 is replaced by a cytosine nucleotide.
5. An isolated and purified nucleic acid molecule according to claim 1, said nucleic acid molecule having the nucleic acid sequence shown in Figure 6,

- 41 -

wherein the thymine nucleotide at position 34,201 is replaced by a cytosine nucleotide and the guanine nucleotide at position 33,714 is replaced by a cytosine nucleotide,

6. An isolated and purified nucleic acid molecule according to claim 1, wherein the nucleic acid molecule has the nucleic acid sequence shown in Figure 7.

7. An isolated and purified nucleic acid molecule according to claim 1, said nucleic acid molecule having the nucleic acid sequence shown in Figure 7, wherein the guanine nucleotide at position 2397 is replaced by a cytosine nucleotide.

8. An isolated polypeptide comprising the amino acid sequence in Figure 8.

9. An isolated polypeptide comprising the amino acid sequence in Figure 8, wherein the arginine at position 696 is replaced by a proline.

10. A recombinant vector comprising a nucleic acid molecule according to claim 1.

11. The recombinant vector according to claim 10, wherein said nucleic acid molecule is operably linked to an expression control sequence suitable for expression of said nucleic acid sequence in a host cell.

12. A host cell comprising the recombinant vector according to claim 11, wherein said host cell is selected from a group comprising a strain of E.coli, Pseudomonas, Bacillus subtilis, Bacillus stearothermophilus, or other bacilli, other bacteria, yeast, other fungi, insect cells, plant cells, or murine, bovine, porcine, human or other mammalian cells.

- 42 -

13. A method of producing a wild-type IKAP polypeptide, comprising:
 - (a) culturing a host cell transformed with a vector of claim 10 containing a DNA molecule encoding for a wild-type IKAP polypeptide in a cell culture medium under conditions whereby the IKAP polypeptide is expressed, and
 - (b) isolating the thus-produced wild-type IKAP polypeptide.
14. A method of producing a mutant IKAP polypeptide, comprising:
 - (a) culturing a host cell transformed with a vector of claim 10 containing a DNA molecule encoding a mutant IKAP polypeptide in a cell culture medium under conditions whereby the mutant IKAP polypeptide is expressed, and
 - (b) isolating the thus-produced mutant IKAP polypeptide.
15. A method of screening a subject to determine if said subject has a mutation associated with FD, comprising:
 - (a) providing a biological sample containing the DNA of the subject to be screened;
 - (b) detecting FD mutations in said biological sample.
16. The method according to claim 15, wherein the FD mutation is a T-C mutation at position 34,201 in the DNA sequence of Figure 6.
17. The method according to claim 15, wherein the FD mutation is a G-C mutation at position 33,714 in the DNA sequence of Figure 6.
18. The method according to claim 15, wherein the FD mutation is a T-C mutation at position 34,201 and a G-C mutation at position 33,714.
19. The method according to claim 15, wherein the FD mutation is detected by an allele-specific oligonucleotide hybridization assay.

- 43 -

20. The method according to claim 15, wherein the DNA from said biological sample is amplified using oligonucleotide primers flanking the mutation.

21. The method according to claim 20, wherein the DNA is amplified with oligonucleotide primers 18F and 23R.

22. The method according to claim 20, wherein the DNA is amplified with oligonucleotide primers 19F and 23R.

23. The method according to claim 20, wherein the DNA is amplified with oligonucleotide primers 18F, 19F and 23R.

24. The method according to claim 23, wherein the amplified DNA is screened for FD mutations using an allele-specific oligonucleotide hybridization assay.

25. The method according to claim 24, wherein the hybridization assay is accomplished using probes that span the T-C mutation at nucleotide position 34,201 in the IKBKAP gene.

26. The method according to claim 24, wherein the hybridization assay is accomplished using probes that span the G-C mutation at nucleotide position 33,714 in the IKBKAP gene.

27. The method according to claim 24, wherein the hybridization assay is accomplished using probes selected from the following sequences:

- (a) 5'- AAGTAAG(T/C)GCCATTG- 3', and
- (b) 5'- GGTCAC(G/C)GATTGTC- 3'.

28. The method according to claim 15, wherein the FD mutation is detected by method selected from the group consisting of:

- (a) restriction-fragment-length-polymorphism detection based on allele-specific restriction-endonuclease cleavage,
- (b) hybridization with allele-specific oligonucleotide probes including immobilized oligonucleotides or oligonucleotide arrays,
- (c) allele-specific PCR, mismatch-repair detection (MRD),
- (d) binding of MutS protein,
- (e) denaturing-gradient gel electrophoresis (DGGE),
- (f) single-strand-conformation-polymorphism detection,
- (g) RNAase cleavage at mismatched base-pairs,
- (h) chemical or enzymatic cleavage of heteroduplex DNA,
- (i) methods based on allele specific primer extension,
- (j) genetic bit analysis (GBA),
- (k) oligonucleotide-ligation assay (OLA),
- (l) allele-specific ligation chain reaction (LCR)
- (m) gap-LCR, and
- (n) radioactive and/or fluorescent DNA sequencing.

29. A kit for assaying for the presence of an FD mutation in an individual comprising at least one oligonucleotide probe capable of detecting the FD1 mutation or the FD2 mutation.

30. A kit according to claim 29, further comprising primers capable of amplifying the region containing said mutations.

31. A kit according to claim 30, wherein said primers are 18F and 23R.

32. A kit according to claim 30, wherein said primers are 19F and 23R

33. A kit according to claim 30, wherein said primers are 18F, 19F and 23R.

34. A kit according to claim 29, further comprising an oligonucleotide probe which specifically hybridizes to one or more additional mutant or wild-type genes, wherein said additional gene codes for a protein associated with an additional genetic disease.

35. A kit according to claim 34, wherein the additional genetic disease is selected from the group comprising: Canavan's disease, Tay-Sachs disease, Goucher disease, Cystic Fibrosis, Fanconi anemia, and Bloom syndrome.

36. A method of detecting a FD mutation in a sample, comprising isolation of RNA from a tissue sample, amplifying the RNA using primers in exons 19 and 23; determining whether said sample contains a mutant product or a wild-type product, wherein the identification of a mutant product indicates the presence of an FD mutation in said sample.

37. The method according to claim 36, wherein said RNA is isolated from neuronal tissue.

38. A method of detecting a FD mutation in a sample, comprising the utilization of an antibody capable of detecting a truncated protein product that is indicative of FD.

39. A method of producing a transgenic animal expressing a mutant IKAP mRNA comprising:

(a) introducing into an embryonal cell of an animal a promoter operably linked to the nucleotide sequence containing a mutation associated with FD;

(b) transplanting the transgenic embryonal target cell formed thereby into a recipient female parent; and

(c) identifying at least one offspring containing said nucleotide sequence in said offspring's genome.

40. The method according to claim 39, wherein said mutation is the FD1 mutation.
41. The method according to claim 39, wherein said mutation is the FD2 mutation.
42. The method according to claim 15, further comprising a determination of whether said individual is homozygous or heterozygous for said mutation.
43. An oligonucleotide for detecting a mutation associated with FD, said oligonucleotide having a sequence selected from sequences which detect an FD mutation or bind to a region flanking said FD mutation.

Fig. 1







Fig. 2a*Fig. 2c**Fig. 2b**Fig. 2c*

Fig. 3A




Fig. 3B




FIG. 4A





FIG. 4B






FIG. 5

FIGURE 6

IKBKAgenomic.seq Length: 66479

1 CCAGTGCTGC GGCTGCCTAG TTGACGCACC CATTGAGTCG CTGGCTTCTT
51 TGCAGCGCTT CAGCGTTTC CCCTGGAGGG CGCCTCCATC CTTGGAGGCC
101 TAGTGCCGTC GGAGAGAGAG CGGGAGCCGC GGACAGAGAC GCG**T**GCGCAA
151 TTCGGAGCCG ACTCTGGGTG CGGACTGTGG GAGCTGACTC TGGGAGGCC
201 GCTGCGCGTG GCTGGGGAGG CGAGGCCGGA CGCACCTCTG TTTGGGGTC
251 CTCAGGTAAG CGATCCATCC AGGGTAGGGG CACGGGAGTG GAC**C**TCTCCG
301 CCGGCGGTGT CCGGGTGAAG GAGACCCGGA GCCTCCTCTG CCTGCTGCGG
351 GCCGGGGACT GGAGTGCAGGG CTGCACCACC TCTTCCTAG AGC**C**TTAAAT
401 TCTTTTGCA GCCTTGCCAC CTGCTCCATC GGGGGCGCTG GGAG**G**CGCGA
451 CAGCCCAGGG ATGCCTGCTG CCCCTCCAGC CGGACTTAAC CCAG**C**CTCTT
501 GATTGCTTGC AGGGGGTTGA TAATAACGCT GAAAGCGAGA GTATTAAATC
551 ACGATGGAAG GCGGCGGTAA ATAGAGGCTC GGGTGCTGTG GTG**C**GGGTCC
601 TTTCTCGCGT GTGAGACTTT TTCGTGGAGG TGGTGTCTC TGTGCTTCTC
651 CATCTAACGT GGTGTTTAC GTGGCTTCT CTCCCGTTAA CGAT**G**ATCTC
701 CGTGGAGACA GTGGCTGAGT AATCTTCAGA TCCCAGTACT TAGCAAGTGC
751 TCAGTCGGTG TTGGATGTAG GCCACAAACC GGATCGTAAA GAATTCAACT
801 GTATATTGAC AGCCACGGAA CTAATCAATG AATAGATCCG TATGAAGAGT
851 AAGCAAAAAG GCAGCAAAGA CAGTTTCA GCTTGGGGAC ATAGAGTAGA
901 AATGGTCTGT CCCCAAATAG TGGGAACGT CATTGGGGG AAGAATAGCA
951 AGTTCTTGC TTTCCAGGTC GCATTGATG TGCAATGTGAG ACAT**G**CTTGT
1001 GATTCTATCA GGAGGTTGAA AATGTGGTT TAGTGGTAAG TTTGGCTAA
1051 TTCAGTCAGG GCTAGGCATT TAGGCCTAAT CAGCGTATTG GT**G**ATCTACC
1101 TGGTATATGT AATCATGCAT GTGATGTCTA GCCAAGAGGT GGA**T**AGTCGA
1151 AGGAGCAAGG GAAGAAAATG AAGCAGTTAT CAGGAAATTAGAGAGAATC
1201 CACGATTGAC CTTGGTGTG GAGGGATCTT TAGCACATTAAAGAACTGCG

1251 AAGAGTTGA ATCAGTGGAG GCAGGAAGGT TGGAGGTTGC AGATG TCCAA
1301 GAAAGAGTAC TAATAGGCCT AGGTCCCTGTG GCAATATGGA GGATA~~TTCCT~~
1351 TTCCTAGCCT GGAAAGAAGT GGAGGGAAAGT CTTCCCTCCGA GAAGA TAAGG
1401 GAATAAGGCT GATGGGTGTG AAATTCAGA GAAACTAGTT TTGAGGCGTT
1451 TTTATGATGT TTAAAGATGA AAAACGAGCA GGCACGGTGG CTCAGGCCCTG
1501 TAATCCCAGC ACTTTGGGAG GCAGAGGCGG GTGGATCACT TGAGGTTAGG
1551 AGTTCAAGAA CAGCCTGGGC AACATGGTGA AACCTGTCT CTACT AAAAAA
1601 TaCAAAAaTT AACTGGGCAT GGTGCCGgGC GCCTGTAATC CCAGCTACTC
1651 CGGAGGCTGA GGCAGGAGAA TCGCTTGAAC CCGGAAGGCA GAT~~GTTGC~~GG
17 TGAGCCGAGA TCGCGCCATT GCACCCCAGC CTGGGCAATA AGAG CGAAC
1 TCCGTCTCAA AAAACAAAAA AACCTGCATG ATATGTTAGA GGTC~~A~~AGTA
1801 ATTTCTAGCA GTTCTTGAAT ATAATTGTCA CCAAAACTTA CTAAA~~T~~CAT
1851 TGTCTTCCTC ACTTCCATCA TATATAAACT TACCTTTCTC TTATCC~~C~~ACA
1901 TTATATATTA TATAATTCCCT ATGACACTTG ACATTATCTT CTGTGTACTA
1951 TTAGGATTGA TTCATCTTA TTCTTCTAT GTCATACATA TGTGGG GTGC
2001 CAAGATGAGA GAACTCCT TGGATTAAAG TGACAATAAG ACCGGTGTGG
2051 TCCTTGTAAAT TGCTACCCCT AACATAAGTT AGGGACTTAC AATCA~~T~~AAGC
2101 CTTAAAGGGA TCTGAATATA AATAACTAGC ACAGTAACAT TTTTTCCCCC
2151 TACTTAGGTA ATGTTATGCA TTTAAGCAAG CCTGATTTG CCAGA~~C~~CAAA
2201 GTAGATGTCT GTTTAGCAC TCTTTCTCA CGTTTATAT TGTCTGGGA
2251 AAAGCCTGGC CAGAAGAAC AAGTTACTGG AAGTAGTTAT GTCAGGT~~C~~AT
2301 CAGGGCCTT GAAATGTTGG TCATCATTT GAAGTAAATT GTTG~~T~~CATGT
2351 CCCAGTATT TCTCTCCCC TTTAGAACAG TAAATGCTTT TCTATCTTG
2401 ATTTCA~~G~~TTT TTTATGAAT GTATAAAACC AGTTTATAAA TGAAT~~A~~GACC
2451 TGGTGAATAT TAAAGTCATT TCAGATTCTC TTCAACTGCC AGTATATAAA
2501 AATGGATTTT CAAATAGTC TAATCAGTGG GATACCCTT TGTT~~T~~TCCT
2551 CATGATTTA TAAAGATGTC CTAATATGCA AAAATAAAAT GTTCCCCAT
2601 TCATTTGTT~~C~~ TTTCAACTTT CCCAAAGGAA TAACTGATAT TACATCTTT

2651 TTGAAGAAAA CATTCTAAAG TTGAGAATCT TGCCTCTCCT AAAAA~~G~~AACA
2701 TAAAATAGGT TTCAGAATT CTAATTTGTA GACCATAACT GTATAG~~A~~GTG
2751 GGTCAGGGTG CTGCTATAAT CCATACATGG GTGTGTACTC AGAG~~A~~GGTAA
2801 GTTTTTCTT TTCTGGTTA TTCTGATTCT GACTACCACT TCTTCACCCC
2851 CTGAATCATT TCATTTAAAT AAATATGGTC ATTTATCACT ATTAAGCTAT
2901 TTATTTTCT CTTAGAGATT AATGATTCAT CAAGGGATAG TTGTAC TTGT
2951 CTCGTGGGAA TCACTTCATC ATGCGAAATC TGAAATTATT TCGGA~~C~~CCCTG
3001 GAGTTCAAGG ATATTCAAGG TCCAGGGAA CCTCAGTGCT TCTC TCTCCG
3051 AACTGAACAG GGGACGGTGC TCATTGGTT AGAACATGGC CTG~~A~~TAGAAG
3101 TAGACCCTGT CTCAGAGAA GTAAGTTACT GATGTAGAAT GCCA~~G~~CATGT
3151 GGGTATGACC CTTGATTCT CTTCTTCAA ATTTCTTCC CCACA~~T~~GGTC
3201 TTTCTTATA TCTTATTGAA TTTATATCCT CCCAAATAAA CATCTTTG
3251 TTCATATATA TGCCATGTTA GACATAGCTT AAATCGTAAT CCTTC~~T~~TTAA
3301 CTCTGCTGCT ATTTAACCT AAGTCAGTAG AACTCTGACC TTACTTTTG
3351 AGTGTGTGCC GTACTTTTA CCCTCTTGT CATGCAAATT CTGTTTATAA
3401 GAGTGGTTT TTTTTTTT TTTTGAGAC GGAGTCTCGC TCTGT~~C~~ACCC
3451 AGGCTGGAGT GCAGTGGTGT GATCGTGGCT CACTGCAAGC TCCGCCTCCC
3501 CGGGTTCACA CCATTCTCCT GCCTCAGCCT CCCGAGAAGC~~T~~GGACTACA
3551 GGCGCCCGCC ACCGCGCCCG GCTAATTTT TGTATTTTA GTAGATGTGC
3601 GGTTTCACCG TGTTAGCCAG GATGGTCTTG ATCTCCTGAC CTC~~G~~TGATCC
3651 GCCTGCCTCA GCGCCCGGCC AAGAGTGGTT TTTAATTGGG AATGAACACG
3701 AAAGTTGCC ATGGAGCTT CTAAAAGTTT GAGCCCACAT CTC~~A~~TGTCAA
3751 CTAAATCAGA ATCTTAGTG TTGGCTCCTA ACTATATGTA CTT~~A~~AAAAC
3801 CTCTGTGGGT TGTTTTGAT ATGGTCCCTT GATTATGTT~~C~~TTCTACTAAT
3851 ACATTTAGG CAGTTACATC CTTAGTGCC TTTCCCCAT ACTA~~T~~AGAAA
3901 TCTTAGAAAA GCATAGCTAT TAGCATCATA TTTAGTGG~~A~~CAATTTAAA
3951 GAGACCAGGC TTATTGTTT TGTTTTGTG TTTGTTGGC AAAA~~A~~GGTCA
4001 CATTACCTAT TTTCTTGT AGAGATGACA GAGTAGTGAT ATTTCTCAA

4051 TGAAAGTTG GATTTCATC TAGAAAAAAT ATTTTGAAA GCTTTATGT
4101 AATAAAAGAA GCATTAaaaa GTATTTCTGG AAATGTTATC AATTATTCCTT
4151 GAAAGTAGAC TGGGTTAATT TGCTTGTGTT TACTTGGTG AAAGGTGAAA
4201 AATGAAGTTT CTTGGTGGC AGAAGGCCTT CTCCCAGAGG ATGGAAAGTGG
4251 CCGCATTGTT GGTGTTCAAGG ACTTGCTGGA TCAGGAGTCT GTGTGTGTGG
4301 CCACAGCCTC TGGAGACGTC ATACTCTGCA GTCTCAGCAC ACAACAGGTA
4351 AGTGGAAGAC TCCAGTGAGG GGGGAGTCTC AAGCATTCTC AAATAGGTTA
4401 CTTGCTATTT GTGGAAGTTT TCAAATCACT AGCCATAATA GTTACACTTT
4451 TGCTAATTAA TTTTGCAATT ATATATTCT TTATTTAAAA AATTGTTAAC
4501 ATGGCTTTAT CTATATGTTA AGATTCTCT AAAACTGAGT TTGTC TGCT
4551 GCATCTATTA ATCAGAGTGA TCAGAATGTT CCAAATGAGA ATATA TTTTT
4601 TTAAAAGTTA AAACTGGCTA TTCTTATGTG GTGTAGATCA CCTCTTATCA
4651 GACCCTCATC TTGAGTTGCA ACCTTTGTTT CTCAATTAG GAAGTCTTG
4701 TTTATCTGAC TTAGATTTTC TGTATGAAT GTGATTGGC TAAATTAGA
4751 GTCCCTGAAG TCTAGGCCTA AAAGTAAATA CATTGTCATT ACCTGCACAT
4801 GTGATGACTG CCAGTAGAGC TAGACTCAA GCAATTGCTT CTTCTCTAC
4851 TTTAGTGTAT AGTTGAGTTT CTGATTCTA TCCTCACCTT CTTAACAGCA
4901 AGGGTTCAA ATTACACTTG GCTGATTCTT TAAATCTCT TCCATTACTT
4951 CATTAGTTGT GATCTCCTTA ACATTGATTA TGTACAGAA GTTAGAGTAT
5001 TACTAATAGT AGGATAATGA TAGCAGCTTA CATTATTAA CTATCATGTG
5051 CCTGGCACTT TTTAAAGTGC TTTTCATGCA AATTATTTA ATCTTCACCA
5101 TGACCTTATG CAGTAGGTTG TTGTTTCTTA TTCTCAGAA GAGGCAGTTA
5151 AGGCACAGAG TGCTTAAGTA ATTAGACCAG GGTACACAG TAATCAAATG
5201 GGGTTTGACC CTAGCAGTCT AAATCTGGCA CCTCTGCTCT TAAACATTCC
5251 ATTTAGTACA ATCATAAACCTT TTTACTTGCA GTTCATGGTG GGAAATATCA
5301 AACTTGTCAATACAGCTTG TTTTTTTTC GTATTTGAAA GATAGATGCT
5351 TTTACTTCC AACACATTGG TAGCATTGTT TCCTGGTTAC TGAGCTCTTC
5401 CAGTCTATTATCTTCATTT AATGGTGCTG ATTCTGCCCT TTAGTGGCTT

5451 CTCAATTGTC TGAAAGGTAG AGCCCACAT AT TGTGCCTTAT AAGCCC CTTT
5501 CACTATCTGT TCCCCACATT CCTTTTAGC CTCATCCCC CATTGTTCCCT
5551 GTGTGTACGT AAACCTTATG TTTTAGTTGC AGCTGATTT TAACTGCTCT
5601 TTTTCTGGC TTTGTGCCTC TACACTGTGT TTTCTCCTG GTCTCTCTTT
5651 CCTGTCCCTTA TTACCACTCT TTGAAACACG TCAGAAAAAC TTTTCTGGAA
5701 CTTTGGGCCA CTTGTCATTC CCTGTGCTGA GACCGATTTT GCTTCCAGA
5751 GATCTTGGTC ATTGCTGTTA TCCTCTGTAG GGTCTTCTTT TATCTCCCTC
5801 GTGAGACAGC TCTGGGAAGA AAAAGATATT TATTCTAAT CCCTGTGCCT
5851 AATAACAGGT CTATTCTCTT GATATCCATT ACTGAAGAAA TGTGTTGTTGA
5901 GTAAGTTCTT GTTTAATT TAAATATAA ATTTTAATT TTTATGAGTA
5951 CATAGTAGGT ACATATATTT ATGGGCTACA TGAGATGTTC TGATACAGGC
6001 ATGCAGTGCA AAATAACCAC ATCATGGAGA ATAGGATATC CATCCCATCA
6051 AGCGTTTATC CTTGTGTTA CAAACAATCC AATTACAGTC TTTAGTTAT
6101 TTTAAATGT GCAATTACTG TTGACTGTAG TTACCTTGT GTGCTATCAA
6151 ATAGCAGGTC TTATTTATTC TATTTTTTGT TGTACCTATT AACCATCCCCA
6201 ACTTCCCTCA GCCCCTCACT ACCCTTCCA GCCTCTGGTA ACCATCCTTG
6251 TACTCTCTGT GTCCGTGAGT TCAATTGTT TGATTTTAG ATCGCACAAA
6301 TAAGTGAGAA CATGTGATGT TTGTCTTTT GTGCTGGTT TATTCACCTT
6351 AATGTAATCA TCTCCAGTTC CATCTATGTT GTTGCAGATG ACAGGATCTT
6401 ATTCTTTTATGGCTGAA TAGTACTCCA TTGTGTATAG TACCAAAATT
6451 TCTTTATCCA GTCATCCATT GATGGACACT TAGGTTGCTT CCAAATCTTA
6501 GCTATTGTGA ACAGAGCTGC AACAAACATG AGAGTGCAGA TATCTCTTCC
6551 ATATACTGAT GTCTTTCGT TTTGTTTTT TAATTGTTT GATTGAAAGTT
6601 GCAGTCAGTT TTTACTGAGA TGCTAGTGT TGAATCTCTC TTTCAATT
6651 TCTCTGTCTC AGCTGGAGTG TGTGGGAGT GTAGCCAGTG GATCTCTGT
6701 TATGAGTTGG AGTCCTGACC AAGAGCTGGT GCTTCTTGCC ACAGGTAAGC
6751 TTGTTACTGG TGCCTCACTG GCTTTTAA AACATTATTC CAGATGTCTT
6801 ACAGGCTTCA TCAGCTTAG GCTGCTTGAA TTTCAAAAAA TTTCTTTGAA

6851 CCAGTATAAT ACCAATTATG AACCAGTATA ATACCAATT A TGTAT GTGTG
6901 TGTGTATATA TATATAAAAC GTAGAGTGAT TTTTTTTGG TGACTGAAGT
6951 TTTGCCTCTT AGTCTATCAT TATAAAAAGT TGTTTCATGT AACTTTTAA
7001 GTCTTGGGA GTAAGAAACA AAGTCATAAA ACTTGGGGAG GCTGCTAAGT
7051 CCCCAGTTAG AGTTAAAAAT GTCAGCAATA TGTATTTAA CTTATTCTAA
7101 GAGTTGCTGT ATGGACACAT TCTAAAAGCC CTTCTTGGGT TCTGTTGCTG
7151 TTTTCCCCT TTAAGTCTCA TCATTCCAGA TGAGTTAGT AAACCAGCTC
7201 CACTGATGAC ATTATATTT AGAGGTATCT TGGGGACAAG GAGT GTTGAA
7251 GTTAGTGGAG GAGGGCTTG TGGACTTTA AGTTCAACTG TACACACATT
7301 AATAGCTGAG CATAAGCACC AGGTGACTTA TCTAGGGAAA GCTTTTGGG
7351 GTTTTTGTC ATTGTTGTT TTTAAGTCA AAGCATTG GATGAATTCT
7401 GTCTGCTCTG TTCAGACTAA CTCCAGCTCC TTAGCTTACA GTGC CATTAGG
7451 TACTTAGGAA TGGCAAATT GTTACATGAA AACAAAATCA TTTTGTTTG
7501 TGTTTCTCTA AGGTCAACAG ACCCTGATTA TGATGACAAA AGATTTGAG
7551 CCAATCCTGG AGCAGCAGAT CCATCAGGAT GATTTGGTG AAA G TAAAGTA
7601 TAGCTTGTC CAATATTTG TGACCTACGT TTCTTCCAT TTTTGACCAT
7651 TTCCTGTGC ACTAATAGCC ATGTCATTAG GCCAAAGAAC TGTGAAAGTT
7701 AAACCCCCAG CTATTAATG TCTATTAGCC CAGTTCTTC AGCC CATTCCC
7751 AAATCTAAA AGGCCTACTG ATGCCTCTCC AGGTCTGAGG GTTTAAGGTC
7801 ACTTAGATAG TTATTACCA AACCTAGGA AAGTCTTAGG CTGGGGCTTC
7851 AGTGAAGGG ACTGTACAAG GTAGTATTC TGGGATACAG TTTTAGGGAG
7901 AAGAAAAGAA GAAAGATGGA ATAGAAGGCT GGTTTTGTT ACTACGATTA
7951 GATCCAATCT GCATTTCCAT GGGAACAAATC AGATTATTT CTTGCTAAAA
8001 TCTAGCCAAG GTCATCTGGG CATTAAGGCT GTGGGGGTAT TGAAGGGCAG
8051 TGCAGGAGAA GAGAGACGCT TATTAAGCAT AAGCTTGCG CATCTTGAAG
8101 TCACAAAGTA GCTGGCCTGA TTGAAGAGGG ATGGGGAAGA AGATGTTCCA
8151 ACTTCTGTTA TGGTCTAACT TCCTGCCTTC TTGCTCCATC AACTCTGAGA
8201 AATCATTAG ACAACTTCTA CCCATTATT TACAAATAAT GTATTGTT

8251 AGAAATAATT TTGGAGGGCT GGGCACAGTG GCTCATGCCT GTAA~~T~~CCCAAG
8301 CACTTTGGA GGATGAGGCA GGAGGATTGC TTGAGCCCAG GAG TTTGATA
8351 CTAGCCTAGG CAACGTAGGG AGACCCAGCA TCTACAAAGA ATTTAAAAAT
8401 TAGCTGGGCT TGGTGGTATC AGCACAGTAA TGACATGATG TGCA~~G~~GTACT
8451 GGGTAGCAT AAGGGAAGGA AACGAGTAAC TAGAGAGGGA TGATTTATT
8501 CCCCTAGGAG GCCAACTTGA GCTGAGTCTC AGCTGAATTG GTGTTGGTA
8551 GGTGAGGGAT AAGGGTGGGG AGTAGTCAGC TGAATTGGTA TTGGCAGGT
8601 GAGGGATAAG GGTTTGGAGT AGTCAGCTGA ATTGGTATTG GGTAGGTGAG
8651 GGATAAGGGT GGGGAACAGT CCAAGCAAGT GAATGTGTCC ATTTCAAGTG
8701 TCCATTTCAA GGGAGGGTTA TTCATAGAA ACATTGTGGG TTACTCAGGG
8751 AACTGTGAGT AATTCA~~G~~CAT TGCTGAAGTG GCAGAA~~T~~GTG AGTGTAGAAT
8801 GAAATAAATG GAACAGATT GATTGAGTT GTAGTAGGGA ATATGGACAT
8851 TGAGTTATAG TTGATCAGCC ATTACAAGTT TTGATGATAA GAGGTTTAAA
8901 GAGATTATT TAATAGAAAG ATGGCTCGTG ATGGCATATT TTGTTGTTT
8951 TTGTGTGTGG AGAGGGAAAGA GATGAGAGGC AGGGTGATCA GG TAGGAGGT
9001 TGCTACAGGA ATCCAGATGA AAGATAAGGA AGGTTGTGT GGG GCTAGAA
9051 GCAGGAATCA TTCAGGAAA AACTTGATT~~C~~ ACAATGAGGA TGGGAGTACA
9101 TTTTTAGAA TTAGCTGGGA AACTTTTTA GAATATATGT GCATGATTCC
9151 CCTTCTGCC TAGGCCAGTT TGAGAAATAC CAATTAGAA AGT~~G~~AAATAA
9201 ATAGGCTTG CGTATGTAAG GTGAATAAGA AAAAGTTGAG CAGGACTCCA
9251 GCCAGAACCT CAGGTGTTGG GAATAAAGAT GCCAGTAACA GGGAAAGATGG
9301 AGAAGTGCTG GTCTGTAAGG GGTGGGTGGT GAGATCTGTT TTGGATTGT
9351 TGAAGGACCA TATGTGATTG CCATGTGGAG TATGCAAATA TAAGGCTGAA
9401 GCTCAGGAGA GGCCAGAGCT ATGGACTGAG AGTAGTGGGTATGTAGGAAA
9451 TTCTGACAGT TTTGGGAACA GATGGACTGT CTCAGGGAGC AGATGCTGTA
9501 CAGGAAGAGT CTAGAATCCA GGGTGGAACT CTGGGGCATC CAGCTTGAG
9551 GACAGTCAGA GAGAGAGTAA CAGCACACAG TATACTTGG GATGGGAAAG
9601 TGCTCTGGGC CTGGTGTTC CCACTGACTT TTTCACACAA ATCCTAATGC

9651 AGTAAATCAA AGGAAATGTA GGCCAAGTTA AGATCTTAGG TCTCA~~G~~AAAT
9701 GTGTTCTCA GTACAAAAAA AAAAAAATCA TTCTATGGAG TGATGA~~A~~AT
9751 TTTCCCTCTA TCCTGGGTC AGTAGACTTG TTCTGAAAAG GGCTA~~G~~GTCA
9801 TGAATATGTT CAGCTTGCA GGCTGTATGA TCTGTGTTGC AGCTGCTCAA
9851 TTCTAATGTT GAGGTGTGAA AGTTATACAT GATACATAAG CACATC TATG
9901 TTCCAGTAAA CGTTGTTG TAAAAGCAGA TGTAGGCTGT AGTTTT GCAA
9951 ATCCCTGCTG TAACCCCATC ATTCTTGTC TTCCATTGGA AAAGTT CTCT
10001 TTCTTCATTG CTTGGTCCTT AATCTTCTG TGAAACTTG CAGATAGAAG
10051 CCTGGGGGTT TGCACCAGGA TAGTCACTAC CATTGTACG CAGCAGCAAT
10101 TGAGGTACTG TAGCACTTGG ATGTGAGCAG ACAGGAAATG GTCA~~T~~ATGGAA
10151 CCCATAATTG ATAGGAATTG CAAACAGCCC TGCTTCATCA GAATCAGAAT
10201 CAATGGCAGG AGGAAAGTAT TGGGTCTGG ATTAGGTGAT GTTTTCAGGA
10251 CCATCTTAT TGTGCTTCTT GCAAATGGAT CCTACCTCCA GGAACAGAAG
10301 GGTTGTGTTG TTCAGAAC TCTGCCAAT AGTTTATATA AGAG~~A~~AGTGT
10351 TACGATCTAG AAAGAACCCC AGTCAGCCTG GAAGGCAGAA GACCTGTGTT
10401 CTACTTTTG GCTCCACCAT TAGGGAGGGT CTCAATCTCT AAGTCTATGT
10451 GAGGAGCTGT TTTGTGACCT GCAGCCCCCTC TATCACCAGT GAGAGCTTGC
10501 AATCAGAATT TTATTCCCAG TTCTCATCTT GGGGTTTAT GTTCCGGACA
10551 TATTTGTAA ACTCTTATG TTTCATTCTT CTTACTTATA AGGTGAGGGT
10601 GAGATCGCTG ACTTGTGTCA TCAAAGAAA TTGGAATATG TAAGATGGCA
10651 GTAAAATGCT TTCCAAAATA AGGAAGGGCA TTTCAAATTG TTCAAAGTCA
10701 CTGCTGCATA TAATATGAAA TGGGTTTGT TTGTTGTT TGAGATGGGG
10751 GTCTCGCTGT GTTACCCAGG CTAGAGAGTG CAGTAGTACA ATCAGGGCTC
10801 ACTGCAGCCT TGAACCTCTG GGTTCAAGTG ATCCTCCTAC TTTAGTCTCT
10851 TGAGTAGCTG GGACCACAGG TGTGTGCCAT CATGTCCAGC TTATTTGTA
10901 TACTTTTGT AGAGATGGGT GTCTCCCTAT GTGCCAGG CTGGTCTCGA
10951 ACTCCTGGAC TCAAGTGATC CTCCCTGCCTC AGCCTCCCAA AGTGTGGGA
11001 CTATAGGCAT GAGCCACCAT GCCCAGCCTG AACATAGGT TTCTCAAATA

11051 TTGACTGCTG GTCAATTAT TGAGAGGC GT TAGAGGACCT GAGT AATTGC
11101 CAATGACTAA CTTCATGAAG AATAGCAGTG AAACTGT TGT CATT
11151 CATGTGGCTT ATTAGTTGTC TTGCCAATTG TTCTGTAGGC AAGTTTATCA
11201 CTGTTGGATG GGGTAGGAAG GAGACACAGT TCCATGGATC AGA AGGCAGA
11251 CAAGCAGCTT TTCAGATGCA AATGGTAAGT TTGGTTTGAT GGAT AAAAAG
11301 CCTTGACTGG AACAAATGTA AGTTGCCAC CCACCAGGAA CTCTTGGTG
11351 TCCACTTAGA TGCCAGTAAT GAACAGTTCT CTTCTGCTT AGTA AAACGT
11401 CCTAGAACCT TCAGGAAATG AATCCCTCTA GAAAGATCCT TTTTCCCTT
11451 GTTATTGCCA AGTTGCTTG TGATTTATTT TCATAGTAGC AAATA ATTAT
11501 AACCAATATT CATCACCCAG TTTAAAAAAT AAAACATCAC AGAC AAAGGA
11551 AACCCCCCTGT GTATCCCGTC CCGATGTCCC TCCCCTTCCT CTCCAGAGAG
11601 AGCTGCCATC CTTCAATTAC ATGCATGTT TCATACTTT CCCATTATATG
11651 TGTATATTAG ATATTTTCT TTTCTGTTG GATGAAACTC TTTGTTTCC
11701 TTACTCTGG ATTGGAAAAT TCTGAAGACC ATATAATGAT GTCTTGATGA
11751 CTCAAGGCAG GACTTTAA TCTCTAATG TAGGCCGGGC GGC CCCTGAA
11801 GGCAGAGGTG TGTGGACACA AGAAGAGTGC AGACTCTGG GG CACCTGGG
11851 GAAGTAGTGT CCGTGTACA TTAAATTAC TTAAACTCTT ATATTTTATT
11901 TTAATTATA CAATATGAAT ATTTTTAAA ACTATGAATT GAAAAGTATT
11951 ACCCTTGAGT AAAATTAATG CCCAAGAAG ATGTGCCATA TTTACCCCTCT
12001 GGCACACTAC CAAGTACCC CAGGGGCATT ACAGATCTCT GTTAGAAAAG
12051 TACAGATTAC ATTATCCTCA TAACATTTAG AAGCTATGAG ACCTTGGCAG
12101 GGAAGTTTCC TAATGTTCT GAGCCTCAGT ATTCTCTGTA AAGTGGACAA
12151 CATAATGTCT CCTTACAAGG GTTGAGATGG GCAGGTAATA GCATATATAA
12201 AACAGCTATC ATAGCATCAG CACAGTGTAG GCACTCAAAT GTAGTTGCT
12251 GCTTTGTTT TAGTAGACAA ATAATTTTG AAACCTTTA AAGCGTAGTT
12301 TTTATTTCAA AACAACTTTA TTGTGAGTAA AATATGCATA GTGGGTCTAA
12351 TTTAACATTC TGAAAGCTAT TGACTTATTA GAACAGTAAA GGATTATTAG
12401 AGGGCAGAAA CATGGAGTAA GTACTCTGAG ACACAACCTT GC TTCTTGG

12451 GGGTGATCCA CTACAAC TGC CCAGCTTGG ACAAGTGGTT TTCATGTTCC
12501 CCTGATTTT AAGTGATTTT TTTTTTTT GGCAGGACTT AAAAGGTATC
12551 CTTGACTAAA CAGGAAC TTG ACCAAGTAAA TAGTTGGTGC AATTTGAATA
12601 TTCTTCTTG CTATAAGCAA CAAGTAAATT ATGGTACAGC TTTCTAAGAC
12651 CATATCTTT CGATTTAAAA ATAGCACTTT ACTCATACAT GTTATGACAT
12701 GGGTAAACCT CATAAAGATT ATGCTAAGTG AAAGAAGCCA GTCATAAAAG
12751 ATCACATATA ATATGATCCC ATTTGTATGA AGTGCCAGA AGGGGCAAAT
12801 CCACAGAGGC AGAAAGTAGA GTAGTGGTTG GGTAGGGCTG TGGGGTGGGG
12851 TGGGGAAGGG GTGACTGCTA ATGGATATGG GGTTTCTTT GGGGATGATG
12901 AAAATGCTCA AAATTTAGAT TATGGTGATG GCTATTCAAC TTTGTAAATA
12951 TACTTTAAAA ACATTGATTC TTACCACTGA GTTTAAACAA CCAAAAAAAAA
13001 ATCCCAGGT GCATTGAATT GTGTACTTC AATGGGTGAA CCTTAATAAT
13051 ATGTAAATT AATCCCAGTA AAGGTGTTAA AAAATAGTAC TTTAAAGGAA
13101 TCTATGGTAG TTTGAAAAT AAGGCAGTTT TCCATACTTT GTTAAACTCT
13151 GGAGAAGATG ACACTTACT ACTGGTACCT GCTAGAGTAA GACTTATCTA
13201 GTATTAACAA AATTAGGGTT TATTAATGGT ATAGGATGAT CCAGGTAATG
13251 GGGGAAAAAA ACCGAGCATC CTGTTATCTA ATGTACTATC CAG TAAACTA
13301 CTCTAGCTTT TTTCATGAA CTTTTCTAA AGGCTTCTA GGGCCTCGTC
13351 TTGGTTTGAA AGTCACAGC TACCCTTCAG AAAAGAAAAC AAAAATCCAT
13401 GGAGTAGGCA GATACAAGTA CTCATGTGAG CATAATTAC TTTGATTTT
13451 TAAGTTGTGT TATTCTAGCC CTCAGCCTGT TCCCTGCCTG GGCTCTCCTA
13501 GTGCCAGTA ACAC TGATT AAGAGGTTGC ATTAGCTGG GCACAGTGGC
13551 TGATGCCTGC AATCCCAGCA CTTGGGAGG CCAAGTTGGG CAGATCACCT
13601 GAGGTCAGGA GTTCAAGACC AGCATGTCCA ACATGGTGAA AT CCTATCTC
13651 TACTAAAAAT ACAAAAATTA GCCAGGCATG GTGGCAGATG CCTGTAACT
13701 CAGCTACTTG AGAAGCTAAG GTAGTAGAAT CACTTGTACC TGGGAGGCAG
13751 AGGTTGCGGT GAGCCAAGAT TGTGCCACTG CACTCCAGCC TGGGCCATAA
13801 AGCAAGACTC CGTCTAAAA AAAAAAAAAA AAAAATTGGG TGAGAGGGAG

13851 GAATTGAGGA GGATACCAAG GGTTGGGCCT GAACAAATGG AAGCATAATT
13901 ATATGTAGAA ATTCTATGA GCTACTCTTC TAGAATAGAT GACTCAATAA
13951 TACCCCTGCTT GCCATCTACG TTTCTGTCC TTAATTATTT CCAGTTCTAT
14001 TTCATATAAT GCCTATTCA GGCCTTAACC CTTCAGTAAA GGAGGTTTGG
14051 TTTCTATACC CTAGGACAGT TTCATTGAGA ATAAATTTG TTAGGC TACC
14101 TATGTATTCC CTACTGTGCA GACTACAGTA CAGTACTAGC AGAATTCTTA
14151 GGCTGTTACT AGAATATGAT GATGAATGCC CGGGTGGTCA TCTGTCCTCC
14201 ACCCGGTAGA GTTGGCTTC GGATTGAGAT ACACGTGGCC CTGGAGGAGA
14251 . GTTTCTTCC CGTCATGCTG CAGAATGAGA ACATTTCCAT GTTTCTGCA
14301 TTGCTGCTG CTGCCTTAC CACCTCTGTG GCTCCTCCCT ATTCAACCTTG
14351 TTCACATCTT ACTCATCTG TGCCCTGTTG TGAAGCTTAC ACAATATGTA
14401 AACAAAACTC TACCCCTGTTG GACAAATGGA ACACTTGTTT CCTTGTTGTA
14451 GTTACCTGAT AGGTTCTTA GTCATTATA TTCAGGATCT AGATCTGTAG
14501 CTCTTTCTT CTTTGCTGT TCTCAGAGGC CACTTTTTT TTTTTAATG
14551 CCGAAAGGAG GATTTGTTT GTTTACATT TTTTCTTCT TTTTGATGAT
14601 TTCTGCGTTC TAAGAACCAA CCCTGGATG GTTTCTGATT CTAGAGGCAG
14651 GCTTCAAAG TAGCTAAAC CTCTAAAAAA ACATCTGTAT CTAGTGGTCT
14701 GAGGCTTGTT TGATTCTGGG ATACTTAAGG TCCCCCAGTA ATATTGGTGT
14751 TTGTTCCCTT TTTAGCATG AGTCTGCTT GCCCTGGGAT GACCATAGAC
14801 CACAAGTTAC CTGGCGGGGG GATGGACAGT TTTTGCTGT GAGTGTGTT
14851 TGCCCAGAAA CAGGTATGGA AATATATTGC AGTTAAACAA CAATAAAAAAA
14901 TTTTATCTT ATTAAAATTAGGAAAATTT TCTTCTTT GCTTGAGTA
14951 GGGTATTAAT TATACATATG AGGCAAGGAT GTGCTGCTT AAATGTGAAA
15001 TGAGGTTAGA GTTAAGAATT AGAAGAGTCC TTTGAGGCCA TTTGGTCAT
15051 CCTCCTACCT GGTGGACACA AATTGTAAC AAAATTAATC TAATTGGCTA
15101 TGTAAAACCA TGGCAGTTT TATTGTAAG GAAGGTGTTT GAAATAGTTCT
15151 GAATTGACAA CTTTATCAT AATGTTTAA GTGTGTATGT GTGTTTGACT
15201 CCACTCCCGC ACAGGGGCTC GGAAGGTCAG AGTGTGGAAC CGAGAGTTG

15251 CTTTGCAGTC AACCAGTGAG CCTGTGGCAG GACTGGGACC AGCCCTGGCT
15301 TGGAAGTGAG TGGGAGAAGA AACCTTAGAG AAATTCTTGG AACCAAGAGTA
15351 GAGGTGGTGG TACACATGGA TACAGATGAT ACAGATGTT GTGTAACACA
15401 AAAGGATTT TACGTTCTT CATTGGTTA TAAGGCTGTA TCTATCTTG
15451 TTTCTTCTT TTTTTTTTC TTATTCCCTG AAGTCTGAAT TCAACTCGAA
15501 TAGTAGATT TACGCTTCTT CACAGATTC ATTGTTCAA GGCGCATAT
15551 ATTTGCATT CCTAACTCTT AAAAGGCTGT GGTTTAAGG CAGGGTATAT
15601 ATGAAGCCAT TGTACAGAGC AGAAAATGGT GTT TAGAAGG GAAGGCCAG
15651 TTTGCAAGGC TCTGTGGGGC AAATGGTGCT TTTGTGGAAA TTAGGGAAAG
15701 AGCCTCCTTC CTTGGCACAA AATTCCCTACA GCAGAGGATC TGCTTGCCAA
15751 GGAGCATGCA GGCTGGATT AGACCCTGCT CTTCCCTTCC ATTCTCCTCC
15801 TTGGCCCAGT ACCCTTGTGC AGGTTACAAT TTGCCTGTCA TATGTGGCTG
15851 CCTGATTTA GATAGAAGAT GTATCTCCTC TGTTCGGTG ATATCTGTTG
15901 TATGTAGACC TCTTGTTC CACCA GTATGAGTAT TATATGATAG
15951 AGCAGAAGAG AAATGTATT GAATTAAAAC CCTAGAGACA AATA TGAATA
16001 AGATGAGGCA ATTAAGATGT TTTCAACATT TGGTGAAGTC TTAAAAAAAGA
16051 CCTACTGGAG CATAGAATAT TTGCTGAAGT TGTATAATGG AAGGAGAAAT
16101 AGATTTGAT TTTAGGACA TTATACCTGG AATGGTTAG ATAACCTTATT
16151 ATTTTAAAG TCATCCAAAT GCAATGTAAA TATGTAAGGT TTGTTGGCA
16201 AATGGAGCCT CTGTGTAAA CAGGAAAAGG CACTCTTCC TCTGGCAAG
16251 TACAGTCCCAGTGAGTGGACCGCTCGC CGAGAGACAA GGACACATG
16301 GGATTTAAAATTCCTTGGAA TAAAGATATT CATTAAATTGG TTCAATTGATT
16351 CATTCACTGTT TGCTGGAAAA AAAACTCTTC TGGATTTAT CTATTCTTTA
16401 GTTAGGTGAG CTTTCGATAT TGTAACACTC TGAGTTGCT TTAAGACCCCT
16451 CAGGCAGTTT GATTGCATCT ACACAAGATA AACCCAACCA GCAGGATATT
16501 GTGTTTTTG AGAAAAATGG ACTCCTTCAT GGACACTTTAACCTTCC
16551 CCTTAAAGAT GAGGTTAAGG TAAGTGCCTG AGTTTGTTC ACCCTCGAAT
16601 GTAGAGGACT TTCCATAGCT ATAGAGGGAA TTTTTTTTTT TTTTTTTTGA

16651 GATGGAGTTT CATTCTTGTG GCCCAGGTTG GAGTGCATA GTGCA~~A~~TCTC
16701 GGTCACTGC AACCTCCGCC TCCTAGGTTA AAGTGATTCT CCTGC~~C~~TCAG
16751 CCTCCCGAGT AGCTGGGATT ACAGGCTTGC GCCACCACAG CCAG~~C~~TAATT
16801 TTGTATTTT AGTAGAGACG GGGTTCTCC GTGTTGGTCA GGCTG~~G~~TCTC
16851 AAACCCCTGA CCTCAGGTGA TCCACCCGCC TCTGCCTCCC AAAG~~T~~GCTGG
16901 GATTACAGGC GTGAGCCACC ACGCCTGGCC TATAGAGGGG ATTTATATT
16951 GATATGGATA TATAAATAGT AGCTTAGAG TAAATAGTAA TAAAAA~~T~~GGT
17001 GGCTTCCTAG AACTGATTAA TATTTAATAA AATATTGTTT TTCCAG~~T~~GAT
17051 TTTGCAAATA ATAGCATTTG TCCCCCACCT TAGATAAAC AGAAG~~T~~AGGA
17101 AATAAAAATG CTAGTTTTA TTGTTTATTT TGACAAAAGC ATAATT~~T~~TC
17151 CAGTAATGAA GATGTTTTTC ATTTATAACA TTTAAATCTT AAGTGGTTTG
17201 TATACCATTAA AGATTCTTGC TGAAGTGAGA ACACATCAAA TGGTA TCTCT
17251 GTGTAAAATT TAAACATCC TAAGTTGAGA GACGAGTTA ATGAA~~C~~CTCCC
17301 ATGTAACAT TACTCACTTT CAGTAGATAC CAACATTTG CAAA~~C~~TATT
17351 TTCATCGGTC CGCAACTCTT TGGCCTATAC ATATATATAC TTACA~~T~~ATAT
17401 TTTTATTTC TGGAGTTTA ATTCTAGAAA TCATATTTC AATATT~~T~~ATT
17451 TATAACAGTT AAGGACATT TTCTTACAT AACCATAATT CTATT~~A~~TTAC
17501 ATCTTATCTC TGTGTTGTCT AACACCCAGT CCATATTCCA GTT~~C~~TCTGA
17551 TTGTCTAAA ATGTCACCTT GTATTGGTT AAGTTCTTA AGTCT~~C~~TTTT
17601 AATCTTAAG CATAATGTAT TTCTTTTTT TAAGTCCTCT ACATA~~A~~TAAT
17651 GACATATTAA ACAGATTGT TTAATGCCTC TGTAGGTTAG TGATT~~T~~ACAG
17701 CTAGGGATGA GCTCAGGTAG TGGGATTATT TGATTGAGA GAG~~G~~AAATAC
17751 AGCTATTATA AAGATTGGA AGTAAATCCA TAACTGAAAG CCA~~A~~TGACAG
17801 ATCTTTTTC CCTCTAGGT AAATGACTTG CTCTGGAATG CAGA~~T~~TCCTC
17851 TGTGCTTGCA GTCTGGCTGG AAGACCTTCA GAGAGAAGAA AGCTCCATT
17901 CGAAAACCTG TGGTAAGACA GCTGTAGTAC CCCAGCCTTC TGCCCCATAA
17951 AACGTAGTTG AAAGTAGACA GGTATGGGAT TTCCTTCATC CCTT~~T~~CTACTT
18001 AGTCCCTTAG TAGAATCAAA GATGCTGAAG TGGTAGGTG GAA~~A~~ATGGGGG

18051 TGGTTAGGTT TTGATTGATT GTGGATTCA GTCATGTATT GGTTGGGGT
18101 CTCTAGAGAA ACAAATAATA CATATATATA ATTCTGCCT CAGTATTCTC
3151 GGGGGATTAG TTCTAGGATT GCCCATGGAC GCCAAAATCC ACACATGGTC
18201 AAGTCCTGCA GTCAACCCTG CAGAACACTC AGATATGAAA AGTCAGCCTT
18251 TTGTATACTT GGGTTTGCA TTCCTCAAGT ACCATATTT TGATGTGCGT
18301 TTGGTTGCGG GTATAGAAC CACAATATGA AGGGCCGACT GTATTCAATTG
3351 AAAAAAATAC GAATATAAAAT GGACCTGTGT AGTTCAAGCC TGTGTTGTT
401 AAGGGTCAGC TGTACTTACA TAGAGAGACG GTGAGAGAGG GAATAGGGTG
451 GGGCGGGAGG GAGAGAGAGT AATAGAGTGT GGATAGATT ACTTTAAAAG
491 ATAGCTAAT GTAGGGGATG GCAAGTTGA AATTGTTGGG GGCAAGGTTGG
501 CAGGCTGAA ATTCAAGGTA GAATTGATGT TGCTGTCTTG AGTA TGAAAT
501 CTGTACGGCA GGCTGAAAC TTAGGGAGGA TTTCTGTTAC AGCCTTAAGG
551 CAGAATTCTCT TCTTTCTGC GAAGCCTCAG TTTTGCTTT TAAGG TCTTC
18701 AGCTGAATGA ATGGGACCTT CCCACATTAT GGGGAATAAT CTGCTTCCT
18751 TATAGTCAGC CGATTATAAA TATTAATCAC ATCTACAGAA TACCTTCACA
18801 GCAACATCTG GAGTTAGCA GATAGCTGGG TGCCATAGCC TAGCCAACTT
18851 GACACAATAA AATTAACGT TGTAAGTCAT CACGTGCTTT CCCTAGTGCA
18901 TGGTATTACC ACAGAAAAAA CACTAACCAA AGGAATTCTG TGGACCGTGAA
18951 AGAAGATTAA GATTAAGCGT AAAAGTAAGA ATATTTTAT AGCTTTAAA
19001 ATGTATAAGT GTGTGGTTT AAGTATAAA TAATACTTGA AAATGTTAGA
19051 AAATAAGATG AGAAAAAAAT CTCATAGTTC TACCACTTCG TAATAATCAC
19101 TATTCAAATT TTCTGTCTT CTAGGTTTT CATGTATATA TCTCAGTATA
19151 GCTATCATCT TGTTTGTT AAAAGTAGTAG TAGGTATGGG CCAGGTGCGG
19201 TGGCTCATGC ACTTGGGGG CCCAGCACTT TGGGAGGCCAGGGCG
19251 ATCACCGAGGT CAGGAGATCG AGACCGTCCT GGCTAACACCG GTGTAACCCC
19301 ATCTCTACTA AAAATACAAA AAATTAGCTG GGCGTGGTGG CAGGCGCCTG
19351 TAGTCCCAGC TACTCAGGAG GCTGAGGCAG GAGAATGGTG TGAACCTGGA
19401 GGAGGGCGGAG CTTGCAGTGA ATGGAGATCG TGCCACTGCA CTCCAGCCTT

19451 GGCGACAGAG TGAGACTGTC TCAAAACAAA ACAAAAAAAA GTGTAGGTGT
19501 GATACATCTG CATCATTTA AATTGCTGTA TAATACTCGT TTATTC TCGT
19551 TCATTAATC TCATGCTGTT AGACATTTAC AGTTTGTCATTTCTCATTA
19601 TTGTAAACAG CAATGCATGG TACATTTTG TTCATAAAATC TTTTACTTG
19651 ATTATTTCT AAGTAGCTTT CAAACTCTTT AATCAGTAGA ACCCCCCCCC
19701 TTTTTTTTTT TTTTGGAGA CGGAGTCTCT CTCTTCCCC CAGGCTGGAG
19751 TGCAGTGGCC CGATCTCGGT CACTGCAAGC TCTGCCCTCCC GGTTCACTC
19801 CATTTCCTG CCTCAGCTTC CCGAGTAGCT GGGTCTACAG GCGCCCGCCA
19851 CCAAGCCTGG CTAATTTTT GTATTTGG TAGAGGCAGG GTTTCACCGC
19901 GTTAGCCAGG ATGGTCTCGA TCTCCATCTC GTGATCTGCC CGTCTCGGCC
19951 TCCCAAAGTG CTGGGATTAC AGGCGTGAGC CACCGTGCCC GGCTCAGTA
20001 GAACCCTTT AACTGCAATG TTAAGAAACT CATTATTATC TCAACACAAT
20051 AGTTCTAAC CCTGGCCACA CCTTAGAAA AAAATGATA TTCAAGGCTTC
20101 ATCTAAGAGT TCAGTTCACT GTGTTGGAAT GGAGATTATA CGTAAAGTATT
20151 TAATTAAAAA CCAAAAGCCC CCAAGTGATT TTAAACAGCC GCAGTTGAGA
20201 ACCACCGATT AACCAAGTGTG TCAAGGGATG GCACTGTGAT ATGCTGAGCA
20251 TAAAAATATT GCACAGGATG AAACCCGTTC TCTACTAAAA ATGCAAAAT
20301 TAGTCCGGCG TGGTGGTGCG CGCCTGTAGT CCTAGCTACT CGGGAGGCTG
20351 AGACAAGGGA ATCGCTTGAA CTGGGAGGCA GAGGTTGCCG TGAGCCGAGA
20401 TTGAGCCACT GCACTCCAGC ATGGGTGACA GAGTGAGACT CCATCTCAA
20451 AACATGTATA TATATATATA CACACACACA CACATTGCAC AAGAACAGCC
20501 ACAACATCTG TGCTCACAGA ACATCAGCAT GTGGTCTAAC TTCAAAAGTGT
20551 TGTAATAATG CGGTTGAGA CTAGGTTATG TTTGCTGTGATCACTAAGTT
20601 AAGCATTAGT GAGCAAGGAG ATTGAGAAA TCCTTAATAT AAAATAATATT
20651 TCTTAATATA ACTATAATTCTAATATAAC TAAGGTCTTA ATTATATGT
20701 CATCTGTTA GTAAAGGTTG GTTGGCAT GATTAAGTCTTGCTTGCTTA
20751 ATAGATGTTG GAAGGATAAT TTGATGCTTA TCTTCTTGG ACAGCTGAAT
20801 CAGGATTAAT ACCCAGATAG CCTGAAACAT AAGTGCTTGC AAAGCACCTG

20851 AAAGAAAATA AGCATCTTAA GCCCAATACA ACACAATGAT GCTAG**T**TCTAG
20901 ATCTTGGATT AAGTGT~~TTTA~~ ATACT~~TTT~~TAC TCTAATTGCC AAGTTAT**C**TT
20951 CTTCCTAAAT CTTCATGAGA AAACCCACTA AAAGAATGCT TTTCC**T**GGT
21001 AGCCTCCAT TGTGATCATA AAGTTGGAA GTAAAGTTGA AAATAAACAT
21051 GTGGGCCAGG CACGGTGGCT CAGGCCTGTA ATCTCAGCAC **TTT**GGGAGGC
21101 CGAGGCAGGC GGATCACAAG GTCAGGAGAT CAAGACCAC**T**CTG**G**CTAAC
21151 CGGTGAAACC ATGTTCTAC TAAAAATACA AAAAAAAAATTAG**CC**GGG
21201 TGTGGTGGTG GGCGCCTGTA GTCCTAGCTA CTCGAGAGGC TGA**G**GCAGGA
21251 GAATGGCATG AACCCGGGAG ATGGAGCTT CAGTGAGCCG AG**A**TTGCGCC
21301 ACTGCACTCC AGCCTGGCCG GCAGAGCGAG ACTCTGTGTC AAT**AAA**AAA
21351 AAAAAAAAAC GAAAATAAAC ATATGAATAA AAGTTAAAAA TAGAA**AAA**AA
21401 ACAAGAAAAT AAACATATAT TTCTGACCTT ATTGATTCTT GATATT**TT**AT
21451 CTGCATGGAA AGCTATTTT TGGCAGTTAT TATTGTTCTT ATTT**A**AGAGA
21501 CGAGGCTGAG CAGGAAGGGT CCTTGAAAA AGAAAAGATT GCC**C**TTGAAC
21551 CCCTCTGGCA AGTGGGATGA AGTCTGCTTC CCAGCCTCTA ACG**G**CCTTCT
21601 TTTCATTTC CCTTGCAGTT CAGCTCTGGA CTGTTGGAAA CTAT**CA**CTGG
21651 TATCTCAAGC AAAGTTATC CTTCAGCACC TGTGGGAAGA GCA**A**GATTGT
21701 GTCTCTGATG TGGGACCCCTG TGACCCCATA CCGGCTGCAT **G**TTCTCTGTC
21751 AGGGCTGGCA TTACCTCGCC TATGATTGGC ACTGGACGAC TGA**CC**GGAGC
21801 GTGGGAGATA ATTCAAGTGA CTTGTCCAAT GTGGCTGTCA TTG**A**TGGAAG
21851 TAAGCTCCTG GGAAGTGTGT CCATGAGCCT GCAAGGGGTC CT**G**AGCCTAG
21901 GGCCTGCAGA TGTGGTGGTT TGACTGGAAC AGTGGGGAA**T**CTTATTG**T**
21951 TTTGGCTGTT TGGGTTACTT GTTTTTAT TGAATGGGAT ATAAG**GG**GG
22001 GTATGTTCTC TCCTGAGAAC CATTGTCCCC CCTCCCCCAC CAG**T**TCCTG
22051 TTATACTGCA TCTGTGGCCT TCACACGTTT ACTTGCCTGG CCTTTGAAGA
22101 CACTGAAAAC TTTGACTCTA GGTAGAGAGG ATGACAACAG TACAGTCTG
22151 TGGGATTGGG TGTGTTAGCT TTATCTGTTT GCCCTGACAC AG**A**TTTATAA
22201 TTGACCCCTTA TACCACCCCA CTTGTGTTGC TTTGTTCTGATACAAATG

22251 CTTGCTGATA TATACCTCTC CAGTATGTT AGTCATGCA TAAACGTTTG
22301 CCTAATATGA AGATTAGGTT TATATTTAT AATGAGGTAG AAGGTTTTT
22351 TAGGGGGTGG GGTGGGAAGG GCAAGACTGA AGAGTGAAGT AGT CACCTTA
22401 ATGAATAGTT TCATTGCTGA TATGAAAGGG AGCACTGGCT TCTAA GATTG
22451 TAATGTGAGG TGGATATTAA TTCATATTCT GTGTAATATT CTACATAATA
22501 CTGATTTAT AGTCATGTAT TCTATATAGA GAACTTAATC AGATCTGCGT
22551 TATTACCAAA TCCACACATA GGAAAGTGCT TTAAGGATT TGAAAGTATT
22601 AATTCCCTTG GTTGTGCTG GCTTGGTTGC AGGCCAGGT TTAAAGCTAG
22651 AGGTCTGACC TCTTGGCCTT TTTGCCTTAG TCCCTGGCAC CTGAAACTCC
22701 AGGTACTGAG ATGGACTCCC CTAGGCCTAG AGGTGACAAT AGCCAATTAT
22751 GGACAGAACCC CATGACATT CCCCATCCCC CACTGTTTG AGACTTGTTC
22801 CTGAGAAAAA CATTGAAAGT TATTTTTTG TGAATTGCCA TTATTGTTTA
22851 GATATACTGT GATGTTCAGA TGGCTTATCT TACAAATTGA ATATCCCTAG
22901 GTCTAACCT CTTCTTCTT TTTCACTGCA GACAGGGTGT TGGTGACAGT
22951 CTTCCGGCAG ACTGTGGTTC CGCCTCCCAT GTGCACCTAC CAACTGCTGT
23001 TCCCACACCC TGTGAATCAA GTCACATTCT TAGCACACCC TCAAAAGAGT
23051 AATGACCTTG CTGTTCTAGA TGCCAGTAAC CAGATTCTG TTATAAATG
23101 TGGTATGTTA TAAAACTTT GCCAAGATGT TCTGAATCAA GTCCCTTCTA
23151 CTCCTACATA AAAGCAAATT ATAGTTGGT GTGCCATAG GTCTAGTGT
23201 TCTAAAATT TTAAAGTCTG CAGTTGATAT CATTATCATT ATGATATTAA
23251 ATTGCCTTGG GTTTTGTAA TTTTTTTTT TAATCCTATA CTGGTTTGTAA
23301 CGAGCCATTG CTTTCCCTT ACTGACTTGA AGAGTCAGTT ATTTAAGAAT
23351 AACATTGGAC TCTGGAAATA ACATAGTATG TTATACATTG TTAACATGTT
23401 TTACTCTTT CATAGCCTT ACACATATT TCAGTTGATC TCATCCCTCC
23451 TAGGAGCTGT GTCAGAGATG GGGTTTCCT CTTTGTAGA TGAGGGAAACA
23501 CAGTGTAGA GGTTTGAA TTTGTTGAA CAAGAATGGA CAAAGGACCTC
23551 AACACAGGTG TTCTAGCTCC TAATCCACTT GTCCTGCCAC AGCCCCATTG
23601 CTGTCAGTTC TTCATTACTT TCCTGATGTG CTGGAGAATC TGAAATTGTT

23651 TTTTACTTGT GAGTTCTGTG GTTATGTCAT AAATTCTGCT GGCATATGGC
23701 AGTGTAGCC TTGTTTCAA ATATCTTTG AATTCTCAGA AAAAGCCTAG
23751 ATAGTTGCCA AGAGAGAATA ATCAAAATTA ATTAATTAA ATGGGAAGTC
23801 CTTACTTCA TATCAGCTT TCTGTTAAGT CAGCAGCCC CTGTGTACAT
23851 GGATCCTATC TGGATGTATC ACCAGTTCT CTGATTATAG TTTCAGTGTG
23901 TAAAATGCTG TTACAGTCCT CCTTAAACTT TTCAAAATAG CTTAAAAAAA
23951 AAGTGCAAAT ATGTTCATTG TCAAGGCAA AAGAACAGA TGTAAGCTTT
24001 TGTGGGACTT AACTGTATGA TGCTAATGAG TTTATATGTC ACTTTATGAT
24051 GTATGGTATG TTTGTTCTG CATTCACTTA AAAAATAGCT TTATATCATT
24101 CATCTATTTA AAGTGTACAA TTCAATGGTT TATATGTGTG TGTATGAATA
24151 TATATACATA TGTATATGTA TATATATGTA TATTACAGA GTTGTACAGC
24201 CATCACCAACG ATCAATTAA GGACGTTTT ATCTCCTCAG AATGAAAACCC
24251 TGTACCACCC TGCATTCACTT TTACTTGAGA GAAAACCTCC TGTGATGAGA
24301 TAGGACAGGT TGAGAGCTCC ACTTTGAAA GATTGTTGG CATCAATATG
24351 TGGGGTTGGC CATAGGTCAAGGGCACCTGG AGGCAGAGAT TCTAGTTAGG
24401 AGAAGCTGTT GTCAAGTGTCAAGGGAGAG CTAGCAAGAG CTTGAGCCAG
24451 AGCAGTGTTC ATAGAAATGG AAAGAACAGA AAGATCATAA CAAATCCATG
24501 AAGTAAAAAC CCTGAGAAGT TAAAGAACCC ACTGGGGAGA GTTTGGATAT
24551 AAGAGAACATCT GGAAAAAGAG ATCTTGGACT GGAACAGGTC AGGGCTCCGT
24601 GCCCAAGTGG AAGGGAAATT AAGAACCTGG AGTCAAGTGG TAGACATTG
24651 AGTGGTGTGG AGACAAGTTC GTGCCAAAG TTTCAAAGA TGGTGTGTTGA
24701 TGCATCCTGA GTACTCACTCC TTTTCCCCC TCATTGCTTC TTGATTGTT
24751 ATTATATGCC AGGCTTTCTAGTACTTG GCTTGTGTA CTAGAAAATC
24801 AGTTGTACTT TGTCTACAAC TTGTTGTCT AGGTGTAGAC AAAAGATATC
24851 AATTAAATAT GATCTATCAG ATGGCAAGTG CTGTGGAGAA AAATTAAGCA
24901 AAATAAGGGG TAGGGAGAGC TTAAGGATAA GGGTTACAG GGGGAAGGTG
24951 TCTTCTCTAT TTAGTGTGAT CCCAAAGGCC TCTCTGTGAA GGTGACATTG
25001 AAGCAGAGAC CTGGTGAGAA TCACAGTGGG AGCCACGCAG ACATCTGGGG

594221_1

25051 TAAGAGCGTC CCAAGCATT C TATGCTTGAA GGCAAAGAAG AAAAAAGAAA
25101 GAGCGTTCCA AGCAGAGTAA AAAGCAACCA CCGAAGTGCC TGTTGTGTTT
25151 AGGAAATAGC CAGGAGGCCA GGGTGGCTGC AGCAGAGCAA AGGAGGGGAA
25201 GGTGGTGGGT GAGTCAGAG TGGTGATGGG AATCTGCTCT TGTAGGGCCT
25251 TGCAGGCTTT ACTCCGAGTG AGATAGGAGC CACCAGAGGG CTTAGAACAG
25301 AGGAGTGCAG TGTTCTGGCT GAATTTTTA AAGGCTTGCA TTGGCTGCTG
25351 TGCAGTGAAT AAACTGGATG AAGAATAGAA AGAAAATGTC TTTAAGCAG
25401 GTGCTTAGGA CTTGGAGAA TTTGAGGATA TTGAGAGGTG GTTGAAGACA
25451 GTGGAGGAAA TTGTCACAG CACTGGGCTG AGAGGGTAGC CCCTTCACCT
25501 GGTCTTGCTG AGATGTGGCC TTTGTCAGGG AAGATTATGA CTGATGTGTT
25551 CTTAAGAGGA AAGCAGAGAT TTTAAGGAGG TTGAGATGTG ATTATTTCT
25601 AGATTGCTGT TTGCCTCTA GAACTCATTA ATTGCAGACA CCATCCCCCT
25651 AGTATTAGGT GAAATCTTAT AATTACGAT GATAATATTT GCATTTTGT
25701 TTTCCAGGTG ATTGTCCAAG TGCTGACCCCT ACAGTGAAAC TGGGAGCTGT
25751 GGGTGGAAAGT GGATTTAAAG TTTGCCTTAG AACTCCTCAT TTGGAAAAGA
25801 GATACAAGTA GGTTCTTAAT TATCTGGGC TTCTGGGAAC AGAATCAGCC
25851 AGCATGCAGT CCTAAATTCA GCCATCTGAT AACAGTTCTA TGCCTGTTGC
25901 TGAGTGGAAC AAGAAATAAA GACAACACCC AGGCCCTGAC TTTCGGATCT
25951 GATTGGAGAA GCCAGTCATG TAGTTGTCT GAATGCCATA TAATTTGATA
26001 GGTAGCAGGA GAGCATGAGT TGTAAGCCAG CCTAGGACCT ACTCCCAATA
26051 GCGCTTGGTT CTCCAGGAAA AATCATGTGG GAAAGATGGA GATGACAATG
26101 ATAAGGCGGA GCTGCATTCT CTTACATAAA TGGGGATGTA TGGGTTGTTA
26151 ACATGGATGA CCTAATGCAG CCTCTGTCTT TGCTCCATCC CAGAATCTAG
26201 AACTCTGGG TGCTGTGCTT TGAGGCTCCT GGGATGGAAA TCAGAATGCA
26251 TTCTCCATT GAAACAGTAT TGTAACAAAT TGGATGTTAT TGAATACCTC
26301 AGGTACACTA TAGGCATTG CAAAATGACC TAGAAACCAA ATTATAATGC
26351 CACATCTGTG AGAGAACTTT TTTAAAAAGT ACCACTTATT GAGTACTTAC
26401 AGATTAACAAA AACAAAGTGT AGAGGTTAGG TAACTTACCC AAGGTCATGG

26451 ACCTGGTAAC TAGAGAATT AGGGTTGAT TCTATTCTGT TTGATA~~A~~GTC
26501 CATGTTCTTC ATTACTAAAC TACTCTGCCT CCAGGGAACA TTTATTGTTA
26551 GATTAATAGA AATAATTAAC TGAGTACAAC AAATAGCAGA ATTTAATAAA
26601 TAATGTTCT TAAATATATG TGATATATT AATAAATACA GCAGAAG TGT
26651 TCAACCTCTG TATGATTTG AGGCTGCCTG TATAATGCTT AGTAG~~T~~TTTT
26701 AAAGAGCATT TACATGCATT ATTCACCTTC ATAGACTTGA AACCAC~~T~~AGA
26751 GTAGAGATAG AGGACAAATT AGAAAGTATG AGGCAGTTA GAAT~~A~~TAGTT
26801 TCATTTAAAA AAAATTGATG GGGATAATGC CAATTCGTCT GAGAT~~T~~TTCAC
26851 AGAAGACATG AGTACTCATC GTGATCTTGG GGAAGGGATA GGTT~~T~~GGGGT
26901 TGGCAAAGAA TTGGAACAT TGGGTCTGGT GGGGAAGAAA GTGTCAGTGA
26951 AAACCAGAGG TGGGACTGAT CCTCCATGGG ATACTCTATG TGAA~~A~~TGCAAT
27001 GGAGAGCCTG AGTCCGGGG AAGATGTTG AGGAGGAAGA TCAGGGCTAGT
27051 GACCAACTTC TTCAGTGGGA GCTGCGGATT TGCCACCTGA TCTAAAAGGC
27101 AGGAAGTAGC CATTGTCGGT TCCTACGTGA GGTGACAAGA ACAGTGC~~G~~C
27151 GGTCAGGTGT ATAAATGCTA CCAAAGAATG CATTAGAGAC ATGGAGACCA
27201 TCTCTCAAGC TAGTCAGTCA GTTTAATGTG AGGTGCTTAG GAAA~~GG~~ACCC
27251 ATTCTACTGC AAGTGACATA CCTGCCAGAG CCTGGTTGA ATGCTGGTAA
27301 GTCATGGCAG TGGAAAAGCT CTGGGGTTCA TTAGTGTAGG GACTAGGGCT
27351 GGTAATTTTC TTGTGTAGTC AGTTCTCA AGTGTCTCT TCAA~~A~~TTAA
27401 AGATTCAGG GTATGAGAAA TTAGGGAAA ATATAAAAAC GTATTCTTAA
27451 GCCAGACAAA GATTAATTAGTGTAGTGTAA GTATGGTA GTATCTCAGG
27501 TTTTGTCCCT CCAAATAATT AGGAGTGGAC TGATACAAG ATGCTTCAGT
27551 CTTCCCTCAT CCAGGAACGT CTCAGTGGTT TTAAAGTTT ATTCA~~T~~GTCT
27601 TGGATATTCT TCAATATTCA ATAGAATC CAGTTGAGA ATAA~~T~~GAAGA
27651 TCAAGATGTA AACCCGCTGA AACTAGGCCT TCTCACTGG ATT~~T~~GAAGAAG
27701 ACGTCTTCCT GGCTGTAAGC CACAGTGAGT TCAGCCCCCG GTCTGTCATT
27751 CACCATTGA CTGCAGCTTC TTCTGAGATG GATGAAGAGC ATGGACAGCT
27801 CAATGTCAGG TATTGCAGTT TTCCCTGTA CTCCACATGT TAA~~G~~CAAATG

27851 GAGTTAGGTT TTTGTCTTT ATGAGCATAAC AACTTTGAC TTCTATT GAT
27901 CAAGGTTGAG GAGCAGTAGC TTTCTTGTAA GACACACTTA ACAAGAAGGT
27951 TAAGTCTAGT TATGAGCCAT GTCAAAATAA CAGACCAAAA ATATAT CAAA
28001 AAGTGGTGAA AAATAGGATA AATATTAGTA GATGAAGCAA CTTTTAAAG
28051 ATATGTTAAA TATTTAATT TAGCATCTAC CCACATTTT CCAGCGT GAT
28101 TGTTATATGT TATAATTGAT TTTAATAACT GTCAAGCATA ATTAGAGTGG
28151 CTAATTCTCA TGGGCTAATG TGATGGGAAG AAATTTGTA TAAATGCAGT
28201 CATGCGCATA TATGTGTGTG TGTGTGTGTG TGTGTGTGTG TATACATACC
28251 TTTCTATGT TTAGATACAC AAATACTGA CATGGTATTA CAATTGCCTG
28301 TAGTATTCTG TAAAGTAACA TGCTGTCCAG GTTTGTAGCC TGGTAGCAAT
28351 AGGCCATACC CCATAGGCTA GGGGTGTAGT AGGCTACACC ACCTAGGTTT
28401 GTGTAAGTAC TCTATGATGT TTGCACAATG ATGAAATCAC CTAACAACAC
28451 ATTTCTCAGA CGTATCCCCA TCGTTAAATG ATGCATAATT GCACATATAT
28501 GCTTTGTTT GATGTGGTGA CTTCAAAATG CTTCTCCAG CCTCCCTCTTC
28551 TATATATCCT ATTTGTACC TGACTACATT TACCATTAGA AAGTCTCTAT
28601 TCTTCTTGC TGAAATTCA CTGTTCTCTG GGCCTGAGTT TTGTTTGAT
28651 TCCTGACTAT ATCTTCATTA TGTAACAGGT TTCAGTTAAT GAATGCTCTT
28701 CTGTGTAATG TAAGCCCTGT TGTATAGTTG ATAGCATTCT TAGCCAGTT
28751 CCCAGAACTC CTTGTTCCA GTGTCAATAC TTGGCACCTT TGTCCACTGA
28801 CACTAATCCC CAGATTAATT TGTAATTAAA GCCCTACTGG TGAGATTCT
28851 GAGAAACGTT GTTGCAAAAT TAGGAACCTT TCCTTATAT ATATACATTA
28901 CATAAATTAA TAGACATAAA ACATTTAAT GCAGTCATTT GCTGCTACTC
28951 TTTGACTCAT AGTCTTCGT GATATTGAA AAAAGCCTT TTGTTAACATG
29001 TCTAAATGCA GAATATGTT TAGAAATATG TAGCACTAA AGTAAGCCAT
29051 TAGATTACCT TTTGAAAAGC GGAGCAATT ACTAAGTTTC TACTTCTTCA
29101 GATTTGAAAT TCTTCATCAT TAGCTTGTAG AGGCAAAAGC TTGATGCAGT
29151 CATCTCATTG GCTGTAAAGG AAATGAGAAG TCATTTACAG TATATTCTA
29201 CTGCTTGAC TTTTATTCT CAAAAAGACT GTTTGTTCA TATAAAATAT

29251 TAATGCTTT GAGGACTACA AAGTCCCTCG ATTGAGTTA CATTACTTT
29301 AGCTTATACT TTGTAAAAAA TACTCTTCTA AATGCTTGT CTGTTTAGC
29351 TTACTTATTCTCATAATAC CTCTGTAAAG TATATGCCAT TTGCACCATC
29401 ATTTTACAGA TGAGACAAC AAGACATGGA GCAGTTAGGT AACTTGCCTG
29451 AGATCATGCA GGTGGAGCCA GGATCAAATC CCAGCGAGTC TAGCTCCAGA
29501 GTTGTTCCTC TTCTTGACAG ATAATTATC CTCACAAAAT TTGAAGCATT
29551 TGTAGAGGAA TTCCCTATTG TTATAATGTT TAGTTTTTT GTAGATTGGT
29601 TAAAAACTTT GAATTAAATG TTAGCATTAA CATCATTGCTTTATCACT
29651 ACTTCTTGT CTCTTTTTC TTTTTTAAT CACTACCTCT TCCTCCTCTT
29701 TTGAGAAATT CTGCTCCGT GGCTATGGTC CAAGCTACTT GAGAAGGTGA
29751 GGTGGGAGGA TCACTTGAGC CTAGGAGGTT GAGATTGCGG TGAGCTGTGA
29801 TTGTGTCAAC TGCATTTCAA CCTGGGCAAC AGAGCAAGAC ACTGTCCAAA
29851 AAAAAAAAAA AAAATAGTGA AATTTTACTT CGCTCCATTG ACTCAGGGAA
29901 AAAATGTAAT GGTGATAACA AATTCCCTTC ATCTCATTAG TGAAAATCCA
29951 CAATTTCCA TCAATCGATA TGATAGTGTAGAGATATTG AGTGTGCTCA
30001 TTTCTACAGCCAGCTGC TTTAACTATT TTAAGCAGAC AGAAATGATA
30051 TTGGTACCAT CCATGTCTAA TGAAGGCAAT ACTTGTAAT AAGTTGCAGT
30101 AAGTTGTGGC CAGAAGAGGA ATGATGACTT CACAGTGTAA ACAACTACCT
30151 TATTGGGTTT GTGGAAAATG GTGTGTGTAGA GCAGATGTGG CTTTATCTGG
30201 GCTTTGGTTT GGAGTAGTTT TATCTATTCA TCTAACCGTC TGTCTCTAAG
30251 TGTATAAGTG TGTGTGTGTG TGTGTGTATA GTATTGGGTG TGTATATATG
30301 TATTTGTCT ACATTGTATT GAAGTAGGTA GTGCAGCATC AAAAGGAAAT
30351 TGTTGATTT CAAAATCAGT GAAATGTAC TATTTTGAG AAAAATGGTC
30401 TGTTTACACT CCCTCTCCT TTTTTGTC AGTTCATCTG CAGCGGTGGA
30451 TGGGGTCATA ATCAGTCTAT GTTGCAATTCA AAGACCAAG TCAAGTAGTAT
30501 TACAGCTGGC TGATGCCAG ATATTAAGT ACCTTGGGG TGAGTATCAA
30551 GGTGTTAGGA AAGCATGTTA TGACTTACAT AGATGCTTAG TTCTTAAGAA
30601 CATGTAACCTG TATCTTGTCA GTTCAATATT GATTGTCAGG TCTTTTAAC

30651 ACCCTGGAAA ACCCTAAGCT TTAGAGTGGATTGGCAAGT GTATTCTACT
30701 CCTGTTCCCT CTTTTAATGA ACTAACGTAC TCTTAAAAAA GTGATTGATG
30751 ACTATCGCAG GGACAAAAAA CGAACACCCG CATGTTCTCA CTCAAGGTG
30801 GGAACCTGAAC AGTGAGAACAC CTTGGACACA GGAAGGGAGAA CATCACACAC
0851 TTGGGCCTGT CGTGGGGTGG GGGAGGGTGG AGGGATAGCA TTAGGAGATA
0901 TACCTAATGT AAATGACAAG TTAATGGGTG CAGCACACCA ACATGGCACA
0951 TGTATACATA TGTAACAAAC CTGCACATTG TGCACATGTA CCCTAGAACT
1001 TAAAGTATAA TAAAAATATA TATATAAATA AATAATGCCA GCATTAGAGA
1051 AAAAAGTGA TTGAAATTGC ATGTTAAGTG TTTAGCAAATGTTGATGTT
1101 GATGGTTTT TGCAAAGAGC GCATCAGCTA TTTGTGAACAGATCTGTGA
ATCTTGCAGA GTCACCTTCT CTGGCTATTAAACCATGGAA GAACTCTGGT
1101 GGATTTCTG TTCGGTTCC TTATCCATGC ACCCAGACCG AATTGGCCAT
1111 GATTGGAGAA GAGGTAGGTG AACACGGAGC AGGAAATTAACTAAAGTAG
31301 TTACCCAGGG ACTGATGGCA TTAAGTAGAA AGAGCGTGGG CTTGGAGGT
31351 GGACTTGGGT CTCCACTAAA TGCCTAGACA ATAGTGGAA ATGATCTCAC
31401 TTTCATAAGC CACACCTTAT TCATCTATAA AATGGGAAAA TCAGTATCTG
31451 TCTATCAGGG TTCAGAAGAC TAAATGAGAT AATATATGTG ATTAGCAACC
31501 TTTTATCCCT AGTTGTACAA ATCATTCAAATTTA TTTAGTAGGG
31551 GAAACAGAAA TGTGATCTTG AGAATAGTT TAGTAGATTTTAATCAACA
31601 CATACTAGAA TGCCATAAT TGTGGTGGAT GGTAGAATGC AGTGGCTGG
31651 AAACAAAACC GCTTGACTAA TTCCCTGCTCT TCTGGAACCT GTGATCTATT
31701 AATTTCATG TAATGATTCC CTTGTTGGG AGTGTGATGG AAATGGACAG
31751 AGTATACTGG TAGAGAATAC TGAGATGTTT GAGGGGTAATTGAGGATGG
31801 TGGCTATGAG AATGGGAGTC CTGCATCTGG TGGTCCAGGA AGGCCTCTCG
31851 GAGGCAGTGA TGTGTGTGCT GAGATGTGAA GAAAAAGAAG GCTCTGTCTC
31901 CAGGCAGAAG GAACAACAAA CTCCCTGAGC TTAGCAAGAG CTCATCTTAT
31951 TCAAGGGACT GGATGGAAGT ATTGTGGCTG GAGCTCAGTG ACAGTCATAG
32001 GAGGGAAATTG GGGTTCTTA ATTGAACAAA GATTAGAAAC TTCTTGTGAT

32051 TTTTAATAAC AGAGTAATGT GTTCTGCTTC ATGGTTGGA CAGTGATTCT
32101 GGCTGCCAG AAGAGACTTG ATTGGAGAGT GACGAGACTG GAA TATGGGA
32151 TCAACACCGG TTGAGTGGAG TTAGTGAGGG GAAAAAGGAG ATGGGTTGA
32201 GATATGTGTA GGAGATGGAG ATGTCAGGGC TCACTGATGG ATTGGATGGC
32251 TTCACATTCC GTTTGCACT GGACCAGCCA CGTCTTAGGT ATCTATCTTT
32301 AGTCCTGATT ACAGGAACTT AGGTGTGAAA TCATAGGGTG GTAGAACTAT
32351 GTGATAGAAA AGGTAGGTT AACTGATTTG AGATAGAATT GCTTGTGATT
32401 TCAGTTTAT TTCTTGCAAG GAATGTGTCC TTGGTCTGAC TGACAGGTGT
32451 CGCTTTTCA TCAATGACAT TGAGGTATCA AGGCTTGGTT TGGTGTGG
32501 TCCTTTCAC AGTGTAGCT CCGAGTAATC TAGCTAGCTT TCACCCATGC
32551 CTCTCTGGCC TTCTCTTGCA GGTTGCGTCA AATATCACGT CATTGCAGT
32601 ATATGATGAG TTTTATTGT TGACAACCCA TTCCCATAACC TGCCAGTGTT
32651 TTTGCCTGAG GGATGCTTCA TTTAAAAGTA AGTTTCAAT GTATAAAACA
32701 GAAATGGTCC CTTCTCCAAT GTCTTTGGA GTCTTGATGA CTTTTTGAAT
32751 TCTTCATTTA TTTGGCTTT TTATCAAGGA GTCCTAGGCT GGAGAAAATC
32801 TTTAGAGTTA TTTTACTTAG ACCCTAATCT CAACATAATA TCTCAGTTAA
32851 ATCATTCTGC ACTTTAGTAA AGACATCCAA GGAAGGGAGT TCC TTCCCTTA
32901 AGCAGCACAT TCTAAAGTTA AAAACTTTTC AGGAAATTAA ATTATGTAAC
32951 TGATCTAATA TTTTATTGG AATTACTATG TAGATCCCCA ATGTTTTACC
33001 TTCTGTGTAG TCTTTCCCA CTGTGCCAC CCTCCACTGT ACATCTGCGC
33051 TCCATCTAGT GGTTTGTAGG ATATTGGCTG CATTGTCCT TCTGTTCCAT
33101 GCCCTATCTA TCTCTGTGTG TGTGGCGTGT ATGTGTGTGT GGCGTGTATG
33151 TGTGTGTGGC GTGTATGTGT GTGTGGCGTGT TATGTGTGTG TGCGCGTGTAT
33201 GTGTGTGTGG CGTGTATGTGT TGTGTGGCGTGT TATGTGTGTGT GTGGCGTGT
33251 TGTGTGTGTG TGTTCCCTTAT TCTAAAAAGC CAACTTATTT TCTTGTGCTTC
33301 CAACTTGGAA ATAGGGAATC TTTCTTCAT TGATATGATT ATAGTACACT
33351 GATAATGCTA AGAAATAGAG AAGTTGCCCA AATTCTAAC TGTGTGTTCTC
33401 CACATCATTG GAGAAGCTGT GTATGTGAAT GTGCATGAGG GC TCTGTAAG

33451 AGAGAGGGCA AGTTCCAGGG ATGAGCGTGT TCATCAGCAG GGCTGATAGT
33501 CTTGAGGTTC AGTGGGAGAG CTAAGGCACA TGTTGTTAT TTGTTCTCTT
33551 CTATTCACA TAATGTGTGC GGTTCAATT GCAGTTAATG GAGAGTG
33601 TGTTGTGATA ATTAAGGCCT ATTAGTTAAT GGTGTGTTA GCATTACAGG
33651 CGGGCCTGAG CAGCAATCAT GTGTCCCAGG GGGAAAGTTCT GCGGAAAGTG
33701 GAGAGGGGTT CACGGATTGT CACTGTTGTG CCCCAGGACA CAAAGCTTGT
33751 ATTACAGGTA AGCTGGTTT TCAGACAAGA TAGATAGTCT GATTGTCATT
33801 CAGCCAAGTA CCAAGCATAA TTCTTGCAGG TTGTATTTA GGCTTTCTTA
33851 TTCTTTGTAT CGTTTATTGT AAACCTTCC TTGATAGTT TCTGTTAGCT
33901 TTATTCAAAG GAGTGTGAT ACAGGCTGTG ACCATAAGGC TCAAAAGCGAA
33951 ACTTTCTTG AAAGTCAAGA TAAATATAGA GAACAACAAG ATTCTGCTAA
34001 AAGTGTGCTG ATTTAGAGA GTTGTGGTAA TTCTCTGTGA AGAGTTAGGT
34051 AAAATGGTGT ATCCTGGCTA TTAAATGTT TTCTACTTAA TTAAAATGT
34101 TACTGCTTTA ATTTATTTAA GATGCCAAGG GGAAACTTAG AAGTTGTTCA
34151 TCATCGAGCC CTGGTTTAG CTCAGATTG GAAGTGGTTG GACAAGTAAG
34201 TGCCATTGTA CTGTTGCGA CTAGTTAGCT TGTGATTAT GTGTGAAGAC
34251 AATAAGTATT TTATTACAAT TTCGAGAACT TAAAATTATG AAAAGCCCTC
34301 ATTACCTATA TCATCAATCA GATTCTAGA GGCTTTTTT TTTTTTTTTA
34351 ACTTTTTAC TTTAATGCAG TATTTGTAG TGGAGATTCC TAGCAGAAAAG
34401 AATCGTGACA CTCATCATAT AAAGGAGGGC TTCTCTTAAC CTGAGGGAAC
34451 ACATGTGGGT TTAGGTGGC CTGTGAACCC AGGGAGATTG TACACACCAA
34501 ACCTTGCTT TGTGATTAA TTCAAGTAGA AAGCCCACAG CTTTCAATAG
34551 ATTTACAGCG GGGCCTATGA CCCAGAAAAG CCTGAGCTAC TC TTGTGAAG
34601 GAAATGACTG ATTTCTGAA CCTATTGGA GGAAACTTTG TATTGGAAAG
34651 ATCTATACTA ATGTTTGTT TAAAAAGTAG ACCTGAATT CATGATGATT
34701 TTCTTTGTT TTTTTTGAG ACAGAGTCTT GCTCTGTCAC CCAGGCTGGA
34751 GTACAGTGGC GCAATCTCGG CTTACTGCAA CCTCTGCCTT CTGGGTTCAA
34801 GCAATCCTCC CACTTCAGCC TCCCGCATAG CTAGGATTAC AG GTGTGCAC

34851 CACGCCTGGC TAATTTTTT TTTTGTATTT TCAGTAGAGA CAGGG~~T~~TTCA
34901 CCATGTTGGC CAGGCTGGTC TCAAACCTCCT GACCTCAAGT GTTC~~T~~GCCCCA
151 CCTCGGCCTC CCAAAGTGCT AGGATTACAG GTGTGAACCA CCG~~T~~GCCCCG
35001 GCTTCTGTAA TGATTTCTG TTGTATGTAT GTGAAGATGT AGTTCTCAGA
35051 CAGTCATGAT GACTAAATTA CACCTTTAA GAAGGTAAT GAATG TGGTA
101 CCTGATTTTT TTATTCTGTA ATTTAGAGT AGAAATCCAG TGATA~~G~~TAGC
151 TTGGCATTGG GGCTGTAATC TGATTATAAC TGGTTGTAT CATA~~A~~TGAAA
201 ATATGCTGGG CCCATGGAGC TCAGTTTTG TGAATATCTT TTCTA~~T~~TCTT
251 TCTCTGTCTT CTCACAGACT TATGTTAAA GAGGCATTG AATGCATGAG
301 AAAGCTGAGA ATCAATCTCA ATCTGATTTA TGATCATAAC CCTAA~~G~~GTAA
351 CTTCTAACGC TGTCATTTAC TCTAGCTTAC TTTGTACTTA AACTA~~A~~TATG
401 ATCTGAACGA AGATGTTTG TCC~~T~~TTTTT GGTAGGTGTT TCT~~T~~GGAAAT
35451 GTGGAAACCT TCATTAACAA GATAGATTCT GTGAATCATA TTAAC~~T~~TGTT
35501 TTTTACAGAA TTGAAGTAAG TATTTGAAT AATT~~C~~ATGTG TATCT~~T~~TCC
35551 ATAGTTTCT CTCTTCTTGT TAAGGAAATC AAGCATAAAAT AGCTA~~G~~GAGAA
35601 GAAAAATTCC TTACTGTTCA TTTTAAAAAA TTGCTATAAC TCTTA~~G~~ATGC
35651 CAGTTGGTTT TTGCTCTT TCCGTTCTT TTAAACAGC CTGTT~~T~~AAAA
35701 CTATGTCCTT AAAACATGTC ATT~~C~~AGAATT ATTATTCAC TTGATTTTA
35751 GGTATACATA TAAA~~A~~CTACT TGTTTCTT AGGAGACTGA AATCA~~A~~ATGG
35801 CATCTTCTC TCTGATGATC TTTCCCCTCA ACTTTTAAT GAAAC~~A~~CTTT
35851 CAAAATAGAG AAAAGTTGAG AGAATTGTCC AGTAAGCAAC CTA~~T~~TATATAC
35901 CCCACCTGGA TTCGCCAGTT TATATTTTC TGTATACACA TTCTCATTCT
35951 CTATAATCTG TCCATCCATC ATT~~C~~ATCTTG TTTGTAGACA AAT~~T~~GCTAAG
36001 TGAGTTGTAG ACATCAGTCC ACTCTACCAC CTGTA~~T~~TCT CCT~~T~~GTATAT
36051 CATTAACTAG AGGGCATTCT TTGTGTATGG GTTGGTTTG TTG~~T~~GTTTTT
36101 TCAGGTCATA TTTATCTACA GTGAAATGTC CAAATCTAA GTGT~~T~~GCCACT
36151 TAGTGAGTTT TGGCAAATGT ACAC~~T~~CATG TAACCTGAAC CTC~~T~~GTCAG
36201 TTAGAGGGCA TTTACTCCTT TTCA~~G~~AAAGC TGCTTCAGAT TCC~~T~~TTCAAT

36251 CAGTCCCTGT CCCATTCCCC AGGCAACTAC TCTTCTGAAT TTTT~~A~~CCAT
36301 AAATCAGTTT TGCTGTTCA AGAACCTCAC CTAAATGGAA GCATA~~C~~AGTA
36351 TTACTCTTCT GCATAAAGCT GTTTCATTC AGCATATTGT CTTGAG~~A~~TT
36401 ATCTGTGTTT TTATATGTAT CACTAGTTCA TTCTTTTT ATTGGTCAGT
36451 AGTATGCCGT TGTGAAATA CACCACTATT TGCTTATTCA TTCCCCTGTT
36501 GCTGGACATG TGGATTGTAC TACCCCTGTTT GGGGCTAATG TGAC~~T~~AAAAC
36551 ATCTACAAAC ATTTGTATAA GTCTTTGTG GACATGTTT ATTTCTCAAT
36601 ATTTTTATAA TTCAACTCTT TTCCAAAAGT CATTTCATT TATCATC~~A~~TC
36651 AGCATGCCAG GTGTATGTTA GTAATTGAT CGCTGGGCTA CATG~~T~~TCTGT
36701 TGATGACCAC TCCATACACA CCTGTTCTTA GAGAAGAAGA TGTC~~A~~CGAAG
36751 ACCATGTACC CTGCACCAGT TACCA~~G~~AGT GTCTACCTGT CCAGGGATCC
36801 TGACGGGAAT AAAATAGACC TTGTCTGCGA TGCTATGAGA GCA~~G~~T~~C~~ATGG
36851 AGAGCATAAA TCCTCATAAG TATGTATGCT GTCACCAGGT GGCA~~T~~CC~~T~~
36901 GAAAAACCGA AGTGTG~~T~~AGT TGTCCTTGTC CAGCCTACTT ACCTTTCTCA
36951 TTCTGGTGTT CTTCACTTAT TACCTCAGAT ACTGCCTATC CATACTTACA
37001 TCTCATGTAA AGAAGACAAAC CCCAGAACTG GAAATTGTAC TGCA~~AAA~~AGT
37051 ACACGAGCTT CAAGGTAGAG ATCCGCTCAC AGAGAAAGTG CTTAAGGTGG
37101 CCGTGACTGC TACTAGTC~~T~~ CTGCAGGTGA CAATCACCAT GTCATTGCCA
37151 CACCACAGAT TTAACATGTG ACTTTTAGT TGCCATT~~T~~TA AGACCC~~T~~TGT
37201 CAGTTTTTT CAGTGCTGCC CTCTAAAGCA TATATAAAAG TATCAGAAGT
37251 ATATATTCTT CTGATGTCCA GTTCTATTGA GAAAATT~~T~~TA TTGTCTTTT
37301 GGTTATGTTG TTAGGTCTGT GGATTTTTC CCCAAATGAT TGTGTTCTGT
37351 TTTGTTTTCT AACACTGTT AGGAAATGCT CCCTCTGATC CTGATGCTGT
37401 GAGTGCTGAA GAGGCCTTGA AATATTGCT GCATCTGGTA GATGTTAATG
37451 AATTATATGA TCATTCTCTT GGCACCTATG ACTTGATT~~T~~ GGT~~C~~CTCATG
37501 GTAGCTGAGA AGTCACAGAA GGTATGTGGA GTTCTTACTT TTATGCCATT
37551 TGGTTCTTGT TTATATAATG ATAGTGTGAA ACCCTGCTTC TGGTAGTGCA
37601 GTAGCTTTTC TGCTATCACT CTGTGAGTGC AGGGCTGGAG ACAGATCTGT

37651 GAGTTTCTAG GGCCCACATT CCTAAGCCCC TGTGCTTATG AAAGTGTTTT
37701 GATTGTGAGG TTGAAGAAGT GAAGTAAAAT TGCAATGGCTT TTTTTTGTTT
37751 CTTTTTTTTT GAGACGGAGT CTCACTCAGT CGCCCAGGCT GGAGTGCAGT
37801 GGTGCGATCT CGGCTTACTG CAAGTTCCAC CTCCCGTGT CACGCCATT
37851 TCCTGCCTCA GCCTCTCTAG TAGCTGGGAC TACAGGTGCC CATCACCAAC
37901 CCCGGCTAAT TTTTGTATT TTTAGTAGAG ACAGGGTTTC ACTGTGTTAG
37951 CCAGGATGGT CTCCATCTCC TGACCTCGTG ATCCGCCTAC CTCAGTCTCC
38001 CAAAGTGCTG GAATTACAGG TGTGGGCCAC CATGTGCGGC CTAAAATTAC
38051 ATGGTTATT TTAAGATGAT GGGCATATGT GTGAGCTAAT TTCTTCTCTT
38101 ATAAAGGAAA TGTAACAAGT GGTCATGTT CCACTCCGGT TCTTCTCAC
38151 ATGGCTCTT TTTCTAGTGG AGGGTGGGCA CATGGAGCAC AGAAGGCTCA
38201 TGGCCTCCTT TCCTATGTT GTACATTGC TATGATCAA AACTTTGAAC
38251 ACCACTGGTA TGCAATT TTTTGCAGCC TCAGTCTCTT
38301 CCCCATGACC TCTCCAAAAA TGAAAATCGG ATCCTTCATC TCTCTGCTTA
38351 AAATACTTCA TGAGCTCCC TTGTTCCGAG GATATAATTCA AGAAGCCATA
38401 ATACTGCTTA AAAACCCCTTC CTTGACCTGG CCTCTGTGTA TCTTCCATT
38451 CTCACTTCTT GGTATTGTCT TTTTCCCTC TGCCCATGGA GGAAAGACAA
38501 TGCTTTGTC CCCCTCCCT TGCCCTCAC CACCACATGC CTTGGTGGGC
38551 AGCATTACTT CTGCCATCCA TGGGCTTGA CTGCTTCCAC CCTCACCATT
38601 CCCCTGGCTA ATTCTCACTA ATCTAGGTTA AAGGATGCCA AGGTGGCCTC
38651 TTCCCAGTAA GCCATTGATG CTTCCCTCCA GGGACTGGGT GAGGTGACCC
38701 TCCTATATGC TTCTGTTGCA CACAGTGCT ACCCCTGCAG ACTACAGTGT
38751 GTCTTATCT AGAGTGCAGT ATTATTTAT TTATTTTGA GACAAGGTCG
38801 GGCTCTATCA CCCGGGCTGG AGTGCAGTGG CACCATCTG GCTCACTGCA
38851 ACCTACGCCT CCTAGGCTCA AGCAATCTCA CCTCAGCTTA CAGGCGTGCA
38901 CCACCATGCC TGGCTAAGTT TTGAATT TTTGTTGAGA CGGGGGTTCG
38951 CCATGTTGCC CAGGCTGGTC TCAAACCTGT GAGCTGAAGC AAATCCATCTG
39001 CCTCGGCCTC CCAGAGTGCT GGGAAATGAGC ACTTAATTAT TTGTTGTCTT

39051 GGGTTTCCTT CCTATGTTGT TCTTACATGT ATTTATCCTG TCAGCC CAGG
39101 GAAATTGCAT TAAAAACAGG AAACACCTCT CCATTAGGAA GAAAAAACAAT
39151 TTGCTTACAG GGCATGGCAT AGAGCTGGAG ATGATAGTGC CAATAAATAC
39201 TAGGTTGGCA GGGTCTCAGA GTTTGTGTC CAACTCAGTA TAATTTTATG
39251 TTTGTTTAA TGTGATCATT TCAGGAGAGC ATGGAATGTC ATGAAAACAG
39301 CACCAAGAGC AATGTCTTAG ACTTTTAGGA GAAACTTAGA TGCATTTGTT
39351 GAATATCTTC TAGACTGAAA CCTTATTCC CTTATTAGCC TATGAAATAA
39401 ATGATACTGT GAGACTTAGT TAAGGAAGTT ACTATTATTC CAAGTGTAAC
39451 TTATTAATAT CCGTATGTGA AAGCATTTC GCCAAAGCTT GTTGTATGTT
39501 CAGCTGACCC TTGCACAAACG TGAGTTCAA CTGTGCGAGT TTGAACGTG
39551 TGGGTTTATC TAAATGTGGA TCTCTCTCAA ACACAGTTGG CCCTTTGTGT
39601 CCACGGCTTC TGCATCCACA ATCACTGTGG ATCAAAAGTA CAATATTG
39651 AGGATTTGAA ACTTGCAGAT ACAGAGGGCC AACATTTGT GTATCCAGGC
39701 TCCATGGGT CAAATGTAGG ACTGGGGTAT GCTGGATT TGGTATCCTT
39751 GGGGTGTCCT GGAACCAATT CCCCATAGAT ACTGGGGGAC AACATGTAGTT
39801 TGATTTATA TATTATATAA TATGCAGTTA ATATATAATA CACATTAAA
39851 AATTATGTAG CTTGGGTTT ATTGCTATAT GTAAATGCTA GTTCTATT
39901 CTATATATGA ATATCACAAG TAATAAGTT CTCATTAATC ATTTTTTAG
39951 GATCCCAG AATATCTTCC ATTTCTTAAT ACACCTAAGA AAATGGAAAC
40001 TAATTATCAG CGGTTACTA TAGACAAATA CTTGAAACGA TATGAAAAAG
40051 CCATTGCCA CCTCAGCAA TGTTGTAAGT GTGGGGATT GTATGTTAT
40101 CTCTACTTCA GATCTTCTTT GGAACTAGGC AAGGTATAAA TTAAACTGTT
40151 AGTTTAGACA GTGACTGATT TCACTTCCCCTCCTGAAAA CTCTAACAAAT
40201 TATGTATGCT CACGTTATT TGCTCTGTGT TCTGAAAAGC TGAAGGTAAT
40251 CACTTTAAT GAACTGGAGG AGCTCCCTAG GTAAGAACGT CAAGTAGATC
40301 CTTTTTGGT TAAGAATGAG CACCTGTGAA GTTAACCTCA GTGTCAGA
40351 ATCAAAATTG GTTGACAGTT CTTCTTCTC ATGCTGTTG CAGACATGTC
40401 AGGGAAACTC TGCTTGTCTG GAGAGAGTGA TGAGGCCACC TCCCCGTGCC

40451 CTGCAAGACG CAGTTTAAT TGACAGTGAT GGGGTGCCAG TTGTTCTTCC
40501 CATGCTGGAA CAGTTGTGAT TCTTTACTGA GGACTGATGG GGGAAAGGAA
40551 GAATCACCTG GGGTGCATGT TAAGCCTTCA GCTGCTGGCA TCCTTGGAGA
40601 ATCTGATTCA GGTGGTCTGG GATAGGACTG AGGCGTGCAT GTGTCTAATA
40651 AGCTTCCCAG GTGATGTCTT TTCAAGGAGG CTGAGAAAAC ACTGGGCTGG
40701 AAAGCTGGGA CTCTTAAGTA GGATGCTGAT CCCAATCAGT GCTGCTCTG
40751 CCTCAGAACAT TGCAGTGGTG CTCATTAAAA ATTCAAATTC CAGGATCCCC
40801 TTCTTCAGAT TCTCTGATTA TTTAGGTCTT AAAAAGTTCC TCATTTATTT
40851 TGTTTGGTGA CCATTGGTAT AAATGAAGTC CATTATGCTT CCCATGTCTT
40901 AAGCCTGTCT TTGTGTGAAT CTTTTCCCTG CAGGACCTGA GTACTTCCC
40951 GAATGCTTAA ACTTGATAAA AGATAAAAAC TTGTATAACG AAGCTCTGAA
41001 GTTATATTCA CCAAGCTCAC AACAGTACCA GGTATGTGGT ATGTGAAAAT
41051 GAGGCTCTCC TGGTTTGCT TTTGCTTTA GTAGGAAAGG AGTGAGGATC
41101 CTAAGTTCAT AACACCATCC TTGGCTTCAA AATTATCTT AAAACTAATT
41151 AGCCTCAATT TGAACCTCTT ATCTGGGAGA ATGGTCCTGA CCTGTTCTCT
41201 GATTCCCTCAT CTGGAATACC ACAGCACCTT CCTCGTGGGG TTCCCTGCTT
41251 CTTTCCCACC CCTCCTCTAG CCCAACCTTA CTGCTGTAAG TCTGATTATC
41301 CTAACAAGTA CAGATCTTC CCATATATTT CAGCATAAAG GGAAATTTT
41351 GTTTGCTTGA AAAAGCATCC CTTTAGCTTT TTTTATATAC CACACACTTT
41401 GCTTCTAAGT TAAATGTGTT ATATGATCCT CTTAACAGCC TCATAGGGTG
41451 CTGTACACAA TTTGTAGATG AGGAAGCAAC TTGCCTGAGG ATCCAGAGCT
41501 ACAAAAGTGCT GGACCTGGGA TACAGAGCCC AGGCTGCCTG ACCACCCCTGC
41551 CCATGCCATT AACCAACCACT CTACCATGCC ACCAGCATCA CCATTTTCAG
41601 TTTGTCTCA GACAATATAC ACATCTTCT TTGATCAAGC CCCTGCCAGC
41651 TTCTTTAGCA CCAGCTTCTG CCACTGTCCA CATTCCAGT TACTTGTAGG
41701 TAGTTCTACA GATGTCACAT CGTGTGATTCTCTGTCTTACCA
41751 CCAGCCTTCC TTTAGCCCCA TTTGTCCATC AGAACCCCTG GGTTACTCCT
41801 GAATGCCATT CCTGGACCAG GCGCCAAACA CTGAGCCCCC AGAGCAGCCT

41851 GCCCTCGCCT TGGTGATTGC ATTTGTCAAA CTGCTGATTA GCTGG~~T~~TTGT
41901 CACCTCCACC AGGCTGTGGG CTCCTTAAGG GCAGGGACTC CATG TTGTAT
41951 TCCTCTCTGA ATCTCTGGCT AACATCCAGC CTGGAGAATC GAGGA~~T~~TTGG
42001 CCAGTGGATA CCTCTTGCC CTTG~~T~~TTCT GTTCTCTCC ACAC~~T~~CTCTC
42051 TGCTCTAGTC ACAC~~T~~GGCCG TCCTGTTACT CCTCAGACCT GCTATACACA
42101 TTCCTGCTGC ATGGCCATGG TGCCTTCTGT GCCCTCTGCC TGGT~~G~~CCCCC
42151 TATCTCATCA CGTGGTTAT TCTCCTGACA GCCATTAGAG CTCAC~~A~~CTCC
42201 CTGAGAGCTG CAAGGAGACT GTCCTCTGTC CCTTTACTCA CG~~T~~TTGCCAT
42251 TATGCTATAG ACTATATTTT GTCCCTAAGT CCATCCTCTG TTACT~~A~~TAAG
42301 AGCAGCAACT TGGTGGTGGT TCTTATATGG TTTTCATT~~T~~ GTTGG~~T~~TTT
42351 ATTTTTGCC TTGCTGTAGT ATCCATACTG CCCAGAATGG TGCAT~~A~~TGTA
42401 GTTAAGAGTA ATTATTTGTT GAGTGAATAA ATGGCACATC CTCAG TAAGG
42451 TTTGAATGA AAAAATGACT GTACTAACTG ATCAACTGTA AGAT~~T~~TTCCC
42501 AGGTAATTCT TTCAAGGGAG TTCCAAGTAT AGGAAC~~T~~AAG GCAG~~C~~TACAC
42551 TGGAGCTTTA GAGAAATGAT TGT~~C~~ATATT~~T~~ CCTCCTCAGT CCTAA~~A~~ATCTC
42601 CTCTGTACAG AGGATATCAG CATTGCTTAT GGGGAGCACC TGAT~~G~~CAGGA
42651 GCACATGTAT GAGCCAGCGG GGCTCATGTT TGCCCGTTGC GGTGCCACG
42701 AGAAAGCTCT CTCAGCCTT~~T~~ CTGACATGTG GCAACTGGAA GCAAGCCCTC
42751 TGTGTGGCAG CCCAGCTAA CTTTACCAAA GACCAGCTGG TGG~~G~~CCTCGG
42801 CAGAACTCTG GCAGGTAAGT ACAATCATT~~T~~ ATATGTTAC ATCTACAAAG
42851 GTTTAAAAAA ATTTATTTCT TTTGTTGGT AATTTGCAA ATAAATTTAG
42901 GGCAGAAC~~A~~TAC TCTGAGACAG TCTTGTCTC ACTGATAAAA AT~~A~~ATTTAG
42951 AATGCTTTAA AGGATAAGCT ACTACAGCAA GAGTCCCAGA ATGCAGTGGC
43001 CCAATATGGA AAGAAGTTA TTTCTCTCTC CCATAGGGAT TTATAGGCC
43051 TTCCGTTGTG TGGCTCTGCA ACCTTTAGG CAGATGGTTG TAGCTGGT
43101 ATCTCCACAG CTGTGGGAA GGAAGGAGAG TGGGGAGAAG TTAGAATCAT
43151 GGTAAAACAT TTACCTTAA GTTGGAAATG ACCTGGATGG AAGTTAAACT
43201 ATCACCTTCT ATTCCATCTC GGCCACGCCA TGTAGCTGGA TGG~~G~~CTGTGC

43251 CCTGTAAGAA GGTAAAGATG AATTTTGGA TGGGTCCATT CTG**T**ATAGA
43301 CAGTAGGTTG TTGGAATAGC CAGGAATGAG GTGGGGAAAA TAAA~~A~~GGCCA
43351 AATGTCGAAG CATTCTGAAA GCAAAGGCAG TTAGCTGCG TCAG~~G~~ACAA
43401 GGGTTGCCCG ACCAGAGGC GAGGCTGGTA CCAGGGGCTC TAGTACCA
43451 GTGGAGGAAA GGGTAAGGAC ACCTATGAAA AGAGATGAGC AGA~~A~~GCTCTG
43501 GTCATCTCAG CAGTGCTTGA AGTAAAGCAA TGACTGGTAT ATTTT~~T~~CC
43551 CTAACATTGTA AATATTGTTG AGATCTAAA GAAAAAAATA AAAAGCAGTC
43601 CTAAAAAAAT TCCAAACTCT ATCCTGTTAA ATTTGTTAA ATTAT**G**TAC
43651 CAGTCCTTCT TTGTCATTG CAGTATTCTT TTTTCTTGG GATTAT~~A~~CCA
43701 GTGTATGGGA TTATCACTT TCTTTTCTG GTTATTAGCC TTTCCC~~A~~AT
43751 CCCTCCGTTT CCATGCTGGC CTCTTTTAC AAATGTCGAG AATT~~C~~CTTAT
43801 TTCAGGCCTT TTAGTTATTC GTTCGGTCTC CATTGTTCTT TTCTGCTTTA
43851 GAAATTATG ATATTGGTTG TTTATACCTT CTATCTCTGT TCTTG~~G~~ATCT
43901 CTTCTATTCT TTACAGCTCT TAGCTTGCTA TTTCCCATGT CTTAT**G**AGGG
43951 AGTATTCTA GTTTTCTCA GATGTTAGC AAAAGTAGGT GGGGAGGGCA
44001 GTGGTCAAAG ATGTTGAGA AATGTTACAC ACTGGAGTC~~A~~CT**T**GTGTGT
44051 ACATTTAACG TAGGCAGTTT ACACAAGAGA GCAAAAGAAA GGT~~A~~ACTATT
44101 TAAATAGTGG AGGTGATT~~TT~~ ACCTACTTTT TTTAGTGATA TATGC~~A~~CTGG
44151 AGTGAGCATG CAATGAGAGA CCGGAATCTA CCAGCTCCTT CGA~~A~~AGCCTT
44201 GGGTTCTCTG TGCCTCTCAT TGTGGTTAT CTCAATTGGG CTGAGAGTGA
44251 TTCTAGGATC TAAAGACACT GCATGACTCA AACATAAGTC AGCTACCTCC
44301 ATCTAGTGCT CAACCAAAGA AATAGTGGTC TCTTACTGTT AAG~~G~~GACGAA
44351 GTGGTTAGT GAGAGATAACC AGGTCA~~TTT~~ CCCATATACA TGCTTTGGAA
44401 GCATCTTCA AGGCTA~~TTT~~ TGGCTGTATA TGATTTCAA TTCC~~T~~TGTGCT
44451 AAATTTAGAT TCTAGCTGCC ATTTAAGATA GGACTCTGTG GTG**T**TATATAC
44501 CTATCCCTC ACAGAAATT~~C~~ AGAAAGTACA TAGTTCTATA CATA~~A~~ATAAG
44551 ACATATTAAA GAAGCACTTG AGCTAAAGTA TCTGTTAAC TTTG~~T~~AGTCA
44601 ACTGCTGCTT ATTGTCTCTA CAGGAAAGCT GGTTGAGCAG AG~~G~~AAGCACA

594221_1

44651 TTGATGCGGC CATGGTTTG GAAGAGTGTG CCCAGGTAAA CTCAATTCCCT
44701 CCCTTCTAAA CCCCCCAGTC AGCAAGAAAG GTCTTCTCAA TTGTATCTTA
44751 GTGATCATGA AAGTTAAAGG AACTGTGCAT AATTGTTAAG TCCAGAGATA
44801 GTGTTGCC CAGAGGTCTT ATCTTGCTGG CTTGACTTGG AAATCTAAAT
44851 TTAGTACATC TCTAAGTTG GTGAGGTAGA ATATGAAGGT GCTCTACTTT
44901 AACATACAC TGGTTGACC TTGGTAGAAA GTACTTAATT ACATCTCAAG
44951 GTAGCTGTGC TTTTAAAAT TGAGTTGCC AAAGTAGAAA CAATGAGAAA
45001 GGACCATTAT AAAACAGGAT CATTGAAGGC TACATACTCT TGGCTTTTAC
45051 TCTCATTCTC CCTATTGGAA ATGCTCTTT TACCTCAGGG ACCTGGAGGT
45101 ACAGCAGATT ATAAGGATAA GTACCCATAT GAGCATTGG TAGTATTATA
45151 GGATTATTAA TGAAAATAAT AAAACTGCAG TAACACTGGC CACAGACTAA
45201 CAGTACACAG GTGCACAGTT GACACCAGGG ATTATTGCCT TGTAGAGTTT
45251 TGACCTTGA TGAGAGAGTG TTTTACAG TTGTTACTGA TAGCACATT
45301 ATGTAACCTA ATTGTGCTTT AAAAATATT AATTGTCTCT TGTGTAAATAA
45351 CAGTAAGTGA AAGACGATAA CAAAAATTAA ATATAATTAG ATCCTGGAGA
45401 GAATATTGT TGGGTGATTG AATTGAAAAT ACCAGTGAAT GAAACATACC
45451 TAAAAGGGTA GATAGGTTGG GTTGGAAAGA TATACCACAT CGAGGGTTAA
45501 TTAAATGGAT AAGATGTCA TATCTTTTT TCTTGTAAA GGAAGATTAA
45551 TGCATAAAAT TATTTGTGT AATTACATA CAATAAAATT ATGTGTTGTA
45601 CAGTTGTATA ATTACATAT AATAAGCTA ATTCAACCAAT TTTAGATGAA
45651 GAATTCAAGTA CATTGGACA TATGTTGTA GCTGTGTAAC CACCATTGCA
45701 CTCATGATCT AGAACATTTC TAACACCCCC AAAAGTCCC TACTCCCT
45751 TTTGCAGTCA GCCTTCTCCC TCCACTGCCA GCCTTGGCA AACTGATCAG
45801 TCAGTAAAGT TTCACATTAT CTAGAATTTC ATATAAACAG AACCATATGG
45851 TATGTAGTCT TTTAATCTG GCTCCTTCA CTCACATAGT GCATTGGAGA
45901 TGCATCCATG TTGTAGTTA TTCCCTTGTAA TTGCTGAATA GTATCCCATT
45951 ATATGTATAT GTCAGAATT GTTGATTTAC CAGTTGATGT ACATTTGGAT
46001 TGTTTCAGT TTGGGGTTAT TATGAATAAC GCAGCCATGA ACATTCTAGT

46051 GCAGGTCTT ATGGGGACAG GAGTAGGAAT GCCACATCCC GTG**G**TAAGTG
46101 GATGTTAAC TTTTAGGAA GCTGCAGAAC TAATCTGCAG TGGCC GTATC
46151 ATTTGCATT CCCCTCAGTG ATATGTGAGA GTGCTTCAGT GACTC CTATA
46201 CTCACCAACA CTGGGTGTAT TACTGTGACA CTAGATGTAT TATCT ATTGC
46251 TACGTAACAA CTTACCTAA AAGCTGGCAG CTTAAAACAA CAGAC CCTAT
46301 TATCCCAC TTCAATGGG CCAAGAATCT TGGCTGGCT TAGCTGGGC
46351 CTCTGGCTCA GGGTCCTTA CAAGGCTGCA ATTAAGGTAT TGGC**C**AGGGC
46401 TAGAGTCATC TCAAGGCTTG ACTAGTTTT AATTCAATT TCTAAT**G**TTT
46451 TATTACTAGT ATATAGAAAT ATAGCTGAAG TGTTTGAG GGAG**G**CTGTA
46501 TAATTGACCT TGTATCCTGC AACCTTGCTA AACTCATTTA TTAGTTCTAG
46551 AAGCTCTTGG GTGTATTCTC TAGGATTTTACATCAACA AACAT**G**GT
46601 CTATAAATAT AGTTTATGT CTTCTTACA ATCAATACCTT TTTCTATCT
46651 GTATTGCATT TTCTAGGGCT TCCAGTGTGG TGTTGAATAG AAGT**G**TAAAG
46701 AGTGAACATC CTTGCCTTT TCCTGATATT GGAGAAAATT CACTTGTCTT
46751 TTAGCATTAA GTGTATGTT TGCTTTTTAA AAATTTTATT CTATATTATT
46801 TTATTTGA GACAGAGTCT TGCTCTGTCA CCCAGGCTGG AGT**G**CAGTGG
46851 TGTGATCTCA GCTCACTACA ACCTTGACCT CCTAGGCTCA AGC**G**ATCCTC
46901 CCACCTCAGC CTCCTGAGTA GCTGGACTG CAGGAACATG CCACCATGCC
46951 TGGCTAATT TTGTATTTTG TAGGGATG GGGTTTGCC ATGTTGCCCA
47001 GGCTGGCTT GAACTGTTGG ATTCAAGCAA TTGGCCTGTC TCA**G**CCTCCC
47051 AAAGTGCTGG GATTACAGGC ATGAGCCTCC GTGCCTGGCC TGATATTGC
47101 TTTTTTTTTT TTTTTAATG CTCTCTATTG CAGAGTTGGC AACTACAAAC
47151 CTGTGACAAA TCCAGCATGC CACCTGTTTG TGTAAATAAA GCTTTATTGG
47201 AGCATAGCCA TGCTCATTAG TTTACATCTT GTGTATGGCT GCTTTAACAC
47251 TACAGCAGCA GAGTTAGAGT TGTGACACAG ATAGTTGGC CCATAAGGCC
47301 TATATTACT GTCTAATCTT TTACAGGAAA AATTGCCAA TTCTGCCCT
47351 CTTGGTTGA GGAAATTCCC TTCTGTTCCCT TGTTCTGAGA GTTTGTATCA
47401 TGAATGGGTG TAAATTG TCAAATGCAT TTTCAACTAT GAA**G**GGTTTT

47451 GTTTTTAGAC GAGTGATATG GGGGACTAGG TGATTGATTT TCTACT **TGT**TA
47501 AACCAACCTT GCATCTCTGG GTTCACCCCC ACTTGGTATT ATAGA **TTT**AT
47551 TACCCCTTTT CTCTTGTGGC AGATTAGATC TACTAAAATT TTCTTGAGGA
47601 TTTTTGTGTT TGTGTTCATG AGGGATATTG TAGTTTTTC GTGTCTTTGC
47651 CATGTTTGG GTATCAGGAT AATGCTGCTG TCATTGAGGG GTGACAAAAAA
47701 TGAGGGGTGG TGTCCCTTAC ACTTCTGTT TCTGGAGGAT TTCAT **G**TAGA
47751 ATTGGTATGA GAGTCTAGCT TATGGTTAAA AACCTATGTG TGATG **TTT**CA
47801 GACCTGACCA TAAACAATT A CAGACTTAC CTAGGAGGCC ACAT **GGG**AA
47851 AAGCTGCCCT CCCTACACCA GACTTGGCGT ACTGCCAATG CATT ACAGTT
47901 TCTAAAGGGA GTTGCAGTCA AGGACTCAGG GCCCCCTGTT AGT **C**ATGCTC
47951 TTGTAACAGT ATTTGCATTG AGAGTCCTGG CACTTCATT CTTAGGTCTC
48001 TCTATCTGAG GACATGGGCC AAGGTCTTCT TCAGGCACCT CTGCCAAGGC
48051 CTGTTTATGC AAGAAGGAGT GGAAAAAACCT TGACATTTT TTCC **A**CTGTG
48101 ACTCACTACC CAGTACTTTT CCACCCCTAG CCCCCCTTCCT TTGCACCCAT
48151 ACCCCCCAAGA TCCATCAAAC TGCTAAAGCC TTTTTTCCA AGCTCCTTCA
48201 ACAGTGAACC AACCCCTCATG TCTGTGTGGA TCCAGCTGAC TCTT GACTAG
48251 TGAGTTGTT CTTGGAAAA AATGGAACAG AGAGAGTTGG TGCTTTCCCT
48301 GGTTTTAGCC TCTTGCTTAT ACCAATGCAA TGCCTGAAGG CTTAATTCA
48351 TTTTGACTTG TTGCTTTGAT CAGCTACTCC AACACCTGAC AGCTCAGCTC
48401 TTTCTCCCAG CTCTTGGGAG ATATTTTTT CTTAAATGT TTAG **T**AGAAT
48451 ATACCAGTAA GCCCATCTCG GCCAGGAGTT TTCTTAATG AAA **G**TTTTTC
48501 ACTATTAGTT CAGTTACTTT AGTAGACATT AACCTATTCA AGTTTATCTG
48551 TGTCTTCTGG AATGAGCATT GGTAGTTAT GTCTTCAAG TAATTTGTT
48601 ATTTCATCTA AATTGTCAGA TTTATTGGTA TGAAGTGTGTT ATAG **T**ATTCT
48651 CTTATTTAC TGTCCGTAGG GTCTATGGTG ATGTCCTGTC TTT **C**ATTGTA
48701 GATATTGATG TGTCTTCTTT TTTCTGATTA TTCTGGCCAG AGG TTTATCA
48751 ATTTTATTGA TCTTATTAAA GAATGAACTG TTTCATTGTT TTTCTCTATG
48801 ATTTTTCTGT ATTCTATATC ATTCTTTTT TATTATTTA TTATTTTATT

48851 TGCTCTTAT TTTCTAGTT TCCTAAGGTG ATGGCTTA CTTATTTTT
48901 TCTTATTTT TTCTTTGTT GTTGTGTTT TTTAAAGAA ACAGGGTCCC
48951 ACTCTTGCTC AGGCTGGAGT GCAGTGGCAC GATCATGGTT CACTGCAGTC
49001 TCAAACCTCCT ACATTCAAGC TGTCCCTCCCC CCTCAGCCTC CAGAGTAGTT
49051 GGGATTACAG GTGCATGCCA CCATGCCTGG CTAATTTTA ATTTTTTTG
49101 TAGAGATGGG GTGTTACTAG TTGCCCACGC TGGTCTGAAA CTCCCTGGCCT
49151 CAAGTGATCC CTCCACCTCT GCCTCCAAA GTGCTGGAT TCCA TGTGTA
49201 AGCCACTGTG CCTGGCCAAG GTGATGGCTT AAAGCTATTG ATTGAGATG
49251 ATTCCTTACT TTATAGTTA AGCATATAAT GCCATAATT TCCTCAAGCA
49301 CCGTTTTAGT TACGTTATAC AAATTTGAA ATGTTTGTT TTCATTTCCT
49351 AATTCCTTGT GTGATTTCTT TATTGAACCT TGGCTTATT AGAAGTATGT
49401 TTAACTTGCA GATATTGGAG ATTTGCCAGC CATTTTTG TTATTAAATT
49451 CTACTTTAAT TTTGTTGTGA TTAGAGAACAA TACATTTAT TAATTTAAAT
49501 TTATAATTAA TTTTAATTAA TAATATGGTC TGTTTACAG AATGTTGTGT
49551 GTGTATTTGA AAATAATATG AAAGCTACTA TTATTGGATG GAGTGTCTA
49601 TAAATGTCAG TTAGATTAGG TTGATCATGC TGTTCTAGCT TTTTATATCC
49651 TTATTGATTT CCTCACTACT TGCTCTATCA ATGACTGGGA AAGTGTGAA
49701 GTCTCCCAGT ATTTGTCTAT TTCTCCTTTG ATTCTACCAAG TGTTGCTTA
49751 ATGTATTTG AAGCTCTGTT ATAGGTGCAT ACATGTTAT GAGTATGTTA
49801 TAGATGTATT CATTGGATA TCCTCTTTT CTCGTTACTA TTCTTAATT
49851 TGAATTGGAC TTTAATGTTA TTAATATAAT TCTTCCAGCC TTCTCTTGGT
49901 TAGTCTTTTC ATTGCATATC TTTTCTATC CTTTACTTT TAATCTAGCT
49951 GAATGTAGTC TTTATTTGAA AAGTGCCTTC CTTGTTGATA GCATTATTGG
50001 TTCTTTTTT TTTTAAATC TAATTGACA ATCTCTGTCT TTTAATTGGA
50051 GGGTTTAGAC ATTGCATTG AATGTGATTA CCAATATACT TAGATTTAAA
50101 CCTACAGTCT TGCTGTTGC TTTTGTGTTG TTTCATTGAT CCTTTGTTTC
50151 TTGTTTTTTT CTTTTTTGC TTTCCTTGG ATTTAGTATT TTTCATAATT
50201 CCATTTTACC TCCACTGTTG GCTTATTAGC TATACTTCTT CATTTCAGTA

50251 TTTTAGTGGT TGCTGTAGGA TTTATAATAA ATATCATTAA CTGACC~~A~~TAT
50301 CTTCAGATAA TCGTATACTA CTTCATATAT AGTGTAAAAA CCTTAC~~A~~AGA
50351 GTATTCACTC CATAATACTT TGTTATTGCT TTTGCTTAA GTGATC~~A~~ATG
50401 ATTGTTTAAG GAAATTTTT AATGACCTTT CATGTTTATT CTTTTTTTTT
50451 TTTTCCAAA AGATTCAGTA TTTCCGAGT TTTCAAAAAC TGCTGGCCAC
50501 TCAAAGTGG A TCAACAAAAA TTTAAGAGCT AAAACTGTAA AACTCTTGAA
50551 GGCTGGGCAC AGAGGTTCAT GCCTGTGATT CCAGCACTT GAGA~~A~~GCTGA
50601 GGTGGGACAA TCACTTGAGC CCAGGGTTT GAGACCAGCC TGG~~G~~TAACAT
50651 AGAAAGACCT TGTTCTACA AAAAATAAAA ACACAATTAG CCAGG~~C~~CATGG
50701 CGGTGTGCAC CTGTAGTCCC AACCTCTGG GAGGCCAAGG TGG~~C~~AGGATT
50751 TCCTGAGCCT GTAAGTTGA GACTGCAGTG AGCTGAGTTC ACGCCACTGC
50801 ACTTCAGCCT GGACAACAGA ACAAGACCCCT GTCTAAAAC CAGA~~A~~CGAAA
50851 CTATAAAACT CTTAGAAGAA AACAGGGCTA AATCTTCATG ACTTTGGATT
50901 TGGCAATGG A TGGTTAGAAT TAATACAAA AACACAATCA ATAA~~A~~TTGAT
50951 AAATTGGATT TAATAAAAAT TAAGAACCTT TGTGTATCAA GGACA~~A~~TTGTC
51001 AAGAATGTGA AAAGACAGCA TATAGAATGG AAGAAGATAT TTGCAAAATCC
51051 TATATCTGAT AAAGGTTAA TATCCAGAAT ATGTAAGGAA CTCT~~T~~GCAGC
51101 TCAACAAACAG AAAGCCAGTT AAATCAATT TGAAATGAGC AAAC~~G~~CCTGT
51151 AAACCCAGCT GCTTGGCAGA TTGAGACAGG AGGATTGCTT GAG~~G~~GCTAGGA
51201 GTTCAAGACC AACCTGGACA ACATAGTGAG ACCCTGTCTA AAAACATT
51251 TTTAATTAGC TGGGTGTGGT GGCATATTCC TGTAGTCCC GCT~~A~~CATGGG
51301 AGACCGAGGC AGGAGGGATCA CTTGGGGCCA GGCAGTCAAG GCTGCCGTGA
51351 GCTGTGATTA TGCCACTGCA TCCCAGCCTG GGCGACAGAG TGAGACCCCTG
51401 TCTGAGAAAA AAAAAAAA AAGAACAAA AAAAATTAG AAGATTGCTA
51451 TTCTAGTCTA CTATTTTTC AAAGGGTGGT CTTGTTAAC AATTCTGGAGC
51501 CCACCTAAAC CTGCTAAATC AAACCTGGTA GTAAAGCTGG GGAGATGGGC
51551 ATGTCTAAC A GACGTTCTG GTGGTTTGA TGTCCAGGCG TGCAGAGAGA
51601 TGATGCTTAC CTTGTGTTT GTCATTATT TCAGGATTAA CACCCCTTCC

51651 TTGTCTTTG TATCAATATT TATGGAGTCA TGAACTCTAG GATAGG **CATG**
51701 ATGTTGAGAA CTAGGAGTTC TCCCCTGGCC AGGGAGATAG AGGC **AGGTCT**
51751 GTGGTTAGTT TTGTAGTTGG CTGTGATGAC ATCTGACATG CTCTC **TTCAC**
51801 TTGTTGTCTT CTCCTGTT CCGTCAGG ATTATGAAGA AGCTG **TGCTC**
51851 TTGCTGTTAG AAGGAGCTGC CTGGGAAGAA GCTTGAGGC TGTT AAGAAT
51901 CTTGTAATC CTCTGGATGT TGGGTGCTAA GCAGAGAGAG CAAG **CAAGGG**
51951 ATTCCAGGTC AGTTGGAATC TCTTGTCTTC TGAGGTTCAT GAAAT **AAGTA**
52001 GAAATAGGTC AGGTTCCCTGG CTTAAGGAAA AGCGGTGTTA CTAA **AATCAT**
52051 TTTTATCATT CTTGATAATA ATTTGAAATA TTACTGTCTT TTACTGA **AAT**
52101 GAATTGAATT TCCTGGCTG CCTTGTAGGA GGCGTGTTC TCAG **GAAAAT**
52151 ATTCTGATT CCTCTGAAAG TAATCCATGT CTTCTAAGT ATCTT **AAC**TC
52201 TCCAGTGACT AGAAGTTTC CTTCTAAAA TATCGTGTTC TTCTT **CTAG**
52251 GTATGCAAAT ATAACAGACT GGATATTATA GAAACCAACG TAAAG **CCTTC**
52301 CATTAGAA GGTGAGGGTT CCATTTAGA TAGAATTCTT CATT **GGAAG**
52351 AAGGTGAGGA GAGAGAGATG AGAGAGTCTC CTCCTATTTA CTG **TGTTTC**
52401 TTAATAATAT GTCATGTAGA CTCATCAAAT ATTACCACT GGATA **TAATA**
52451 TTTAATTCTC ACTAGAATT TAAATATGC TGAACTATTA AATGG **TAACA**
52501 AAATATTAA ATGTTAGAAA CCTGTGATCA AATATGATTA AGAAT **CTTTG**
52551 TATTTGGAAA TAGTAAACTT GAATATGAAC TATATTAGAT AATAA **TATAA**
52601 CACTGATAAA TTTCTGGCAT TTAATAATCA TGTTGTGGTT ATATA **AGATA**
52651 ATATCCTATT ATTCTCAAGA GATAATGCT GAAATATTTA GGAAT **GAAGG**
52701 ATCATATCTC TGCCCTACTC TTAAAGGTT CCACAAAAGT ATTA **ATGAAT**
52751 GTGTGTATGC ATGCAGAGAA ACAGGAAGCA AAAAATGTC AAAATGTTAG
52801 TAATTGGTAA ATCAAAGTGA AGGGTATATG TGTGTTCTT GAACTCTTAC
52851 AACTTTATG TAGGTTCAA CGTTCAAAG TATTTTTAA AAGTT **ACCTT**
52901 TTCAAATGAA GTTTGTGGTT CTTAGAGAAC ATATGAATAT TACCAGTTCT
52951 AGAATACTCA GATGGTCACT GTGACCTCTT AAAAGCAAAG TGGAGAAGGA
53001 CATCAGTTG ACTTATAGAA ACCTTAGGGA GTGGTTGATT TTAAGTTCTG

53051 CATTTTATG CACATCTACC CTGTAAGTAA CGTCTGGCCT TTCTGACATT
53101 TACATGTATG CACATTCTTA CCTTGCTGAC ACCCCCTTCC TCCATCCTAA
53151 TTAAAACGTT GCTGGGTAC TTTTATGTC ATTCACTTAA GGTACCTCTA
53201 ACTGGGTACT GAAAACATCA TTCCCTCATCT ATAATAATCT AACCAGCTCT
53251 TACTTAGATT TTCACCACTA ATGAGAACCT TTCTTAGATA AATGCCGATA
53301 ATTCACTCTAC ATAGGCCAA AACCTATTAA TAAAATGCAT CCTTGATAG
53351 TAGTATTTG CTTTTAAA ATGTATTCTA CTAGTGTAT TTTCTCTTG
53401 TGTATTTTC CATTGGACAA TATTATTAG ATACATTTT TCCACA TCCA
53451 TGGGCATTT GATGGATGTT TAGCCAGAAA CATTAGGTA ATTTCTTCT
53501 TATTTTGTT AACTGAGCTC CCCTCCCCTA CCCCCCTTT TTTGTTGT
53551 TTGTTTGTT TGTTGTTTG TTTGCCAAT CCTCCCTGTC TTAGGTATC
53601 AAGTCTTCGT TCAGGTGATT TTACAAGTTC AGTGGTAGCG CATA TTCTGG
53651 GATAATGTTG ATGAACCTCTA AGATCTGGAA TCTCAGTCTC TAATTTGTTA
53701 ATGCTTATTA AGGAAAAAGA GCTCGCTTGG AAAACCTAGT AACCTCTTC
53751 TTTTGCTGA ATTTAACCC TCCTCACTG CTCCCCGCCT TTAGTTTTT
53801 CTCTTGCTT AAACCTCATG CTCAAACTAT TTCCATTCT GCATCTCCAG
53851 CCCAGAAAAA TTATATGGCA TTCTGGACT CTCAGACAGC CACATTCA
53901 CGCCACAAGA AACGTTATT GGTAGTCGA GAGCTCAAGG AGCAAGCCC
53951 GCAGGCAGGT CTGGGTGAGT ATCTGCGTGA AGGCCATCGA CGTGCGGGGG
54001 CAGTGGGTT GGGTAACGCC ACACATTGTC TAGATTGCTT GGATCCGC
54051 CTGCAATCTG ATTACTGTGC CATGGCAAG TGTGAGGCTT CTGTGGAGCC
54101 CCTTCAGGGC CCTCTGTGTC TGTGTTGTG TGTTGGTAA GGGCAGGACC
54151 AAGCATGAAT GGGGAGAGCT CTGCCAGACA TTCCCACCTA CCCCATTC
54201 CCCAGAGCAG CTGACCACTT CCGTGTCTAA CAAAATGAGT TTCCCTCATT
54251 CCAGAAAAAA GTTCAGGAAA CTACTGATT ACATTAGTAA TTACTGTATT
54301 TAATATTATC TCATTCATT TGAGATCAAC TTGCAATCA TTTCATCCA
54351 TCCTTGATA TGCAACCAGTT GACTCTAGTT AGTCATTAA CCGCCCTGAA
54401 AGTAAACCCA CACATTAGCA GGCAGTGTGTT TCATCGGCTT CTGGTTCTTC

54451 TTTTCTAGAT GATGAGGTAC CCCACGGGCA AGAGTCAGAC CTCTTCTCTG
54501 AAAACTAGCAG TGTCGTGAGT GGCAGTGAGA TGAGTGGCAA ATACTCCCAT
54551 AGTAACCTCCA GGATATCAGC GTACGTATCA CATTGATTCA GCACATTGAC
54601 TATATCCTGG GCATATAGGG AAAGTGGAAAG CAAATAGATT GGTTTCTAC
54651 TGGGACGGTG TAGTGGGAGT GGGGAGAATA TTCTTCAGCG CTGTGTGGAA
54701 GTTGTTCAGA CACTTTCCA GCATATCTGA GACATTAAAC TTGGCATTGG
54751 AAGGTTTCT TCCTCAGCTT TGTGGCTTGT GTGTTTCCC ATTCC CCACG
54801 AGGCAGTTCC TCCCCCTGAAT GCTCAGTTA TATTAACATC TGATTTATT
54851 TTTTGAACAA ATGTTGTGAC TAAATTATAG GCACTGAAAA AATGAAAAGA
54901 TAAGCTTCTT CAATTCAAAA TCAGGATTGG AAGAGACCATTAAATGAAAAA
54951 TAAGTCATAA CACTTTACC AAATATAGTA ATTTGTCAGA AATATTTATT
55001 CAGCACTCAT ATGGTAGGTG CAGTAGATGT TACCAAAAC TTATAAGGAG
55051 ATATGAGTTA TAAGAGTTA TAGTCTTGCT TGGGATGTGT AAAGCAATGC
55101 AAGATTATAT ATTCAAACG AATTTGCTT TAGGAATTAA AAATGGAGAT
55151 CTGTGAAGTT GTGTGGGTC ATCAGCAACT GCAAGAAAGT AGCCAGGCAA
55201 GGTAGCACAT GCCTGTAGTC CTAGCTACTC AGGAGGCTTA AAAATATCTG
55251 TGTAATTCT AACAGGAGAT CATCCAAGAA TCGCCGAAAA GCGGAGCGGA
55301 AGAACGCACAG CCTCAAAGAA GGCAAGTCCGC TGGAGGACCT GGCCCTCCTG
55351 GAGGCACTGA GTGAAGTGGT GCAGAACACT GAAAACCTGA AAGGTATATT
55401 CTCAGTCCTG ATGATGATTC CTGACCACAA ACAATAGTGA ATAGGCAGTA
55451 CAGACAGGCA GAGTCAGTA GGTGATTAAG CTACCATTTC CCCAATTGA
55501 GGAAAGATGA GAACTTTAG CAGGAAGGGT CATGTCTGCA CACATTCTG
55551 AAGCAGCCCT TCTTAGCTGG TAACTGAGAA GCCTTCCTCC ATTGGCATC
55601 CCCCTAACTG AACTGGGAGA GATGCTTAAG CCAGGATAAA GAATTGTGGG
55651 ACACGTCTT CTGCGTAGGC CCCCCAGCGT GCTTGATTT CTTTTGTAG
55701 TACATGTGTT TAATTATTCC AGCATTGGG AAGAAAAAAG ATAATGTGGG
55751 AGAAAGGACC TGCAGTGGGA TCATAGAAAT TTTGGCTT GGATAGAAGC
55801 TATGTATGAT TCTGTCAATG GAGCTGGAA TATAACTTAC CACTCTTCA

594221_1

55851 AATTCTTCT CTCTAGATGA AGTATAACCAT ATTTAAAGG TACTCTTCT
55901 CTTTGAGTTT GATGAACAAG GAAGGGAATT ACAGAAGGCC TTTGAAGATA
55951 CGCTGCAGTT GATGGAAAGG TCACCTCCAG AAATTGGAC TCTTACCTAC
56001 CAGCAGAATT CAGCTACCCC GGTAAGTTT CTCAGAGACG GTGTGCATT
56051 TTTTCAATCAT TTTCATGGGT TATTGTATTAC ACACAATCTC CAAGTCAAAA
56101 AGTTTTCTG TTCTAAAAC ATAAGATGCC ATAGTTAAAT TATCTTAGCA
56151 TTTATGTGTA AGCTGTCAGT AAGATTGAT ATTTGCCTGT AGAGTGACTA
56201 GTATACCTTG GCATAGGTTA AATGGACTGT CATTTCCCTT TCTGGATGAA
56251 GTAGCTGTCA TGGAGAAAAT GGGAAAGTCA CATGATTGCT CCTGGCCTTC
56301 AATGAGGTTG GAGTGGGGAG AGATGGGGGA AGATGGGTC AGAGACGGCC
56351 TCTCACTTTC CTTCAAGAAC TCAGGGATGG GATCAGGCTT TAAAGGGACC
56401 CCAGGCAATT GCTTTCCCTT TTGTTTATG AAAAATTGA CTTGTCACCT
56451 CTATGTTGTT ATGATGGACT TTGCGGGTTG TGTTAAGGC TGAATCAGCT
56501 TTGTATCGCA GAATTCTAGT ATATTGTCAT CTGTTTATTAA TTATACCTC
56551 TGTCACTCT CTTACTTC AAGTCTATTG TTAAGAGTTT TTATTTGGAT
56601 TCAAAAAGGC TGGTGTATCA GTCAAGATCT AGAAAGGAAA ACAAAAGCCT
56651 ATCTATTATT TTATCACAGA ATTTAATATA TGGATTGTT AAATAAGTAT
56701 TAGAGGACTA ACAAAGGCAA AAGGGAAATA CAGAGGAAGG ACATTGAGAT
56751 AGTAACGTGA GGAAGCAGCT TTACCCCTCA GCTGAGGGAA CAGGAGGAGT
56801 TGTTGGGAAT TATTAGAATT TAGAAGCCTG GAAGTGGGGC CCTGTAGAGC
56851 TGGCTTTGA ACCTCTGAGA GGAGGGTGCC AGCCAGCTAA TCCTGGCATT
56901 TCTGAGGGAG CTGGTCCAA GCGTACAGAA GTAAATGGAA ACTGGAAAGGA
56951 ACAGCTGCTG CTGGGGAAA AGCCAGCCGG TCAGGGCCAGG TGTGGTGGTG
57001 GCTCACGCCT GTAATCCCAG CACTTGGGA GGCCAAGGCA GGCGGATCAC
57051 CTGAAGTCAG GAGTCGTGA CTAATGTGGC CAACATGGAG AAGCCCCGTC
57101 TCTACTAAA ATACAAAATT ACCCGGGCAT GGTGGCGCAT GCCTGTAATC
57151 CCAGCTACTC AGGAGGCTGA GGCAAGAGAA TCGCTTGAAC CTGGGAGACA
57201 GAGGTTGTGA TGAGCCAAGA TCGTGCCTATT GTACTCCAAC CTGGGAGACA

57251 AGAGCGAATC TCCGTTAAA AAAAAAAA AAAAGCCAG CCAATCACGG
57301 AAGAAATCTA GAAATCTTT GTTCATCCTC CAGCTTGTA CTCCCCCTCT
57351 GGTGTTCACT GTAGGCAGGA CATGATGGGA AGCCAGCAGC AAGGAAGAAT
57401 ATCTTCAGG TGCCCAGCCC CAGCACCACA AGCAGTGGAT AGAAAGGTGG
57451 GTTGGAGCTG AGAGATTACA AATCAGCTCA GTGTTAGAA ACACATACGC
57501 TTATCATGTC TTGATTCCT CATTAGAAA TGGGCATAAG ACTTCTCTGT
57551 GTGCTTCAAT AGAATGCTT GAAGGTTAAA TAAGAGGGTG TGTGTAAAAG
57601 CACTTACAA ACCGTTGAAA TAAAAGCAAC TAGGAATCAG GGCCCCAGAA
57651 CTTCTTGAAT TTATTATAAT AGGTATTTCT TAGAAGAAAT GTGATCATCA
57701 TCTTCAAAAC TGTAGTACTT TTGAAGATAA TTGTTTTGT TTTTGAGAC
57751 AGGGTCTCAC TCTGTTGCTC AGGCTGGAGT GCAGTGATCA CCGCTCACTG
57801 CAGCATCCAC CGCCCCGGGC TCAGGTGATC CTCCCACCTC AGCCTCTTGA
57851 GTAGCTGGGA CTACAGGCGC ATGCCACAAC ACCTGGTTAA TTTTCAAATT
57901 TTCTGTAGAG ACAGGGTGTC ACCAAGTTGT CCCCCTGGT CTTGAACAAAC
57951 TCCTGGGCTC AAGTGGCTG CCCACCTCAC CTCTCCAAAG TGCTGGACT
58001 ATAGGCATCA GCCACCATGC CCGGCTTGAA GATAATAATT TATAATACCA
58051 CTCCCATGAG TGATCTTCTC TTCTGATCAC ATATTACAT TAAGGTCTAT
58101 TTTATTTTAT TTTTTCTTG CTCTGTCACC CAGGCTAGAG TGCACTGACA
58151 GTATGATCAA TCATGGCTTG GTGCAGCCTC GAATGCCTGG GCTAAAGCAG
58201 TCCTCCCACC GCAGTCTCCT GAGTAATTGG GACCACAGGT GCACACCCACC
58251 ATGCCAGCT AATTTAAAAA TTTTTCTA GACATGGGG AAGGGAGTCT
58301 TGCTGTGTTG CCCAAGCTGG TCTGAACTC CTGGCCTCAA GTGATCCTCC
58351 TGCCTTGGCC TCCCAGGTG CTGAGATTAC AGGTGTAAGC CACCATGCCT
58401 CCCACATTAA GTTCTAAGAC ATCAATTAA TGATTGTGGT TTGATTGGT
58451 GAAAGTATGGT TGTGGTATGT GCAGGGATACC GTGAGTGACT TCTCATGGCA
58501 TTGCTCTTGA GAGTGTGCCA CCAAGGGTCT GCACTAACCA GGGGTGTGCC
58551 CAGAGGCTCG CTGCAGGCTT GAAATTCTG CGGAGTCTTG TGTTTACCT
58601 GGAGCACATG TGCACAGTT CCATTCTGCT CCATAGTATG CACATGTTG

58651 TATTTATTC AACCTAAAAA TGTTTGTTC CCATAACTCT TTGCGTATAA
58701 TTGATACTCT ACGTATTGT AGCCTCTTT ACTCTTTCC CTTTCCTCAG
58751 GGAGTGGTT GCTCATTAG AAAAGGCCAA GATATATCAC TGTAGAGTT
58801 CGTTTCTTT CTTCCTCC ACCCCCCATC TTTACCTGT TCTGGGAGAA
58851 AGGAGAATTAA GAAGTCTGAG TTGCAGCTGG AGAAACTGGC AAATTAAAAT
58901 CACATTGGGA AAGAGAATTAA CTGTGTTCA CACCATAACCA GTAGAAATGA
58951 CAGGCTGTT TCTGCTGGTA GGGATTGGC CTTGGTATT GGCA~~G~~TCTTG
59001 AGAAGTATTAA GATAATCTT GCTGATACAG TCTATTTCT CCTCA~~G~~GGTTC
59051 TAGGTCCCAA TTCTACTGCA AATAGTATCA TGGCATCTTA TCAGCAACAG
59101 AAGACTTCGG TTCCGTGTTCT TGGTTAGTAT TTTTCTCAT TTAATAATTAC
59151 AATACTAACG AGAAGGACTA TCTTCTGTA AGTATTGAGA AGATCAGCAG
59201 TATAAGGAGA GATTGGATAC AATTTTCAC TACAAAAAAT TGACTACAAAT
59251 TCTTCCTCAA TTCTAAGACC GCATCTTAG TATGATCAGT TTCAT~~G~~CTTC
59301 TAGCGGTGGG GGACCTGGTG CAGGAAAATC CAGCATGACC ATTGTATGTG
59351 TAATTTTAA AAATATTAT GTGGCATATG CTTGTTCAT AAGGCACACC
59401 ACAGTTCCAG TTTCAGTCTA AACTGTCTAC ATTTACATAT ACATCAAAAG
59451 ATTCTTCTGA AGCATCATTAA CTGGCTATTG GCAGTTATGC TTG~~C~~ATCTT
59501 GGGGGCATT TCATAAACCT TGCTTATGAG TGGGACCTTT TTATTATGTT
59551 TAGGATTGAC AATATAATT GAAGGCAAAT CCAAAGAATA TTG~~C~~ATT
59601 ATACATATT CCTGTTAGT TATGCATGAA GTGTTTATT TGTGAGGGG
59651 AGATGATTCT CAATTAGATT ACTTATTCC CTAAAAATTAA AAAAC CCTAA
59701 GCGCTTCTT TTGAAAGTTG GTAGAAACA TTGATGAGT CAGCTTGGGA
59751 CTTTCAGTAT TTGCCCTTAC TTATAGTTGG ATCAATGAAG CATC TTAGCT
59801 TTGAAAAGTG AATGATAGTT TCTAAAATAA TTGGCAGTT TAAC TGCTAT
59851 TATTTGCATT TCTAGCATGT GACAAGCAAC TTTCTGAAAT TTTTTTTCAC
59901 CGAAGTGCTA CACTGTAATA GCATTTGAT GACATTGAA GTAG~~C~~CTGTG
59951 GGGATTCAA TTAAGTTGA CTTAACAGC TTATGTTGCT ACCAGGAAGA
60001 ACAGCTACCT TCCATCCCAG CTAAACTCAT ACATCCAGAC TG~~T~~AACTACT

60051 GTATTCCTAG CTCCCTTTCT GTCTAGAGAA TGGCAAGGTT CTTTGGTAT
60101 GCAGTTCGA CATATCCACT TATTCCTTTT TTTTCTTAA GTTTTTTGT
60151 TTAGAAAAAA AAACAGATGG GGTCTTAATA TGTTGCCAG GCTGGTCTCA
60201 GCCTCCTGGT CTCAAGTGAT CCTCCTGCCT CGGCCTCCCA AAGTGCTGGG
60251 ATTACAGGCG TCTGCCCTG TGCCCAGCCC ACTTATTCC CAGATGCTAG
60301 GAACTTACAT TAGACCTGAG GCCATTGGT CATTGTTAT TTTGTGCTGT
60351 AGTCCAATCC AGTTGTGATT TCTGCCTCCT GTGTTCTCG TTGCTGGCCT
60401 GATGCTGACC TTCAGGTTAG GTCAGTCCCA TCATTCCCCA GGGTATTCTA
60451 GATGGCTTTC CCACTTAAA GAGCACTTTC TTGTTTCCA GCTGAGCCTT
60501 AAAGACACTC TGTAAATATT GAGAGCCCCCT CATTATCTGA GTGTTTATTA
60551 TCATTACCT TGTGGTTCA AGGATGTATA GGAAAAGGTA AGTCCCTATA
60601 ATTCAAAAAT TGCCACTGAT GAACTAATCA CAAAATTAGT GCCACTCAA
60651 TATTACTCAG CTGCCCTCC CCAGCTAACAA ATAGTTAAGT ATATTGGCAC
60701 ATCCCCACAA GTGAAATCAA TGACTTGATG GGTCATTTCT GATTGTTCC
60751 TGCTTGATG CAATACAATA TCATGCAGAT CAATTGCAAG TCTTGCAAAA
60801 ATTTAGTATT ACATAAAATA GATTAATG ATATTGGAAA AGTACTTGAA
60851 TCACAGCTGG GTTGGACTTG TTGCAATTGA TGACAAAATA AGTGCTTCAA
60901 ATGATTTGA CTATCAAAGG ATTGAGAGAG GTCCTTAGAA AAATTGAAAA
60951 GCCCTCAAGT TATTTTATA AAAATGGCCT TTTTGTGTG CTGTGAAATC
61001 CACATATGGA AATGTGAAAT ATGTCATGTC CTGCTGTAT ATAATTGTC
61051 AGAATAATTA CTTCTTGCC CAAAAGTCTG TACTTTGTGT TTATTTCAAG
61101 TTAAGTCTAG AATCAAATAT AGTTGTAGTT ATGCCTAATT TTAAAAAATG
61151 AGATAGAGCA CATTATTTT GTAACTAGTT TTTTTTTTTT TTTTGTGAC
61201 AGAGTCTTGC TCTGTGGCCC AGGCGGGAGT GCAGTGGCGCAATCTGGCT
61251 CACTGCAAGC TCCGCCTCCC GGGTTACAGC CATTCTCCTG CCTCACCCCTC
61301 CTGAGTAGCT GGGACTACAG GCGCCCCCA TCACGCCCCGG CTAATT
61351 TGTATTTTA GTAGAGACGG GGTTTACCCG TGTTAGCCAG GATGGTCTCG
61401 ATCTCCTGAC CTCGTGATCC ACCCGCCTCG GCCTCCAAA GTGCTGGGAT

61451 TACAAGCGTG AGCCACCGCG CCCGGCCTGT AAATAGTTT TTTAAGATAA
61501 AGTCTTATTC CAACTTAAT TGGAATTAT GAAATACCTT GTTGATAGTG
61551 AATTTATTTA AGTAGCCTTT TTTCAGTATT GATATTCTTA TATCTTTATG
61601 GCACCATTAA GTGGAGAGAA ATGTAAACAA ACATAAAGAT GTAGTATTAA
61651 ATCATAACTG CATAAAATTA ACTGTAGTAT GTACTGCACT ACTGTAAATAA
61701 TTTTGTAGCT ACCTCCTGTT GCTATTGTGG TGAGTGAGCT CAAGTGTAC
61751 CAATATCTGC TTAAAATGCC ATGTGCCGCT AACCATCTCC ACATGAGCAG
61801 CACATGAGAG TCTCCATTAA TTGCATATGG CAGCGAAAAG TGATCTCTG
61851 CATTGTCGTG TATTTTTAT CACGTTAAC GTAATATCGT AAACCTTAAA
61901 TAACACCATG AGACCTATAG GAAGTACCAAC AAGTGTGCT CCCAGGAAGC
61951 AGAGAAAAGT CATAACATTA CAAGAAAAAG TTGACTTGCT CGATATGTAC
62001 TATAGATTGA GGTCTGCAGC TGTAGTTGCC CACCACTTCA AGATAAATGA
62051 ACCCAGTGCA AGGACTATTAA TAAAAGAAAA GGAAATTAT GAAGCTGTCA
62101 CTGCAGTTAT GCCAGCAGGC ATGAAAACCT TGTACTTTT GCAAAATACC
62151 TTTTATGTT GTATTGAAGA TGAGCTTT ATGTGGGTGC AGGATTGCTA
62201 TGAGAAAGGC ATACCTATAC AACTATTATG ATTTGAGAAA AAGCACAGTC
62251 ATTGTATGAG AACTAAAGC AAAAAGATGA AGGATCAAAG CTGGAGAATT
62301 TAATGCCAGC AAAGGATGGT TTGATAATT TAGAAAGAGG TTGGCTTG
62351 TAAATGTCTG GATAATAGGA AAAGCAGCTC CTGCCATCCA GGAGGCAGCA
62401 GCAAAGGCAG TCAGGTTAT GATCAGGACT GCCCTTATCT GTAAAGCTGC
62451 TAACCCCCGA GCCTGGAAGG GAAAAGATTA ACACCAGCTG CCAGGCTTT
62501 GGTTGTACCA TACAACAAGA AGGCTTGGAC AAGGAGAACCA CTTTTCTGG
62551 ATTGGTTCCA TTGTCGATT GTCCCTGAAG TTAAGTAGTA TCTTGCCAGT
62601 AAGGGGACTG CCTTTAAAG TTCTTTGAT ACTGGAGAAT GCCCGAGGCC
62651 ACCCCAAACT CCATGAGTTC AACACCGAAG ACATTGAAGT GATCTACTTG
62701 CCCCCAAACA CACATCTCTA ATTCAAGCCTC TAGATCAGGG TGTCATAAGG
62751 ACCTTTAAGG CTCGTTACAA ACAGTACTCT ATAGAAAGGA TTGTCAAATG
62801 TATGGAAAAG AACCTTGACA GAACATGAAA GTCTGAAAGA ATTACACCAT

62851 CAATGATGCC ATCATTGTTA TAGAAAAAGC TGTGAAAGCC ATCAA**G**CCCA
62901 GGACAATAAA TTCCTGCTAG AGAAA**A**CTGT GTCCAGATGT GCAT**G**ACTTC
62951 ACAGGCTTTA CGACAGCCAA TCAAGGAAAT CATGAAAAG ATTGTGGATC
63001 TGGCACAAAA AAAAAAAA AAAAAAAA TGTTGCATGA AGGATTCAA
63051 GATAGGAATC TTGGAGAAAT TCAAGAGGTG ATAGACATCA CACC**G**GAGGA
63101 ATTAACAGAA GATGACTTGA TGGAGATGAG TACTTCCAAA CCAG**C**GCCAG
63151 ACAATGAGGA AGATTACATA AAAGAACAG.TGCCAGAAAA TAAATTGACA
63201 TTTGTTCCAA AGGTTCCAAT TATTCAAGAC TGCC~~T~~GGC TTCTTTACA
63251 ACATGGATGA TTCTATGTTA TGGGCACTGA AACTAAAAGA AACT**G**TGGAA
63301 GGATTGGTAC CTTAGAGAAA TGAAAAGCA AAAACATCAG AAATTATGGT
63351 GTATTCTGT AAAGTTAGTG AACTGAGTG TGCCCACCTC TC**T**GCCTCC
63401 TCTTTAACCT CCCCTACCTG TTTCATCTCT ACCACCCCTG AGAC**A**GCAAG
63451 ACCAACCCCT CCACTTCCCTC CTCTACTTCA GCCTACTCAA CGT**G**GAGATG
63501 ACAAAAGATGA AGACCTTAT GATGATCCAC TTCCATTAA TGAATAGTAA
63551 ATATTGTTT CTTTATGATT TTCTTAATAT TTTCTTTCT CTAGCTTACT
63601 TTATTGTAGG AATGTAGTAT ATAATACATA TAACATACAA AACATTGTT
63651 AACTGACTTT TTATGCTGCC AATACACTGC CGAACAAACAG TAAGCTATTG
63701 GTACTTGAGT TTTGGAGATT CAGAAGTTAA ACATGGGGCC AGGTGTGGTG
63751 GCTCACACCT GTAATCCCAG CACTTTGGGA GGCTGAGGTG GG**T**GGAACGA
63801 GACCAGGGAGT TTTGAGAGTA GCCTGGCAG CATGGTAAA CC**T**TGTCTCT
63851 ACAGAAATTAA GCCAGGTATG GTGGTGTACA CTTGTAGTCC CAGCTACTTG
63901 GGAGGGCTGAG GCAGGAGAAAT CGCTTGAAACC CAGGGGGTCG AGGCTGCAGT
63951 GAGTCATGAT CGTGCCACTG CACTCCAACC TGGGCAACAA AATGAGACCC
64001 TGTCTCAAAA AAAGAAAAAA AAAAGGTATA TGCAGATTT TGACTGTGCA
64051 GGGGGGTCCG CACCCATAAC CCTACATTCA AGGATCAACT GT**A**TTTTTC
64101 ATGCCCTGCAT GGCTCATATG TACAGATTAA CTGCTGGAAG TTTATCATAA
64151 ATAATGCTGA AAAAGAAAAT CCTTATATAT ACATATTTTC TCCTATCTCT
64201 GCTTGCAGTA TATGATTCCCT GGTTAGAAAA GAAACTAAC AAATCTAAGT

64251 GAAAGAGTGC CTGGGAGTT TAGGTTACAA TGACAGAAC TTTCTTAAC
64301 CCTCTCTCTC CATTCACTTT TTAAAGCA GGGGCATCTT TATTGA TCAA
4351 CATGTTGTC GAAgtTTCAT CATAAAGTAG TTCCTGTCCA TTAACCT CAC
101 TTACTGAATA TGTGCTATCA CATTGCTA TTCCCTAAAA ATTGAGCTAG
51 ACTTTACATA TAGTGAAATG CAGAGATTC AGGTGTACAA TTTGAT GAGT
31 TTTAATAAAAT GTATACAGCC ATGTGACTGC TGCCACCACC CCTCC CACCA
35 : GTTTGAAATA CAGAACATTG TTCCACTTTG AATCACTGGG TGAGC ATGCC
01 TGAGGTTGAA ATGCAGTCCC TCCTCTCAGG GCGGGGCCTC CAGGTTGTGT
51 TTGCTCTGAC CTGGAGGTTG CAGGGTAGC AGACACATGA ACTCTGGCTC
TGATGG TCTT ATTGCTGCAA ACTCCACCTG CCTAGTTGT TTAGTTAGA
CTGCCT CAGCGCCCTC CAACAAGAGT ATGTCTGTCA CAATTCCCT
TCCTTCTTG CTTTAGATG CTGAGCTTT TATACCACCA AAGATCAACA
51 GAAGAACCCA GTGGAAGCTG AGCCTGCTAG ACTGAGTGAC TGCAGTTAGG
4901 AGGGATCCGA CAGAGAAGAC CATTCCACT CATTCTGTT GTCC TACAC
34951 CCCTTGCTCT TTGAGGGCTG GCTATTGAGA ACTGGAAAGA GTAAAATGAT
65001 AACTTACCTT AGCATTGCCA AGAACTTCAG CAGACAACAA GCAA TTCTAT
65051 TTATTTATG TTGTGTATAC ATCTGATCA TTAGCAAGAC ATTAAGCTTT
65101 AACCATTATG GCACCATTGT GTGAGAATGA TTGTTCTTC ACTGGGCTG
65151 TTTGAGAGCA TAATTATGGT AATCATGAGA TTAATGTTT ATGATTTCTA
65201 CCTCCAAAGT GTGAAGACAA GTAAAACAAT GTTTCTAAAT TGCTTTATTT
65251 TGTTGGCGGA GAAGATTACA ATGGCTATTG TGCTACATT TGGTCAAATG
65301 TAATCACTTA AATAGCTTCT TGTCACCTTA AACTAAAGCA GAATAAAAAG
65351 TATCCTTGA AATTATAAGC CCTCCTTGC TGACAGCTAT TATTTGTAA
65401 CATCTTACCA GGTCACTGTGC TTTCAGTTAT AACTGGGCTG AGCCTCCTAT
65451 AATTACAATG TCTATAGGGA CTGTTTACT GCCTGTGTAT TTCTGCTAG
65501 AGAGTTAGCA ATGTTAGAGC TAGAACAGAT TAGAATTCT AACAGTATC
65551 ATGCACAGTT GGTGTGAGTG ATCAGTGTGC ATTGTATGGC ATGATGGTT
65601 GTGAATTATT CTCTGTTCTC CAAACTGT TTCTTTAACT CAGATATTTT

65651 TGTTAGTGTC TAGGCCACTT CATTATTT TCGTCATGGT ACTTTACTGA
65701 CTTCTCTTCA TTCAATTCTC CACGCCCTCA CCAAAAAAAA CTGTCTCAA
65751 ATGAGAATAT TTTATTTCA TGGTGAGTCT AGAAAACGCC CACTTCATTC
65801 TGATTAaaaa TTCTTCCATG TTTAAATAT CAGAACAGA CCTTCTTAC
65851 TGTGTATCTT AGCCCATTG TGTCTCTATA ACAACAACCA GCTTCAAAG
65901 GAACTAATAG AGTAAAAACT CACTCATTAC CACGAGGATG GCACAAAGCGA
65951 TTCACGTAGG ATCTGCCCT GTGACCAAAA CACCTCCAT TGGGCCAC
66001 TTCCAACACT GGTGATCACA TTTCAACATG AGGTTAGGG AAACAAATGC
66051 CTAAACTACA GCACTGTACA TAAACTAACAA GGAAATGCTG CTTTGTATCC
66101 TCAAAGAAGT GATATAGCCA AAATTGTAAT TTAAGAAGCC TTTCCAGTA
66151 TAGCAAGATG TTAACTATAG AATCAATCTA GGAGTATTCA CTGTA~~AA~~ATT
66201 CAACTTTCT GTATGTTGA ACATTTCAC AATCTCATAG GAGTTTTAA
66251 AAAGAAGAGA AAGAAGATAT ACTTGCTTT GGAGAAATCT ACTTTTGAC
66301 TTACATGGGT TTGCTGTAAT TAAGTGCCCCA ATATTGAAAG GCTGCAAGTA
66351 CTTGTAATC ACTCTTGGC ATGGTAAAT AAGCATGGTA ACTTA~~T~~TATTG
66401 AAATATAGTG CTCTGCTT GGATAACTGT AAAGGGACCC ATGCTGATAG
66451 ACTGGAAATA GAAGTAAATG TGTTTATTG

FIGURE 7

Figure 7

Continued

3181 cttcccagaa tgcttaaact tgataaaaaga taaaaacttg tataacgaag ctctgaagtt
3241 atattcacca agctcacaac agtaccagga tattcgcatt gcttatggg agcacctgat
3301 gcaggagcac atgtatgagc cagcgggct catgtttgcc cggtcggtg cccacgagaa
3361 agctctctca gccttctca catgtggcaa ctgaaagcaa gccctctgtg tggcagcccc
3421 gcttaacttt accaaagacc agctggggg cctccggcaga actctggcag gaaagctgg
3481 tgagcagagg aagcacattg atgcggccat ggtttgaa gagagtccc aggattatga
3541 agaagctgtg ctcttgctgt tagaaggagc tgctggaa gaagcttga ggctggata
3601 caaatataac agactggata ttatagaaac caacgtaaag cttccattt tagaagcccc
3661 gaaaaattat atggcatttc tggactctca gacagccaca ttcagtcgc acaagaaaac
3721 tttattggta gttcgagagc tcaaggagca agcccagcag gcaggtctgg atgatgaggt
3781 accccacggg caagagtcag acctcttctc tgaaactagc agtgtctgt gttggcagtg
3841 gatgagtggc aaatactccc atagaactc cagatatca gcgagatcat ccaagaatcg
3901 ccgaaaagcg gagcggaaaga agcacagcc caaagaaggc agtccgctgg aggacctggc
3961 cctcctggag gcactgagtg aagtggcga gaacactgaa aacctgaaag atgaagtata
4021 ccatattta aaggtactt ttcttttga gtttgatgaa caaggaaggg aattacagaa
4081 ggccttggaa gatacgtgc agttgatgga aagtcatt ccagaaattt ggactttac
41 ttaccagcag aattcagta ccccggtct aggtcccaat tctactgca atagtatcat
41 gcatcttat cagcaacaga agacttcggt tcctgttctt gatgctgac ttttatacc
41 accaaagatc aacagaagaa cccagtggaa gctgagcctg cttagactg tgactgcagt
41 taggagggtt cgcacagaga agaccatcc cacttattt tttgttcttcc caaccccttg
41 ctctttgagg gctgctatt gagaactgga aaggtaaaaa tgataactt ctttagcatt
4441 gccaagaact tcagcagaca acaagcaatt ctatttttt tatgttgtt atacatctt
4501 atcatttagca agacattaag cttaaccat tatggcacca tttgtgaga atgattgtt
4561 ttcaacttgg gctgtttgag agcataatta tgtaatcat gagattaatg tttcatgatt
4621 tctacctcca aagtgtgaag acaagtaaaa caatgtttct aaattgtctt attttgttgg
4681 cggagaagat tacaatggct attagtgcta catttggcata aatgtaatca cttaaatagc
4741 ttcttgcac cttaaactaa agcagaataa aaagtatctt tgaaattat aagccctct
4801 ttgctgacag ctatttttt gtaacatctt accaggtcat gtgcatttcag ttataactgg
4861 gctgagcctc ctataattac aatgtctata gggactgttt tactgcctgt gtatttctg
4921 ctagagagtt agcaatgtt gagctagaac agattagaat ttctaaacag tatcatgcac
4981 agttgggtgt agtgcattttt gtcatttgc tggcatgcat gttgtgaat tattctctgt
5041 tctccaaata ctgtttctt aactcagata ttttggtag tgtctaggcc acttcattt
5101 ttttcgtca tggtaacttta ctgacttctc ttatttcaat tctccacgccc ctcaccaaaa
5161 aaaactgtct caaaatgaga atattttt tcttcatggt gagtctagaa aacgccccac
5221 ttcatttgc tttttttt aactccatgtt tttaaatatc agaaccagac ctttcttact
5281 gtgtatctt gcccattttgt gtctctataa caacaaccag ctttcaaaagg aactaataga
5341 gtggaaactc actcattacc acgaggatgg cacaagcgtat tcacgttagga tctgcccctg
5401 tgacccaaac acctccctt gggcccaact tccaaactgtg gtgatcacat ttcaacatga
5461 gtttaggaa aacaaatgcc taaactacag cactgtacat aaactaacag gaaatgctgc
5521 ttttgatctt caaagaagtg atatagccaa aattgttaatt taagaagcct ttgtcagtat
5581 agcaagatgt taactataga atcaatcttag gagatttcac tggtaaaattc aactttctg
5641 tatgtttgaa catttcaca atctcatagg agttttaaa aagaagagaa agaagatata
5701 ctttgcttgc gagaatcta ctttttgact tacatgggt tgctgttaatt aagtgcuccaa
5761 tattgaaagg ctgcaagtac tttgtatca ctcttggca tggtaaaata agcatggtaa
5821 cttatattga aatatagtgc tcttgcttgc gataactgt aagggaccca tgctgataga
5881 ctqqaataq aqtaaatgt gtttattgaa aaaaaaaaaaaa aaaa

FIGURE 8

1 mrnlklfrtl efrdiqgpgn pqcfslrteq gtvligsehg lievdpbsre vknevslvae
61 gflpedgsgr ivgvqdlldq esvcvatasm dvilcslstq qlecvgsvas gisvmswspd
121 qelvllatqq qtlimmtkdf epileqqihq ddfgeskfit vgwgrketqf hgsegrqaaf
181 qmqmhesalp wddhrpqvtw rgdgqffavv vvcpetgark vrwnrefal qstsepvagl
241 gpalawkpsg sliastqdkp nqqdivffek nglhgftl pflkdevkvn dllwnadssv
301 lavrledlqr ekssipktcv qlwtvgnhyhw ylkqslsfst cgkskivslm wdpvtpyrlh
361 vlcqgwhyla ydwhwttdrs vgdnssdsn vavidgnrvl vtvfrqtvvpp ppmctyqlif
421 phpvnqvtfl ahpqksndla vldasqnqv ykgdcpsad ptvklgavgg sgfkvcrltp
481 hlekrykiqf ennedqdvnpl klglltwie edvflavshs efsprsvihh ltaassemd
541 ehgqlnvsss aavdgviisi ccnsktsvvv lqladgqifk ylwespslai kpkwnsggfp
601 vrfpyptqt elamigeec vlgldrcrf findievasn itsfavydef llltthshtc
661 qcfclrdasf ktlqaglssn hvshgevrk vergsrivtv vpqdtklvlq mprgnlevvh
721 hralvlaqir kwldkilmfke afecmrklri nlnpiydhnp kvflgnvetf ikqidsvnh
781 nlfftelkee dtktmvpap vtssvylsr pdgnkidlvc damravmesi nphkyclsil
841 tshvkktpe leivlqkvhe lqgnapsdpd avsaaealky llh1vdvnel ydhslgtydf
901 dlvlmaeks qkdpkeylpf lntlkkmetn yqrftidkyl kryekaighl skcgpeyfpe
961 clnlkdkn1 ynealklysp ssqqyqdisi aygehlmqeh myepaglmfa rrgahekals
1021 afltgcnwtk alcvaqlnf tdkqlvglgr tlagklveqr khidaamvle esaqdyeeav
1081 llllegaawe ealrlvykyn rldietnvk psileaqkny maflsqtat fsrhkkrllv
1141 vrelkeqaqq aglddevphg qesdlfssets svvsgsemgs kyhsnsris arssknrrka
1201 erkkhslkleg spaledlalle alsoevvqnte nlkdevyhil kvlflfefde qgrelqkafe
1261 dtlqlmersl peiwtltyqq nsatpvlgn stansimasy qqktsvpvl daelfippki
1321 nrرتqwkls1 ld

M_musculus	1	-----	MRNLKLHRTLEFRDIQAPCKP	... QCFCLRNDE . QGTVLLIG
H_sapiens	1	-----	MRNLKLERTLEFRDIQCPGNP	... QCFSLRNE . QGTVLLIG
D_melanogaster	1	-----	MRNLKLRYC	CHILLOPELGGGSDIV
S_cerevisiae	1	MVEHDKSGSKRQEELRSN	MRNLITLNKGKEKPTAATGEEEDD	ESFTTLDGVFTLDSIT
A_thaliana	1	-----	MRNLKLFSECP . QRIOLHSTEAVOFAAAD	DO5RLFFASSAN
C_elegans	1	-----	MRNLKLGSKTKTENPEIAGADDY	ME
M_musculus	37	SERGLTEVDP . VREVKTEISLVVAEGFLPEDGS	GCIVGKQDLIDQESVCVATASGEVIV	
H_sapiens	37	SEEGLIEVDP . VREVKNEVLSVVAEGFLPEDGS	GKVQDILIDQESVCVATASGEVIV	
D_melanogaster	36	FVMDNKHYA . VQESGDVRDRMAB . LPR	IVGVVEFLQDNHICVAVSRGEVIV	
S_cerevisiae	61	CVLGSDHGAIEVQPFKQIGSFRNLVASENIETFDDA	ESFTTLDGVFTLDSIT	
A_thaliana	43	FVYALQLSSFONBACAKSAMPEEVCSIDIPCGD . FITYPDW	LAPEHESLEFGTSEGIAEV	
C_elegans	27	FLEQTAVSKRNELLMISS	TIKWAECRRELEMESESERADGNQ	#VILADGRAE
M_musculus	95	C NLSTQOLECVGSVLSGISMWSWSPDQE	LILLLATQOQLIMMTKDFEPVIAE	EQ
H_sapiens	95	C SLSTQOLECVGSVLSGISMWSWSPDQE	LYLLLATQOQLIMMTKDFEPVIAE	EQ
D_melanogaster	87	V GPOGATSEGTCVGCGIESMAWSPNQEL	AMVFTRTENHMLMTSTREVIAEOP	
S_cerevisiae	121	ATYDPVSLNPZETLNGKGMKCHSPNPTGBLLGLI	TGKLGQIYMMYDVALYKA	
A_thaliana	102	EYVTDVIEEVGNLLEGGMKCHSPNPTGBLLGLI	YKLEPPISEVB	
C_elegans	87	VEDGEVMD LEIAELTDTWSAAEWADEGTLALADN	OTIYFADSSLVPPFERP	
M_musculus	148	X . HQDDFGEKGKFTVVGWSKOTQFHGSEGRPHAFFV	QOPENALPNDDK	
H_sapiens	148	X . HQDDFGEKSFETVVGWSKOTQFHGSEGRQAFOM	QHESALPDDK	
D_melanogaster	140	L . DAELDPMQOCFVNWVGWKKETQFHGSEGRQAMOK	PSDSREFERDQE	
S_cerevisiae	181	L . EVDLKLISKHWTVGWKKETQFHGKGRAMERFASILKASGLVGNQLRSPNAPYKVD		
A_thaliana	155	L GEVPEGGRV	REF	
C_elegans	140	LIFSEWERKSAPVNVWGSESTOFNGSAGGLKPGEKTEKEK		
M_musculus	195	R PH WRGDGDXFAVSVV	CGTCAKIRVWIRE . FALGSTS	
H_sapiens	195	R P0 WRGDGDXFAVSVV	CGTCAKIRVWIRE . FALGSTS	
D_melanogaster	187	I NQFYSISIWRGDGDXFAVSVV	XAGLQ . RTYFVTCSE . GRLEH	
S_cerevisiae	240	TGEVTATDSHEIPIIISWRGDCHYFAVSSVVEBP	EDDETDXIKERSAERVFSRE . GOLDSIS	
A_thaliana	168	NDIEMIICGGISIISWRGDGKFAIT . MCEVYFSGCM .	CGTCAKIRVWIRE . FALGSTS	
C_elegans	181	EQEQHSEKTSIHRWDGIVAVSF	YSSONDHNTTVFDRNGEILNNMN	
M_musculus	235	ESVPGLGPALAWKPGSLSIASTDK	PNOQDIVVFEKNGNLLHGHFTLPFLKDEVK.	
H_sapiens	235	EPVAGLGPALAWKPGSLSIASTDK	PNOQDIVVFEKNGNLLHGHFTLPFLKDEVK.	
D_melanogaster	229	EKSANLKDSEVNRPGNWIAYQOF	PKHSTIAHRELVLPFDLQEP.	
S_cerevisiae	299	EPVAGLGPALAWKPGSLSIASHRHTDLGEZBSVDPVFEFNGLHIGEFDTLPLD . X .		
A_thaliana	219	ETKEFTQGIILEMPGEGKIAVYKK	SDSSSPSIAFFEFLGLESSEFREGEPEDATES	
C_elegans	230	IRNYYLSHCTABKPNANLCSITQENGSDG	RIVITDNGETANSIVKNPARTED	
M_musculus	289	VNDLLWNNDSSVLAIWLEDPKEDSSPLKHS	VOLWTVGNHYHWYLKQSLPEST . GKNQ	
H_sapiens	289	VNDLLWNNDSSVLAIWLEDPKEDSSPLKHS	VOLWTVGNHYHWYLKQSLPEST . GKNQ	
D_melanogaster	283	VVQLRWSEDSDSELA	RTCAKEEQR	
S_cerevisiae	357	VSVCWNNSNSELAY	VYANRHLWTSKNYHWYLKOELPXPREG	
A_thaliana	277	CENLKWNNSASDILA	TRWFFSNHWYLKOELPXPREG	
C_elegans	286	RRITEKPNSTGWLGN	UTSLGKHQEFWTCNSYEFTRKCYWNFSE	
M_musculus	346	IVSLIHWDP VTPCRLHVLCIGWYKCCDWHHWTDRRSSG	ISANDLIVNAVIDGNRVLTV	
H_sapiens	346	IVSLIHWDP VTPCRLHVLCIGWYKCCDWHHWTDRRSV	CGNSDLSNVAVIDGNRVLTV	
D_melanogaster	331	HALLHWDTRCG	STVGVIDGKPLHID	
S_cerevisiae	398	ISYAHWPE . KDTOMFSDASITNA	DEAYKMAQGPTL . PFCNGTSIVHDGRTWHP	
A_thaliana	325	VVVMWDP TKPLQLICWTLSQGVSRHFMV	AVHEDSTAVIDNSKEEVTP	
C_elegans	334	SHWKWSTVECONTEVILESGOFTSVH	IGTASFSQDV3QNVVVATD . EURRYS	
M_musculus	404	FRQTVVPPPMCTYRLLIPHVNQVIFS	AH . LCNDLAVLDASNQISVYKCG . DNPN	
H_sapiens	404	FRQTVVPPPMCTYQLLFPVNQVIFS	AHPQKSNALVLDASNQISVYKCG . DCPS	
D_melanogaster	384	PDENAVVPPPMKSE	LOXPE . MLVPA . PEGCLL . LTH	
S_cerevisiae	455	LALIVPPPMYRDFETPGNVLDAVCSFSNEIYAA	NEDELIIFAVPSIEEMKKG . KMPK	
A_thaliana	376	LSLAEVPPPMYLESLSFSSAVERDAAVYBRN	KNCFLAVFLDGGKSFV	
C_elegans	387	LCRRVVPMPMCYSKQCLSD	VAHESSTHVVHVISDWMKESCLMFKKK . KRNYSNPF	
M_musculus	457	MDSEVKLGAVGNGNFKVPLATPHLEKRYSIQFGNNETPPE	ALLSFLTWTWVEMDTFLA	
H_sapiens	459	ADPTVKLGAVGNGSFKVCLRTPHLEKRYKIPE	PLKLGULTWVEMDTFLA	
D_melanogaster	420	FISPHYLLATEHSSAG	TYR	
S_cerevisiae	514	IVCE	EPKSEFTSETESLROPAFINDSIVGULLDTONLRSRFLDQDI .	
A_thaliana	427	PNTWEDIEGKDFSVEISOCKTALGSFVRLWLEVHSLLC	VSAYGSSHNK . CLSSGGYDTE	
C_elegans	445	ERKKYILEILKVPNSHKTYFCAFA	ESQDTDGYKFNSRASIDEV	

FIG. 1. Comparison of the amino acid sequence of Ikap across several species. Alignment of the amino acid sequence of Ikap (M_musculus) with that of Homo sapiens (H_sapiens), Drosophila melanogaster (D_melanogaster), Saccharomyces cerevisiae (S_cerevisiae), Arabidopsis thaliana (A_thaliana), and Caenorhabditis elegans (C_elegans). Black boxes indicate identical AA, while conserved AA residues are shown in gray. Asterisk (*) at AA position 696 for mouse and human proteins indicates the location of the heterozygous R696P mutation found in only 4 FD patients. Sequence alignments were made using Pileup and Boxshade commands from GCG Wisconsin Package V.9.0 (Madison, WI).

Figure 9

<i>M_musculus</i>	517	WSYSHSSSQSHIHHLTVHESVEDEEQGOLDVSSSSVTVGVVIGLCCC.SKTKS2AVQLAD
<i>H_sapiens</i>	517	VSHSEFSPRSVIHHLTASSEDDEEHGOLNVSSSLWDGVVISLCNN.SKTKS2VQLAD
<i>D_melanogaster</i>	456	V.HSSWRINGIHNAAWAPYAIEFYVG.TVNNGHTYH...ISL...KADSKHLVERSY
<i>S_cerevisiae</i>	562	TQPLHINIVEVYDDEVCLRSFDYNHLVYK...TRDGTVQQLD...A
<i>A_thaliana</i>	486	EHGSYIQQEVEWYCHEDVCLRSFDYNHLVYK...TRDGTVQQLD...A
<i>C_elegans</i>	500	FVYDEPSESYHINWVSHKHQES...RIGANPEKIFGENIGWIGVNPSNKKKZASND
<i>M_musculus</i>	576	QOVLKILWESPNSLAIPWKNSEGIPVRFVHFCTOMEVATIGGEECVLGLTDRCRFFILVT
<i>H_sapiens</i>	576	GQIFKYLWESPNSLAIPWKNSCGFPVRPFYPCQTEFAMIGEEECVGLTDRCRFFIHD
<i>D_melanogaster</i>	507	VQF...HEPPDQIDWIVVKG...CIWD...SYTGAEHTLRVGHLLHIEGY
<i>S_cerevisiae</i>	604	QD19EITKEPOU.YRDFAVKR.VNTSAEDDWNWESSELVAEGHTINGALFANQ
<i>A_thaliana</i>	546	GKVLYGASRSEIIMETRSSDPSVCEPSTCFHVRAQVDAAGVHKPLCCGIDOMGRLSINGK
<i>C_elegans</i>	556	SKFEDINTKEELFKDKFESNEVHFQVCHGILNHEVQK...DMSMLFSE
<i>M_musculus</i>	636	EVASNITSFA...VCDFFLLTTTHSH...TCQGFSLSGASLKMLOQALSESHEA
<i>H_sapiens</i>	636	EVASNITSFA...VQDFPLLLTTTHSH...TCQCFCLRDASFKTLOACLSNNHVS
<i>D_melanogaster</i>	548	RIGEDYITSEC...VVTIPLVYTO...LNAMBFEVLD...DRRQVA
<i>S_cerevisiae</i>	659	LMASAITSLE...HDSFLFTTAQH...HLOFVELNSDDEKPLPLIVEEG...V
<i>A_thaliana</i>	606	NCCNNCSSESFSYSELANEVVTBLLGTLKQDFLFIIDTKDVLNGDVULGKTFVIEDGRRRD
<i>C_elegans</i>	606	RVSQFAISILTRG...SDILLNDFDNKIRFTDAG...S
<i>M_musculus</i>	684	SGEM...IRKVVNGSRIVTVV.PQDKKILQMPRGNLEVTHRALVLAQIRKWLDKLWFK
<i>H_sapiens</i>	684	HGEY...IRKVERGIRIVTVV.PQDKKILQMPRGNLEVTHRALVLAQIRKWLDKLWFK
<i>D_melanogaster</i>	584	S...RNBERGIRIVTVV.ARKAEVVQLQPRGNLEMIICPRVLLVIELGDLILRG...OK
<i>S_cerevisiae</i>	704	EDER...VRABERGSIRAVSVL.PSKESVVLQVTRGNLETIYPRIVVLAQKNEAKRRE
<i>A_thaliana</i>	666	ZENHSYVNIRERGEPFEGMNGDAAVILQ...RGNLECIYPRKLVLSSIITNAAQOREKG
<i>C_elegans</i>	638	GKTLEDVRNVEAGCCEV.ACISQSANVILQARGNLETIOPRRYVNAHTRDILDKKEIA
<i>M_musculus</i>	741	AfecCMRKLRINLNLIHD.HNPKVFLLENVETFVQIDSVDNHINLFTTELKEEDVTKTMPP
<i>H_sapiens</i>	741	AfecCMRKLRINLNLIYD.HNPKVFLGNVETFVQIDSVDNHINLFTTELKEEDVTKTMPP
<i>D_melanogaster</i>	637	AIECMRKORINLNLIHD.HNKVRFSSVGAEPINDIEPWFCLFSELONEDPTFCYSS
<i>S_cerevisiae</i>	761	AFIVCRTHRINLNLIHD.YAPEFHENIEVFNOIGRVYEFNLIECLSEHDTVTKK
<i>A_thaliana</i>	726	AFNLYRHRIDPFLVTDLYGWQAFLQSAVAEVEQANNENHYTEFVCAKRNEDVTPHYKK
<i>C_elegans</i>	797	SFKWMKMKHRMHD...FAMKYKGDDFEDD...P
<i>M_musculus</i>	800	PITK.SVQVST...EPDGKRNQDLCADMRAAM..EAINPRKFCLS
<i>H_sapiens</i>	800	PVTS...PNTS...DGDGKRNQDLCADMRAVM..EAINPRKFCLS
<i>D_melanogaster</i>	696	NY...DARK.QTYPSC...YRVD.KVPEYVCRLEQOM..NRF.VSNFRIP
<i>S_cerevisiae</i>	820	TLMSGISKSFGMHPABHMEMQYKXKQKFDPKASVVKKSCDAYLNVJUSNPEYKSRLOP
<i>A_thaliana</i>	786	FSISKKGDEVE...EWKODSCSNKVSSVLOQARAKATEEEHIPESPSREIC
<i>C_elegans</i>	725	IWLKTSNDSQPMQQLFACTIVE...EDAGSSLCMTVARYMRD..LSQAEKTRMEPL.
<i>M_musculus</i>	839	ILTSHVKKTTPELE...IVLQKVQELQGNLPFD...PSVSVEALKYLLLVDVNEELF
<i>H_sapiens</i>	839	ILTSHVKKTTPELE...IVLQKVQELQGNLPFD...QVSAEALKYLLLVDVNEELF
<i>D_melanogaster</i>	736	ITATAYVKLG...LE...MAQVWKEQ...QE...DASLADLQHLLLVVDVNEELF
<i>S_cerevisiae</i>	880	ITATAYASQNPQNLIS...AALKLSELF...NSEKDCSCTYTLCPQDGVNV
<i>A_thaliana</i>	831	ILTALARSDDPPEBESL...TREKSVRMELLNSSDDIRKNSCPAEEALKHLLVLDQSEAF
<i>C_elegans</i>	777	ILTALRSKPSKINAC...EKEVQE...EVEKADPKDVFERNSLHHSFVPAKEF
<i>M_musculus</i>	892	NHSILGTYDFNVLVLMVAEKSQKDPKEYLPLFLNTLKK.WETNYQRTFTIDKYLKRYEKALGHE
<i>H_sapiens</i>	892	DHSILGTYDFNVLVLMVAEKSQKDPKEYLPLFLNTLKK.METNYQRTFTIDKYLKRYEKAKGHL
<i>D_melanogaster</i>	782	NVALGTYDFGLVLEVACKSOKDPKEYLPLFLNTLKK.TPIDYRFRFIDDELKRYTSALSH
<i>S_cerevisiae</i>	926	KSALSILYDVSLLAEEVACKSOKDPREYLPFLDELOQD.NEPLRRMFLIDDYLGNYERALEHL
<i>A_thaliana</i>	891	EEALGLYDNLAAVVALNSOHDPELPLTYEELER.SPESLMFLPKIDIKLQRKESALRN
<i>C_elegans</i>	829	NCALSTYDLEAQOQVAEASYDPKEYPLVNLKUNRVCTLERQMRINVVREAWIDAWSSL
<i>M_musculus</i>	951	.SKCGPE..YFTECLNLKDK.NLYKEAELLYRPDSPQYQAMSMAYGEHLMQEHH
<i>H_sapiens</i>	951	.SKCGPE..YFPECLNLKDK.NLYNEAELLYSPSSGQYQDISIAYGEHLMQEHH
<i>D_melanogaster</i>	841	.AACGGC..HMEBALEYIRKK.GLYTBGLAFYRCHIEFQKNIYVAYAHLRAIAK
<i>S_cerevisiae</i>	985	.SEIDKBNVSEEVYHESH.GLYKHEGLALYRVDSEKQSVIYNIYAKHISSNQH
<i>A_thaliana</i>	950	.VSAG..VCEYECNLNLIKKNPQLEPLGELIT.DPEKKLVVLEAWAHBLDEM
<i>C_elegans</i>	889	FLLDSSKRGSEETWWNCTEIQ.REKLYQALWKEPGDRRYKQCCELYAAELERKVH
<i>M_musculus</i>	1002	YEPAGLMLPARCGAQQEKAFAFLCGSWOQALCVAAQQLQMSKDQVAGLARTLAGLVEORK
<i>H_sapiens</i>	1002	YEPAGLMLPARCGAQQEKAFAFLCGSWOQALCVAAQQLQMSKDQVAGLARTLAGLVEORK
<i>D_melanogaster</i>	892	LDNAELMYERGGQGQALLEAKHTLDNQRVILVAKKSEPLDQV...AQELVGPQHQG
<i>S_cerevisiae</i>	1038	YDAAAYAYEMLGRIKEAMCAMOSAKRMREAMSAAVO.KFP.EEVESQAAEELISSSTF
<i>A_thaliana</i>	1001	SEDAATTYLCGCCLEKASKAATRECWDWSGVLRVGAL.KLGKDEPFLKAYELCEEHNALGK
<i>C_elegans</i>	948	WREAALFYELSGNSEKTLKCWEWSRDVGLAASARREAVDAGKLIKBAIKMSTTRBARQ

Figure 9

Continued

M_musculus	1062	HSEAATVLEIYAQODYEEAVLLLEGSAWEEALRLVYKYDRVDIETSIKPSILEAQKNYM
H_sapiens	1062	HITTAAMVLEESAQODYEEAVLLLEGSAWEEALRLVYKYDRDIETNVKPSILEAQKNYM
D_melanogaster	949	HREAYEPEKEHCGDKRQFDJLEGALYSRAEYEACLED. . DDYSEKAPMILAYGVLE
S_cerevisiae	1096	YVDAADHOLEYLDNVKEAVAIYCKTYRYFIASLVAIKAKDDEEEVVDPGGEFGGINA
A_thaliana	1061	PAEAAKIALEYCSDISGEGSLLENIREWEALRVAILHTADDTSVVVKSSALECASGLN
C_elegans	1008	PKELAKALKLAGSSSTIVRHLCIPEFLQASREVEVGK. EEALEKKKALSRND
M_musculus	1122	DFLDSITATEFREKNRLQVVRALRROAQPVHYDHEVVAHGPESDLF. SETSSSIWS.GSENIS
H_sapiens	1122	AFLDSITATEFSRHKRLLVVRRELKOAOAGFDDEPHGPESDLF. SETSSSIWS.GSENIS
D_melanogaster	1007	SSLQMLQLOLEWDYKORLLEHRRNQAKEGEGEHDTEV. NLKEVDILL.SDTTSIERS.S.SYS
S_cerevisiae	1156	ELLADCKGQINSQLRRLREERAKKEENPYAFYGDTEQADPVSHPSETSTQESPPERYI
A_thaliana	1120	SEFKESIEKVGVHLTRYLAVRQELLLAAKLKSZEREVVLDLDDTASERSNSNQSGMSAYA
C_elegans	1063	MDLERRKTEEFENYKKRLAVVRENKLKRVEQFAAGEV. DOLRDEISVISSISSR..
M_musculus	1180	. GHYSHSNNSR.ISARSSKNRR.KAERKKHSLKEGSPPLEGLALLEAL. SEVVO.SVE
H_sapiens	1180	. GKYSHSNNSR.ISARSSKNRR.KAERKKHSLKEGSPPLEGLALLEAL. SEVVO.RTE
D_melanogaster	1063	GTSRAGK. TRSSKNRR.KAERKKHSLKEGSPPLEGLALLEAL.NEVTKHAQ.QQF
S_cerevisiae	1216	GKTGGTTKTKGASSRBTAKNRK. EYLRKARGKGNTIYEE. RLY
A_thaliana	1180	LCTRRCGSIISVSSNMSRARDLHRKSKMAGSAGEHALMIDL. KGR.MTD
C_elegans	1115 SGSSKHSMASAVRRAK.QIEKKSSLKEGGEYEDSALLNVLSENYRWEENIGSE
M_musculus	1231	KLKDEVHILKVLFLFEFDEQAKSELQRAFESTLQLMERAVPEIWTPAGQQSS. . . ATPVLG
H_sapiens	1231	NLKDEVYHILKVLFLFEFDEQAKSELQRAFESTLQLMERAVPEIWTLAYQONS. . . ATPVLG
D_melanogaster	1116	PYRDTCKAKLORAAAIDPLAALQREPKILLQAFVVAHDEIWTPELRGNGLADHHTG
S_cerevisiae	1268	GTKPDAVRTHEGLCRRNNRQAKRTEKNEVIVLDLHKANVRSIVTHEKDRERVNEN. . G
A_thaliana	1234	GGKREMKSLHICIVLGEAEQKLOOMAS. FQYSMIVAAVE. ABDTVSESVPDVY
C_elegans	1168	FCFPWNFNL.
M_musculus	1289	PSSTANSIASYQQOKTCVPALDAQVAPPKMPREOWKLSLL
H_sapiens	1289	PNSTANSIASYQQOKTSVPILDAAFFIPPKINRRQWKLSLL
D_melanogaster	1176	PN.VDYLALQKEDORYELASPDKR.EKPOLI. . . MMDHQHEPL
S_cerevisiae	1326	EVYYIPEUPVPEIHDFPKSH.
A_thaliana	1292	FERYAKTRSTDARDSDAFSWNK. VFISP-----
C_elegans	1178	-----

Figure 9

Continued

TABLE 2. COMPARISON OF THE NOVEL MOUSE *Ikbkap* GENE WITH MULTIPLE SPECIES HOMOLOGS

<i>Species</i>	<i>Gene name</i>	No. of amino acids	Molecular weight (kDa)	% aa identity with M.m.	GenBank Accession No.
<i>Mus musculus</i> (M.m.)	<i>Ikbkap</i>	1332	149.11	—	AF367244
<i>Homo sapiens</i>	<i>IKBKA P</i>	1332	149.11	80	AF153419
<i>Drosophila melanogaster</i>	<i>CG10535</i>	1213	138.21	32	AAF54670
<i>Saccharomyces cerevisiae</i>	<i>Epl1/Iki3p</i>	1349	152.99	29	AAB67278
<i>Arabidopsis thaliana</i>	Unknown	1308	146.63	27	BAB08695
<i>Caenorhabditis elegans</i>	Unknown	1177	134.80	24	AAF60430

Figure 10

TABLE I. MOUSE *Ikbkap* EXON AND INTRON BOUNDARIES

<i>Exon</i>	<i>Acceptor site</i>	<i>Donor site</i>	<i>Size (bp)</i>	<i>cDNA position</i>
1		AGgtgagcattcgccg	129	1..129 ^a
2	ttttttcccttagAA	AAgtaggtaatgtgc	163	130..292 ^b
3	tatgccttgcgaaagGT	AGgtaggtaaggcc	153	293..445
4	tttctctgtatcgacG	AGgtaaatgttgactg*	82	446..527
5	acatgaaccttcaagCT	AGgtaaatgttgatgg	81	528..608
6	ctggaaaaactgttagGC	TGgttaaggggatgtat	86	609..694
7	ggtgttccttcgttagCC	TGgtgtctcttcgtc*	97	695..791
8	ctacccttcgttcgtAG	AAgtggatgtggataaa*	91	792..882
9	agggtctgttttcgtAC	AGgtagggttgcggat	124	883..1006
10	ttttgtccccatccacAG	TGgtatgtacatgtgt	94	1007..1100
11	tcccccacacacagTC	AAgtaaatgtgtcgaa	231	1101..1331
12	tttttcattttgttagAC	TGgtaaatgtggaaagg	165	1332..1496
13	ttttttgttttcgttagGT	TCgtaaatgtccaaata	100	1497..1596
14	ctaataatgttgcacAG	AGgtatcatgttcatc	189	1597..1785
15	tttttttgttcgttagTT	GGgttggggatcgagg	107	1786..1892
16	tttaatcttacaacacAG	AGgttaatgttgcggc	104	1893..1996
17	ttcactttttcgttagGA	AGgtatgttgcgttgt	54	1997..2050
18	tcttgcctttgtcgacGT	AAgtaaatgttcctata	106	2051..2156
19	cactgttattttttagTG	AGgtaaatgttgcgttc*	116	2157..2272
20	gggttttattttttagAT	AAgtaaatgttattttct*	74	2273..2346
21	ttccgttccatccacAG	AGgtacatgttgcgt	79	2347..2425
22	tacttttttgtatgtAG	AGgtaaatgttgcata*	80	2426..2505
23	tactgtggtttcgttagGG	AAgtgggttgcgttgt	138	2506..2643
24	cacttacatccatcgGT	AGgttagagacccgtcg	86	2644..2729
25	ctttaaatccaaacacAG	AGgtatgttggatgtag*	149	2730..2878
26	aacttttttcgttagGA	TGgtaaatgtttttttt	124	2879..3002
27	tttttttttttcgttagGA	AGgtatgttgggtttt	98	3003..3100
28	cgttcctttgtatgtGC	AGgtaaatgtttttttt	202	3101..3302
29	tttgcgttgcgttagGA	AGgtgaggatgtttttt	62	3303..3364
30	ctctttcccttcgttagGA	TGgtaaatgtttttttt	63	3365..3427
31	tttcttccttcgttagGT	AGgtgaggatgtttttt	61	3428..3488
32	attatgtatccatcgCC	GGgttggatgtttttttt	114	3489..3602
33	gtttatgtatccatcgAT	GGgttggatgtttttttt	112	3603..3714
34	tgtatgtatccatcgGA	AGgtatgttgcgttgt	128	3715..3842
35	ccattttttcgttagAT	CGgtaaatgtttttttt	155	3843..3997
36	ctgttttttcgttagGT	CGgttggatgtttttttt	76	3998..4073
37	catttttcgttagAT	CGgttggatgtttttttt	709	4074..4799 ^c

Figure 11




Figure 12

